

# MISSOURI VITAL STATISTICS 1973

RECEIVED

DEC 9 1974

DIVISION OF STATE  
PLANNING AND ANALYSIS

Missouri Center for Health Statistics





**MISSOURI  
VITAL STATISTICS**

**1973**

**Prepared by  
Missouri Center for Health Statistics  
August, 1974**

**DEPARTMENT OF SOCIAL SERVICES**

**DIVISION OF HEALTH  
MISSOURI CENTER FOR HEALTH STATISTICS  
BROADWAY STATE OFFICE BUILDING  
JEFFERSON CITY, MISSOURI 65101**

## **PREFACE**

This is the final tabulation of statistical data relating to vital events in Missouri during 1973. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, and divorces. Provisional vital statistics data are available through the publication, Monthly Vital Statistics. Unpublished detailed annual vital statistics data are available upon request.

**MISSOURI CENTER FOR HEALTH STATISTICS**

**AUGUST 1974**

## BACKGROUND

### RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

### VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1973 calendar year of events. Records have been accepted through March 15 of 1974 before cut-off, allowing 1973 events to be as complete as possible.

### POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1973; provided by the DEMOGRAPHIC UNIT, Division of Planning and Analysis; Office of Administration, Capitol Building, Jefferson City, Missouri.

### RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

### COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

### TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

### CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further breakdown of these 41 causes.

### RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (—) is shown, this means none or zero.

# TABLE OF CONTENTS

## BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS


Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911—1973 .....	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911—1944 .....	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945—1973 .....	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1973 ...	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1973 .....	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1973 ...	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1973 ..	17
B	Trends in Fetal Death Rates by Color, 1932—1973 .....	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1973 .....	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1973 .....	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1973 .....	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1973 .....	27
C	Trends in Maternal Death Rates by Color, 1932—1973 .....	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1973 .....	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1973 ...	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1973 .....	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1973 .....	39
D	Trends in Infant Death Rates by Color, 1932—1973 .....	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1973 ...	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1973 .....	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1973 .....	136
MARRIAGES		
E	Trends in Marriage Rates, 1949—1973 .....	138
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1973 .....	139
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1973 ...	141
20	Reported Marriages by Marital Status, Missouri: 1973 .....	142
21	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1973 .....	142
22	Reported Marriages by County of Record with Rates, Missouri: 1973 .....	143
DIVORCES		
F	Trends in Divorce Rates, 1949—1973 .....	145
23	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1973 .....	146
24	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1973 .....	147
25	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1973 .....	148
26	Reported Divorces and Annulments by Complainant by to Whom Decree Granted: Missouri: 1973 ...	148
27	Reported Divorces and Annulments by Complainant by Disposition of Children, Missouri: 1973 .....	148
28	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1973 .....	149
29	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1973 .....	149
30	Reported Divorces and Annulments by Color, Husband by Wife, Missouri: 1973 .....	150
31	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1973 .....	150
32	Reported Divorces and Annulments by County of Record with Rates, Missouri: 1973 .....	151

# MISSOURI



**BIRTHS, FETAL DEATHS  
DEATHS, INFANT DEATHS  
MATERNAL DEATHS  
ACCIDENTS**

**GRAPH A.**  
**LIVE BIRTH AND DEATH RATES 1911-1973**  
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates taken from United States Bureau of the Census Release, Series P-25, No's 139, 304, 460, 488. July 1, 1973 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1928	17.6	12.6	1945	18.7	12.1	1962	21.5	11.2
1912	22.6	12.6	1929	16.8	12.2	1946	21.5	11.3	1963	20.6	11.5
1913	22.1	12.4	1930	17.0	11.8	1947	23.4	11.6	1964	19.9	11.2
1914	21.3	12.0	1931	16.2	11.9	1948	22.1	11.1	1965	18.2	11.2
1915	20.5	11.7	1932	16.0	11.7	1949	21.5	11.1	1966	17.2	11.4
1916	20.8	12.7	1933	15.3	11.5	1950	21.6	11.0	1967	16.5	11.1
1917	19.3	13.1	1934	15.9	12.3	1951	22.4	10.9	1968	16.3	11.4
1918	19.2	15.6	1935	15.1	11.4	1952	22.7	11.3	1969	16.9	11.3
1919	18.2	11.7	1936	14.7	12.8	1953	22.7	11.2	1970	17.2	11.1
1920	19.2	12.5	1937	15.1	11.9	1954	23.0	10.8	1971	16.6	10.8
1921	19.5	10.6	1938	15.7	11.3	1955	22.7	10.4	1972	15.3	11.0
1922	18.7	11.2	1939	15.8	11.3	1956	23.1	10.7	1973	14.4	10.9
1923	19.3	12.1	1940	16.5	11.6	1957	23.2	11.3			
1924	19.7	11.5	1941	17.4	11.4	1958	23.1	11.2			
1925	19.4	11.7	1942	19.0	11.0	1959	23.1	10.9			
1926	18.7	10.0	1943	20.2	12.0	1960	22.6	11.2			
1927	18.6	11.4	1944	19.7	11.9	1961	22.4	10.9			



TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION  
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000  
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1973

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,717	81,409	17.3	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,747	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973,	4,757*	70,808	14.9	53,003	11.1	68,605	14.4	51,812	10.9	16,793

1974 Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates taken from United States Bureau of the Census Release, Series P-25, No.'s 139, 304, 460, 488. \*July 1, 1973 provisional estimate—see page iv.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1973

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	68,605	31,818	36,787	100.0	100.0	100.0
TOTAL MALE	35,313	16,388	18,925	51.5	51.5	51.4
TOTAL FEMALE	33,292	15,430	17,862	48.5	48.5	48.6
WHITE TOTAL	57,109	22,391	34,718	100.0	100.0	100.0
MALE	29,445	11,558	17,887	51.6	51.6	51.5
FEMALE	27,664	10,833	16,831	48.4	48.4	48.5
NONWHITE TOTAL	11,496	9,427	2,069	100.0	100.0	100.0
MALE	5,868	4,830	1,038	51.0	51.2	50.2
FEMALE	5,628	4,597	1,031	49.0	48.8	49.8
ATTENDANT-COLOR						
GRAND TOTAL	68,605	31,818	36,787	100.0	100.0	100.0
M. D.	60,895	29,702	31,193	88.8	93.3	84.8
D. O.	7,594	2,082	5,512	11.1	6.5	15.0
MIDWIFE	83	24	59	.1	.1	.2
OTHER	33	10	23			.1
WHITE TOTAL	57,109	22,391	34,718	100.0	100.0	100.0
M. D.	50,048	20,629	29,419	87.6	92.1	84.7
D. O.	6,984	1,751	5,233	12.2	7.8	15.1
MIDWIFE	46	2	44	.1		.1
OTHER	31	9	22	.1		.1
NONWHITE TOTAL	11,496	9,427	2,069	100.0	100.0	100.0
M. D.	10,847	9,073	1,774	94.4	96.2	85.7
D. O.	610	331	279	5.3	3.5	13.5
MIDWIFE	37	22	15	.3	.2	.7
OTHER	2	1	1			

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.  
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.  
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1973

	NUMBER						PERCENTAGES					
LIVE BIRTHS	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	57,109	11,496	22,391	9,427	34,718	2,069	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	53,556	5,494	20,657	4,239	32,899	1,255	93.8	47.8	92.3	45.0	94.8	60.7
ILLEGITIMATE	3,489	5,969	1,708	5,160	1,781	809	6.1	51.9	7.6	54.7	5.1	39.1
NOT STATED	64	33	26	28	38	5	.1	.3	.1	.3	.1	.2
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	57,109	11,496	22,391	9,427	34,718	2,069	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	697	259	283	229	414	30	1.2	2.3	1.3	2.4	1.2	1.4
NOT DEFORMED TOTAL	56,029	11,202	21,966	9,181	34,063	2,021	98.1	97.4	98.1	97.4	98.1	97.7
NOT STATED/UNKNOWN	383	35	142	17	241	18	.7	.3	.6	.2	.7	.9
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	53,472	10,009	20,914	8,175	32,558	1,834	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	46,899	9,437	19,283	7,863	27,616	1,574	87.7	94.3	92.2	96.2	84.8	85.8
D. O.	6,507	536	1,622	290	4,885	246	12.2	5.4	7.8	3.5	15.0	13.4
MIDWIFE	42	35	2	21	40	14	.1	.3		.3	.1	.8
OTHER	24	1	7	1	17						.1	
UNDER 5.5 LBS TOTAL	3,529	1,477	1,433	1,245	2,096	232	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,061	1,401	1,311	1,203	1,750	198	86.7	94.9	91.5	96.6	83.5	85.3
D. O.	463	74	122	41	341	33	13.1	5.0	8.5	3.3	16.3	14.2
MIDWIFE	3	2		1	3	1	.1	.1		.1	.1	.4
OTHER	2				2		.1				.1	
NOT STATED TOTAL	108	10	44	7	64	3	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	88	9	35	7	53	2	81.5	90.0	79.5	100.0	82.8	66.7
D. O.	14		7		7		13.0		15.9		10.9	
MIDWIFE	1				1		.9				1.6	
OTHER	5	1	2		3	1	4.6	10.0	4.5		4.7	33.3
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	57,109	11,496	22,391	9,427	34,718	2,069	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	56,902	11,421	22,344	9,376	34,558	2,045	99.6	99.3	99.8	99.5	99.5	98.8
CLINIC												
RESIDENCE	172	69	41	47	131	22	.3	.6	.2	.5	.4	1.1
OTHER	35	6	6	4	29	2	.1	.1			.1	.1

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1973

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURRENCE												
TOTAL	57,109	11,496	22,391	9,427	34,718	2,069	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	4,810	1,024	1,914	842	2,896	182	8.4	8.9	8.5	8.9	8.3	8.8
FEBRUARY	4,319	903	1,769	739	2,550	164	7.6	7.9	7.9	7.8	7.3	7.9
MARCH	4,953	994	1,996	819	2,957	175	8.7	8.6	8.9	8.7	8.5	8.5
APRIL	4,619	928	1,875	752	2,744	176	8.1	8.1	8.4	8.0	7.9	8.5
MAY	4,539	916	1,812	740	2,727	176	7.9	8.0	8.1	7.8	7.9	8.5
JUNE	4,489	912	1,688	768	2,801	144	7.9	7.9	7.5	8.1	8.1	7.0
JULY	5,056	1,026	1,971	831	3,085	195	8.9	8.9	8.8	8.8	8.9	9.4
AUGUST	5,291	1,071	1,990	859	3,301	212	9.3	9.3	8.9	9.1	9.5	10.2
SEPTEMBER	4,987	955	1,927	803	3,060	152	8.7	8.3	8.6	8.5	8.8	7.3
OCTOBER	4,936	918	1,967	763	2,969	155	8.6	8.0	8.8	8.1	8.6	7.5
NOVEMBER	4,552	887	1,741	701	2,811	186	8.0	7.7	7.8	7.4	8.1	9.0
DECEMBER	4,558	962	1,741	810	2,817	152	8.0	8.4	7.8	8.6	8.1	7.3



TABLE 4

## RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1973

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,757,000	68,605	812	70,808	799	14.4	11.8	14.9	11.3
COUNTIES INCLUDING CITIES									
ADAIR	24,000	318		562	3	13.3		23.4	5.3
ANDREW	13,100	143	2			10.9	14.0		
ATCHISON	9,700	135	1	200	2	13.9	7.4	20.6	10.0
AUDRAIN	25,500	362	4	470	7	14.2	11.0	18.4	14.9
BARRY	21,500	263	4	191	2	12.2	15.2	8.9	10.5
BARTON	11,100	130	2	59		11.7	15.4	5.3	
BATES	16,300	223	3	173	3	13.7	13.5	10.6	17.3
BENTON	11,500	119		3		10.3		.3	
BOLLINGER	9,600	117	1			12.2	8.5		
BOONE	83,700	1,127	12	1,848	19	13.5	10.6	22.1	10.3
BUCHANAN	87,000	1,223	18	1,697	20	14.1	14.7	19.5	11.8
BUTLER	36,700	484	5	871	9	13.2	10.3	23.7	10.3
CALDWELL	9,100	100				11.0			
CALLAWAY	27,700	383	3	106	2	13.8	7.8	3.8	18.9
CAMDEN	15,700	178	4	4		11.3	22.5	.3	
CAPE GIRARDEAU	51,400	672	6	1,236	12	13.1	8.9	24.0	9.7
CARROLL	12,100	181	4	80	3	15.0	22.1	6.6	37.5
CARTER	4,200	78	4			18.6	51.3		
CASS	45,900	712	17	351	10	15.5	23.9	7.6	28.5
CEDAR	10,300	118		190	1	11.5		18.4	5.3
CHARITON	10,600	132	1			12.5	7.6		
CHRISTIAN	18,200	303				16.6			
CLARK	8,200	84	1			10.2	11.9		
CLAY	131,400	1,908	19	1,386	7	14.5	10.0	10.5	5.1
CLINTON	14,000	167	1	114		11.9	6.0	8.1	
COLE	48,500	666	7	1,376	11	13.7	10.5	28.4	8.0
COOPER	14,700	169	2	72	2	11.5	11.8	4.9	27.8
CRAWFORD	16,100	239	2	243	4	14.8	8.4	15.1	16.5
DADE	7,000	91	2			13.0	22.0		
DALLAS	10,800	157	1	3		14.5	6.4	.3	
DAVISS	8,200	120	1	35	1	14.6	8.3	4.3	28.6
DE KALB	7,800	96	2			12.3	20.8		
DENT	12,900	195	1	103		15.1	5.1	8.0	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1973 (SEE PP IV).

TABLE 4 (CONT)

## RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1973

COUNTIES	POPULATION	NUMBER		RATES		RATES		RATES	
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
DOUGLAS	10,800	126	2	1		11.7	15.9	.1	
DUNKLIN	35,100	602	3	531	2	17.2	5.0	15.1	3.8
FRANKLIN	61,100	1,038	10	530	7	17.0	9.6	8.7	13.2
GASCONADE	12,900	157	2	94		12.2	12.7	7.3	
GENTRY	8,300	92		138		11.1		16.6	
GREENE	165,000	2,481	22	4,056	29	15.0	8.9	24.6	7.1
GRUNDY	11,200	169	3	203	4	15.1	17.8	18.1	19.7
HARRISON	10,000	92	1	59		9.2	10.9	5.9	
HENRY	19,700	252	3	371	3	12.8	11.9	18.8	8.1
HICKORY	5,400	49		17		9.1		3.1	
HOLT	7,100	73		1		10.3		.1	
HOWARD	10,900	104	2	107	1	9.5	19.2	9.8	9.3
HOWELL	26,400	378	3	579	8	14.3	7.9	21.9	13.8
IRON	9,900	186	3	77	1	18.8	16.1	7.8	13.0
JACKSON	647,700	9,827	151	12,790	159	15.2	15.4	19.7	12.4
JASPER	82,400	1,279	16	1,562	17	15.5	12.5	19.0	10.9
JEFFERSON	115,300	1,982	18	455	4	17.2	9.1	3.9	8.8
JOHNSON	35,200	650	2	669	4	18.5	3.1	19.0	6.0
KNOX	5,900	60	1	1		10.2	16.7	.2	
LACLEDE	20,600	308	4	297	4	15.0	13.0	14.4	13.5
LAFAYETTE	28,400	368	2	324	3	13.0	5.4	11.4	9.3
LAWRENCE	27,400	355	5	310	6	13.0	14.1	11.3	19.4
LEWIS	10,500	122		2		11.6		.2	
LINCOLN	19,500	269	4	162	3	13.8	14.9	8.3	18.5
LINN	15,600	186	1	255	2	11.9	5.4	16.3	7.8
LIVINGSTON	16,500	224	2	345	2	13.6	8.9	20.9	5.8
MC DONALD	14,200	186	6	1		13.1	32.3	.1	
MACON	15,300	193		170		12.6		11.1	
MADISON	9,100	118		110		13.0		12.1	
MARIES	7,100	82	2			11.5	24.4		
MARION	28,000	382	6	602	11	13.6	15.7	21.5	18.3
MERCER	4,700	36	1	27		7.7	27.8	5.7	
MILLER	17,300	257	6	119	5	14.9	23.3	6.9	42.0

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1973 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1973

COUNTIES	POPULATION	NUMBER		RATES					
		RESIDENT		RESIDENT					
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS				
MISSISSIPPI	16,800	308	6	115	4	18.3	19.5	6.8	34.8
MONITEAU	11,100	163		13		14.7		1.2	
MONROE	9,700	103	1	6		10.6	9.7	.6	
MONTGOMERY	10,800	141	1			13.1	7.1		
MORGAN	11,400	133	2	1		11.7	15.0	.1	
NEW MADRID	24,600	382	1	19		15.5	2.6	.8	
NEWTON	35,300	522	6	603	4	14.8	11.5	17.1	6.6
NODAWAY	24,500	293	6	238	7	12.0	20.5	9.7	29.4
OREGON	9,500	97	1	6		10.2	10.3	.6	
OSAGE	11,200	179	1	1		16.0	5.6	.1	
OZARK	7,000	81	3			11.6	37.0		
PEMISCOT	27,100	505	10	550	9	18.6	19.8	20.3	16.4
PERRY	14,700	209	1	189	1	14.2	4.8	12.9	5.3
PETTIS	36,400	483	6	639	6	13.3	12.4	17.6	9.4
PHELPS	31,400	424	5	646	5	13.5	11.8	20.6	7.7
PIKE	17,200	220	7	160	2	12.8	31.8	9.3	12.5
PLATTE	34,800	556	4			16.0	7.2		
POLK	16,800	246	4	19	3	14.6	16.3	1.1	157.9
PULASKI	38,500	938	6	937	3	24.4	6.4	24.3	3.2
PUTNAM	6,100	58	2	53	2	9.5	34.5	8.7	37.7
RALLS	7,700	116	2	1		15.1	17.2	.1	
RANDOLPH	22,700	288	2	274	2	12.7	6.9	12.1	7.3
RAY	19,400	251	2	164	2	12.9	8.0	8.5	12.2
REYNOLDS	6,200	87	1	1		14.0	11.5	.2	
RIPLEY	12,200	134	1	65	1	11.0	7.5	5.3	15.4
ST. CHARLES	103,600	1,884	18	1,246	14	18.2	9.6	12.0	11.2
ST. CLAIR	8,500	83	2	52	1	9.8	24.1	6.1	19.2
ST. FRANCOIS	39,500	540	4	832	6	13.7	7.4	21.1	7.2
STE. GENEVIEVE	13,700	183	1	138	1	13.4	5.5	10.1	7.2
ST. LOUIS CITY	568,100	9,127	139	12,616	195	16.1	15.2	22.2	15.5
ST. LOUIS COUNTY	951,300	12,158	115	12,301	105	12.8	9.5	12.9	8.5
SALINE	24,100	321	1	250		13.3	3.1	10.4	
SCHUYLER	4,800	56	1			11.7	17.9		

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1973 (SEE PP IV).

TABLE 4 (CONT) RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1973

COUNTIES	POPULATION	NUMBER		RATES		RATES		RATES	
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,400	59		74		10.9		13.7	
SCOTT	34,700	586	13	730	12	16.9	22.2	21.0	16.4
SHANNON	7,500	108	2	4		14.4	18.5	.5	
SHELBY	7,800	108				13.8			
STODDARD	26,800	391	5	551	6	14.6	12.8	20.6	10.9
STONE	11,800	147	2			12.5	13.6		
SULLIVAN	7,700	91		33		11.8		4.3	
TANEY	16,900	190	1	154	2	11.2	5.3	9.1	13.0
TEXAS	20,200	256	4	270	4	12.7	15.6	13.4	14.8
VERNON	19,000	227	2	216	4	11.9	8.8	11.4	18.5
WARREN	11,600	140	3			12.1	21.4		
WASHINGTON	16,400	298	5	151	2	18.2	16.8	9.2	13.2
WAYNE	9,700	124	1	3		12.8	8.1	.3	
WEBSTER	17,600	289	1	6		16.4	3.5	.3	
WORTH	3,200	38				11.9			
WRIGHT	15,400	208		143	3	13.5		9.3	21.0

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1973 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	39,584	514	66,584	756
TOTAL CITIES 10,000 POP. & OVER	31,818	432	49,658	584
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	7,766	82	16,926	172
CITIES OVER 10,000 POP.				
BALLWIN	155	3		
BELLEFONTAINE NEIGHBORS	46			
BERKELEY	216	1		
BRENTWOOD	95	2		
BRIDGETON	211	1		
CAPE GIRARDEAU	406	4	1,236	12
CARTHAGE	158	3	257	1
CLAYTON	66		1,009	7
COLUMBIA	655	6	1,846	19
CRESTWOOD	84		1	
FERGUSON	235	2		
FLORISSANT	793	10	1,596	15
FULTON	108	1	106	2
GLADSTONE	259	1	2	
GRANDVIEW	373	4		
HANNIBAL	255	6	603	11
MARION CO. PART	251	6	602	11
RALLS CO. PART	4		1	
HAZELWOOD	215	2		
INDEPENDENCE	1,734	16	1,443	11
JEFFERSON CITY	386	6	1,375	11
JENNINGS	142	2		1
JOPLIN	597	10	1,450	16
JASPER CO. PART	562	9	1,206	15
NEWTON CO. PART	35	1	244	1
KANSAS CITY	7,492	127	11,342	148
JACKSON CO. PART	6,301	117	11,342	148
CLAY CO. PART	988	10		
PLATTE CO. PART	203			
KIRKSVILLE	214		561	3



TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	306	3	1,295	11
LADUE	26			
LEE'S SUMMIT	291	1	1	
LIBERTY	195	2		
MAPLEWOOD	126	1		
MARSHALL	174		209	
MEXICO	150	1	459	7
MOBERLY	147	2	274	2
OVERLAND	299	4	2	
POPLAR BLUFF	253	3	869	9
RAYTOWN	352	1		
RICHMOND HEIGHTS	99		1,944	19
ROLLA	168	1	645	5
ST. ANN	206	4		
ST. CHARLES	582	5	1,245	14
ST. JOSEPH	1,113	17	1,697	20
ST. LOUIS CITY	9,127	139	12,616	195
SEDALIA	303	4	639	6
SIKESTON	305	7	546	8
SCOTT CO. PART	293	7	544	8
NEW MADRID CO. PART	12		2	
SPRINGFIELD	1,913	20	4,054	28
UNIVERSITY CITY	408	6	1	
WARRENSBURG	157		333	3
WEBSTER GROVES	223	4	2	
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	85	2	249	5
BEL-RIDGE	35			
BELTON	240	2	2	
BETHANY	29		59	
BLUE SPRINGS	297	3	1	
BOLIVER	68	2		1
BONNE TERRE	55		125	1
BOONVILLE	85		42	2
BOWLING GREEN	34	1	1	

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	24			
BROOKFIELD	76	1	164	1
BUTLER	55	1	172	3
CALIFORNIA	47		12	
CAMERON	59	1	113	
CLINTON CO. PART	49	1	113	
DE KALB CO. PART	10			
CANTON	26		2	
CARROLLTON	91		79	3
CARUTHERSVILLE	139	2	1	
CENTRALIA	56	2		
CHAFFEE	49	1	172	3
CHARLESTON	121	3	113	4
CHILLICOTHE	125	1	345	2
CLINTON	115	1	328	3
CREVE COEUR	132	1	4,414	39
CRYSTAL CITY	57			
DELLWOOD	60			
DESOTO	46	1		
DES PERES	84			
DESLOGE	43			
DEXTER	99	1	521	6
EAST PRAIRIE	101	3		
ELDON	59	1		
ELDORADO SPRINGS	44		189	1
ELLISVILLE	44			
EXCELSIOR SPRINGS	189	4	179	1
CLAY CO. PART	186	4	179	1
RAY CO. PART	3			
FARMINGTON	93	1	698	4
FAYETTE	28	1	107	1
FESTUS	82	2		
FLAT RIVER	59			
FREDERICKTOWN	41		109	
FRONTENAC	13			
GLENDALE	58			
HARRISONVILLE	102	3	347	10

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
HAYTI	53	2	548	9
HERMANN	30		94	
HIGGINSVILLE	43			
HILLSDALE VILLAGE	23			
JACKSON	70	1		
KENNETT	171	2	531	2
KINLOCH	79	1	1	
LAMAR	48	1	58	
LEBANON	121		297	4
LEXINGTON	78		192	2
LOUISIANA	51		152	2
MACON	65		169	
MALDEN	121			
MANCHESTER	118	1		
MARCELINE	30		91	1
MARSHFIELD	36		1	
MARYVILLE	110	4	237	7
MOLINE ACRES	25			
MONETT	92	3	231	3
BARRY CO. PART	53	2	170	2
LAWRENCE CO. PART	39	1	61	1
MOUNTAIN GROVE	20			
MT. VERNON	59		63	1
NEOSHO	128	2	235	1
NEVADA	104	1	215	4
NEW MADRID	56		1	
NORMANDY	80		455	6
NORTH KANSAS CITY	63		879	4
NORTHWOODS	39			
ODESSA	48			
O'FALLON	117	3		
OLIVETTE	53	1		
PACIFIC	91	1		
FRANKLIN CO. PART	83	1		
ST. LOUIS CO. PART	8			
PAGEDALE	58			
PALMYRA	50			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	70		189	1
PINELAWN	77			
PLEASANT HILL	54	1		
PORTAGEVILLE	55		1	
POTOSI	44	1		
RICHMOND	66	1	164	2
RIVERVIEW	26			
ROCK HILL	67	1	1	
ST. CLAIR	58	1		
ST. JAMES	37			
ST. JOHN	70	1		
STE. GENEVIEVE	61		138	1
SALEM	77			
SAVANNAH	38			
SHREWSBURY	41		1	
SLATER	28	1		
SUGAR CREEK	82			
SULLIVAN	83	1	243	4
CRAWFORD CO. PART	13		242	4
FRANKLIN CO. PART	70	1	1	
SUNSET HILLS	26		1	
TOWN AND COUNTRY	4		1,566	7
TRENTON	101	1	202	4
TROY	40		162	3
UNION	81	2		
VALLEY PARK	60	1		
VANDALIA	43	1		
VINITA PARK	21			
WARSON WOODS	12			
WASHINGTON	122	1	529	7
WAYNESVILLE	98		164	
WEBB CITY	107		99	1
WELLSTON	89	1		
WENTZVILLE	62			
WEST PLAINS	102	1	429	6
WINDSOR	43		43	
WOODSON TERRACE	46	2		

TABLE 6


RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,  
SEX AND COLOR OF CHILD, MISSOURI 1973

## AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	31,818	11,558	10,833	4,830	4,597
10-14 YEARS	224	27	26	89	82
15-19 YEARS	7,363	2,022	1,982	1,699	1,660
20-24 YEARS	11,094	4,208	3,922	1,534	1,430
25-29 YEARS	8,274	3,487	3,162	840	785
30-34 YEARS	3,319	1,287	1,217	405	410
35-39 YEARS	1,202	409	409	205	179
40-44 YEARS	309	108	101	56	44
45-49 YEARS	24	7	9	2	6
50 YEARS AND OVER					
UNKNOWN	9	3	5		1
RURAL					
ALL AGES	36,787	17,887	16,831	1,038	1,031
10-14 YEARS	97	43	25	13	16
15-19 YEARS	6,892	3,306	2,987	319	280
20-24 YEARS	13,000	6,352	6,009	323	316
25-29 YEARS	10,407	5,118	4,856	213	220
30-34 YEARS	4,366	2,116	1,995	112	143
35-39 YEARS	1,572	750	734	49	39
40-44 YEARS	409	176	210	7	16
45-49 YEARS	40	23	14	2	1
50 YEARS AND OVER					
UNKNOWN	4	3	1		
COMBINED TOTALS					
ALL AGES	68,605	29,445	27,664	5,868	5,628
10-14 YEARS	321	70	51	102	98
15-19 YEARS	14,255	5,328	4,969	2,018	1,940
20-24 YEARS	24,094	10,560	9,931	1,857	1,746
25-29 YEARS	18,681	8,605	8,018	1,053	1,005
30-34 YEARS	7,685	3,403	3,212	517	553
35-39 YEARS	2,774	1,159	1,143	254	218
40-44 YEARS	718	284	311	63	60
45-49 YEARS	64	30	23	4	7
50 YEARS AND OVER					
UNKNOWN	13	6	6		1



**GRAPH B.**  
**FETAL DEATH RATES 1932-1973**  
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1947	20.8	18.8	44.7	1962	15.1	13.2	26.5
1933	37.5	34.2	88.9	1948	20.7	18.7	42.7	1963	13.9	12.1	24.7
1934	33.9	31.3	73.9	1949	19.3	17.5	35.9	1964	15.5	13.3	28.7
1935	38.5	35.8	79.2	1950	19.2	17.2	37.2	1965	14.3	12.8	23.0
1936	36.0	33.4	74.7	1951	18.2	16.4	34.3	1966	13.3	11.7	21.7
1937	33.9	31.3	70.1	1952	17.5	16.1	29.7	1967	13.8	12.6	20.5
1938	35.0	32.0	76.4	1953	17.8	15.9	33.1	1968	15.1	13.4	24.9
1939	30.7	27.8	71.3	1954	17.2	15.9	27.7	1969	13.2	12.1	19.6
1940	32.5	29.8	69.5	1955	16.7	14.9	29.8	1970	13.8	12.7	19.8
1941	32.5	29.7	71.4	1956	16.6	15.4	25.4	1971	12.5	11.8	16.2
1942	28.9	26.2	65.0	1957	16.5	15.7	22.1	1972	12.1	10.9	18.2
1943	26.1	23.6	59.0	1958	16.1	14.7	24.8	1973	11.8	10.6	17.8
1944	26.1	23.3	59.8	1959	15.4	14.0	24.2				
1945	24.1	21.7	53.2	1960	15.2	13.8	24.3				
1946	23.6	21.4	51.2	1961	14.7	12.8	27.0				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

## RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1973

WEIGHT	TOTAL	RESIDENT		TOTAL	RECORDED	
		WHITE	NON- WHITE		WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	191	131	60	163	108	55
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	82	53	29	85	54	31
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	79	55	24	79	56	23
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	63	41	22	67	44	23
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	76	55	21	77	56	21
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	72	55	17	72	56	16
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	35	28	7	34	27	7
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	15	14	1	15	14	1
9 POUNDS 15 OUNCES OR MORE	9	7	2	8	6	2
UNKNOWN OR NOT STATED	190	168	22	199	171	28
TOTALS	812	607	205	799	592	207

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STATE TOTAL	68,605	57,109	53,556	93.8	3,489	6.1	11,496	5,494	47.8	5,969	51.9
CITIES OVER 10,000	31,818	22,391	20,657	92.3	1,708	7.6	9,427	4,239	45.0	5,160	54.7
RURAL	36,787	34,718	32,899	94.8	1,781	5.1	2,069	1,255	60.7	809	39.1
COUNTIES INCL. CITIES OVER 10,000											
ADAIR	318	311	293	94.2	17	5.5	7	7	100.0	-	-
ANDREW	143	141	137	97.2	4	2.8	2	1	50.0	1	50.0
ATCHISON	135	134	128	95.5	6	4.5	1	1	100.0	-	-
AUDRAIN	362	324	306	94.4	18	5.6	38	17	44.7	21	55.3
BARRY	263	259	245	94.6	13	5.0	4	4	100.0	-	-
BARTON	130	130	123	94.6	7	5.4	-	-	-	-	-
BATES	223	219	212	96.8	7	3.2	4	4	100.0	-	-
BENTON	119	119	114	95.8	5	4.2	-	-	-	-	-
BOLLINGER	117	117	105	89.7	12	10.3	-	-	-	-	-
BOONE	1,127	1,012	952	94.1	60	5.9	115	66	57.4	49	42.6
BUCHANAN	1,223	1,159	1,048	90.4	111	9.6	64	24	37.5	40	62.5
BUTLER	484	450	414	92.0	35	7.8	34	17	50.0	17	50.0
CALDWELL	100	100	93	93.0	7	7.0	-	-	-	-	-
CALLAWAY	383	361	336	93.1	23	6.4	22	15	68.2	7	31.8
CAMDEN	178	178	166	93.3	11	6.2	-	-	-	-	-
CAPE GIRARDEAU	672	633	600	94.8	31	4.9	39	16	41.0	23	59.0
CARROLL	181	172	167	97.1	5	2.9	9	5	55.6	4	44.4
CARTER	78	78	70	89.7	8	10.3	-	-	-	-	-
CASS	712	702	671	95.6	31	4.4	10	9	90.0	1	10.0
CEDAR	118	118	109	92.4	9	7.6	-	-	-	-	-
CHARITON	132	124	122	98.4	2	1.6	8	2	25.0	6	75.0
CHRISTIAN	303	302	291	96.4	11	3.6	1	1	100.0	-	-
CLARK	84	84	78	92.9	6	7.1	-	-	-	-	-
CLAY	1,908	1,883	1,803	95.8	79	4.2	25	23	92.0	2	8.0
CLINTON	167	160	155	96.9	5	3.1	7	6	85.7	1	14.3
COLE	666	620	586	94.5	32	5.2	46	33	71.7	13	28.3
COOPER	169	150	142	94.7	8	5.3	19	7	36.8	12	63.2
CRAWFORD	239	239	225	94.1	12	5.0	-	-	-	-	-
DADE	91	90	90	100.0	-	-	1	1	100.0	-	-
DALLAS	157	157	147	93.6	10	6.4	-	-	-	-	-
DAVISS	120	120	112	93.3	8	6.7	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	96	96	92	95.8	4	4.2	-	-	-	-	-
DENT	195	194	182	93.8	12	6.2	1	1	100.0	-	-
DOUGLAS	126	126	119	94.4	7	5.6	-	-	-	-	-
DUNKLIN	602	536	478	89.2	58	10.8	66	31	47.0	35	53.0
FRANKLIN	1,038	1,023	981	95.9	42	4.1	15	11	73.3	4	26.7
GASCONADE	157	154	143	92.9	11	7.1	3	1	33.3	2	66.7
GENTRY	92	92	83	90.2	9	9.8	-	-	-	-	-
GREENE	2,481	2,406	2,250	93.5	148	6.2	75	46	61.3	27	36.0
GRUNDY	169	169	159	94.1	10	5.9	-	-	-	-	-
HARRISON	92	91	87	95.6	4	4.4	1	1	100.0	-	-
HENRY	252	248	229	92.3	19	7.7	4	2	50.0	2	50.0
HICKORY	49	49	44	89.8	5	10.2	-	-	-	-	-
HOLT	73	73	72	98.6	1	1.4	-	-	-	-	-
HOWARD	104	88	84	95.5	4	4.5	16	6	37.5	10	62.5
HOWELL	378	377	357	94.7	19	5.0	1	1	100.0	-	-
IRON	186	185	169	91.4	15	8.1	1	1	100.0	-	-
JACKSON	9,827	7,170	6,645	92.7	515	7.2	2,657	1,396	52.5	1,251	47.1
JASPER	1,279	1,254	1,180	94.1	70	5.6	25	20	80.0	5	20.0
JEFFERSON	1,982	1,953	1,832	93.8	121	6.2	29	13	44.8	16	55.2
JOHNSON	650	587	576	98.1	11	1.9	63	57	90.5	6	9.5
KNOX	60	60	56	93.3	4	6.7	-	-	-	-	-
LACLEDE	308	307	288	93.8	19	6.2	1	-	-	1	100.0
LAFAYETTE	368	355	341	96.1	14	3.9	13	7	53.8	6	46.2
LAWRENCE	355	354	328	92.7	25	7.1	1	1	100.0	-	-
LEWIS	122	118	110	93.2	7	5.9	4	3	75.0	1	25.0
LINCOLN	269	260	244	93.8	16	6.2	9	6	66.7	3	33.3
LINN	186	183	175	95.6	8	4.4	3	2	66.7	1	33.3
LIVINGSTON	224	218	202	92.7	16	7.3	6	3	50.0	3	50.0
MC DONALD	186	180	168	93.3	12	6.7	6	6	100.0	-	-
MACON	193	188	176	93.6	12	6.4	5	4	80.0	1	20.0
MADISON	118	118	101	85.6	17	14.4	-	-	-	-	-
MARIES	82	82	74	90.2	8	9.8	-	-	-	-	-
MARION	382	357	332	93.0	25	7.0	25	11	44.0	14	56.0
MERCER	36	35	33	94.3	2	5.7	1	1	100.0	-	-
MILLER	257	257	242	94.2	14	5.4	-	-	-	-	-
MISSISSIPPI	308	205	186	90.7	19	9.3	103	37	35.9	64	62.1

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
MONITEAU	163	159	147	92.5	11	6.9	4	2	50.0	2	50.0
MONROE	103	97	93	95.9	4	4.1	6	4	66.7	2	33.3
MONTGOMERY	141	134	120	89.6	14	10.4	7	4	57.1	3	42.9
MORGAN	133	131	122	93.1	9	6.9	2	2	100.0	-	-
NEW MADRID	382	306	275	89.9	30	9.8	76	25	32.9	51	67.1
NEWTON	522	509	470	92.3	39	7.7	13	10	76.9	3	23.1
NODAWAY	293	289	273	94.5	16	5.5	4	3	75.0	1	25.0
OREGON	97	97	92	94.8	5	5.2	-	-	-	-	-
OSAGE	179	179	173	96.6	6	3.4	-	-	-	-	-
OZARK	81	80	77	96.3	3	3.8	1	1	100.0	-	-
PEMISCOT	505	293	263	89.8	30	10.2	212	68	32.1	144	67.9
PERRY	209	208	200	96.2	8	3.8	1	1	100.0	-	-
PETTIS	483	459	432	94.1	27	5.9	24	11	45.8	13	54.2
PHELPS	424	417	398	95.4	13	3.1	7	7	100.0	-	-
PIKE	220	204	193	94.6	11	5.4	16	9	56.3	7	43.8
PLATTE	556	548	517	94.3	31	5.7	8	8	100.0	-	-
POLK	246	246	235	95.5	11	4.5	-	-	-	-	-
PULASKI	938	807	780	96.7	27	3.3	131	116	88.5	15	11.5
PUTNAM	58	58	57	98.3	1	1.7	-	-	-	-	-
RALLS	116	110	100	90.9	10	9.1	6	5	83.3	1	16.7
RANDOLPH	288	271	251	92.6	20	7.4	17	4	23.5	13	76.5
RAY	251	246	232	94.3	14	5.7	5	4	80.0	1	20.0
REYNOLDS	87	86	80	93.0	6	7.0	1	1	100.0	-	-
RIPLEY	134	134	126	94.0	8	6.0	-	-	-	-	-
ST. CHARLES	1,884	1,861	1,786	96.0	74	4.0	23	20	87.0	3	13.0
ST. CLAIR	83	83	73	88.0	9	10.8	-	-	-	-	-
ST. FRANCOIS	540	538	489	90.9	49	9.1	2	1	50.0	1	50.0
STE. GENEVIEVE	183	183	175	95.6	8	4.4	-	-	-	-	-
ST. LOUIS COUNTY	12,158	10,632	10,216	96.1	406	3.8	1,526	1,032	67.6	488	32.0
ST. LOUIS CITY	9,127	3,455	2,980	86.3	475	13.7	5,672	2,165	38.2	3,494	61.6
SALINE	321	299	276	92.3	23	7.7	22	12	54.5	10	45.5
SCHUYLER	56	56	49	87.5	7	12.5	-	-	-	-	-
SCOTLAND	59	59	56	94.9	3	5.1	-	-	-	-	-
SCOTT	586	505	473	93.7	32	6.3	81	39	48.1	42	51.9
SHANNON	108	108	96	88.9	12	11.1	-	-	-	-	-
SHELBY	108	108	101	93.5	7	6.5	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED



TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
 BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STODDARD	391	363	343	94.5	19	5.2	28	8	28.6	20	71.4
STONE	147	147	143	97.3	4	2.7	-	-	-	-	-
SULLIVAN	91	91	90	98.9	1	1.1	-	-	-	-	-
TANEY	190	190	182	95.8	8	4.2	-	-	-	-	-
TEXAS	256	255	238	93.3	17	6.7	1	1	100.0	-	-
VERNON	227	227	205	90.3	22	9.7	-	-	-	-	-
WARREN	140	133	130	97.7	3	2.3	7	2	28.6	5	71.4
WASHINGTON	298	296	273	92.2	22	7.4	2	2	100.0	-	-
WAYNE	124	124	116	93.5	7	5.6	-	-	-	-	-
WEBSTER	289	289	274	94.8	14	4.8	-	-	-	-	-
WORTH	38	38	37	97.4	1	2.6	-	-	-	-	-
WRIGHT	208	207	191	92.3	16	7.7	1	-	-	1	100.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BALLWIN	155	152	150	98.7	2	1.3	3	3	100.0		
BELLEFONTAINE NEIGHBORS	46	45	44	97.8	1	2.2	1	1	100.0		
BERKELEY	216	158	148	93.7	10	6.3	58	33	56.9	25	43.1
BRENTWOOD	95	77	72	93.5	5	6.5	18	13	72.2	5	27.8
BRIDGETON	211	204	200	98.0	4	2.0	7	6	85.7	1	14.3
CAPE GIRARDEAU	406	369	345	93.5	23	6.2	37	15	40.5	22	59.5
CARTHAGE	158	155	148	95.5	7	4.5	3	2	66.7	1	33.3
CLAYTON	66	58	57	98.3	1	1.7	8	8	100.0		
COLUMBIA	655	554	513	92.6	41	7.4	101	57	56.4	44	43.6
CRESTWOOD	84	84	78	92.9	5	6.0					
FERGUSON	235	226	215	95.1	10	4.4	9	9	100.0		
FLORISSANT	793	776	747	96.3	29	3.7	17	15	88.2	2	11.8
FULTON	108	95	87	91.6	8	8.4	13	8	61.5	5	38.5
GLADSTONE	259	255	249	97.6	5	2.0	4	4	100.0		
GRANDVIEW	373	353	341	96.6	11	3.1	20	20	100.0		
HANNIBAL	255	234	214	91.5	20	8.5	21	9	42.9	12	57.1
HAZELWOOD	215	197	188	95.4	8	4.1	18	11	61.1	6	33.3
INDEPENDENCE	1,734	1,703	1,618	95.0	83	4.9	31	26	83.9	5	16.1
JEFFERSON CITY	386	342	319	93.3	22	6.4	44	31	70.5	13	29.5
JENNINGS	142	117	111	94.9	5	4.3	25	21	84.0	4	16.0
JOPLIN	597	580	538	92.8	41	7.1	17	13	76.5	4	23.5
KANSAS CITY	7,492	4,891	4,472	91.4	413	8.4	2,601	1,347	51.8	1,244	47.8
KIRKSVILLE	214	207	197	95.2	10	4.8	7	7	100.0		
KIRKWOOD	306	254	244	96.1	10	3.9	52	26	50.0	25	48.1
LADUE	26	25	24	96.0	1	4.0	1			1	100.0
LEE'S SUMMIT	291	290	276	95.2	14	4.8	1	1	100.0		
LIBERTY	195	194	183	94.3	11	5.7	1	1	100.0		
MAPLEWOOD	126	111	100	90.1	11	9.9	15	12	80.0	3	20.0
MARSHALL	174	158	146	92.4	12	7.6	16	8	50.0	8	50.0
MEXICO	150	125	113	90.4	12	9.6	25	11	44.0	14	56.0
MUBERLY	147	130	118	90.8	12	9.2	17	4	23.5	13	76.5
OVERLAND	299	281	255	90.7	26	9.3	18	16	88.9	2	11.1
POPLAR BLUFF	253	231	211	91.3	20	8.7	22	12	54.5	10	45.5
RAYTOWN	352	346	330	95.4	16	4.6	6	4	66.7	2	33.3
RICHMOND HEIGHTS	99	81	77	95.1	4	4.9	18	11	61.1	6	33.3
ROLLA	168	162	155	95.7	5	3.1	6	6	100.0		
ST. ANN	206	199	185	93.0	14	7.0	7	6	85.7	1	14.3
ST. CHARLES	582	570	540	94.7	29	5.1	12	11	91.7	1	8.3
ST. JOSEPH	1,113	1,049	941	89.7	108	10.3	64	24	37.5	40	62.5
ST. LOUIS CITY	9,127	3,455	2,980	86.3	475	13.7	5,672	2,165	38.2	3,494	61.6
SEDALIA	303	280	262	93.6	18	6.4	23	10	43.5	13	56.5
SIKESTON	305	245	228	93.1	17	6.9	60	33	55.0	27	45.0
SPRINGFIELD	1,913	1,840	1,712	93.0	122	6.6	73	44	60.3	27	37.0
UNIVERSITY CITY	408	201	198	98.5	3	1.5	207	143	69.1	64	30.9
WARRENSBURG	157	143	140	97.9	3	2.1	14	10	71.4	4	28.6
WEBSTER GROVES	223	189	188	99.5	1	.5	34	22	64.7	12	35.3

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1973

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	4	4	4	100.0							
JOPLIN-NEWTON	35	33	32	97.0	1	3.0	2	2	100.0		
KANSAS CITY-CLAY	988	975	938	96.2	37	3.8	13	12	92.3	1	7.7
SIKESTON-NEW MADRID	12	11	10	90.9	1	9.1	1			1	100.0
KANSAS CITY-PLATTE	203	199	188	94.5	11	5.5	4	4	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1973

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	20,133	423.2	18,514	1,619
2.	MALIGNANT NEOPLASMS (140-209)	8,904	187.2	7,995	909
3.	CEREBROVASCULAR DISEASE (430-438)	5,952	125.1	5,423	529
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,843	59.8	2,537	306
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,555	32.7	1,401	154
6.	DIABETES MELLITUS (250)	1,087	22.9	939	148
7.	ARTERIOSCLEROSIS (440)	947	19.9	893	54
8.	BRONCHITIS, EMPHYSEMA & ASTHMA (490-493)	743	15.6	706	37
9.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	637	13.4	470	167
10.	SUICIDE (E950-E959)	567	11.9	531	36
	ALL OTHER CAUSES	8,444		7,088	1,356
	TOTALS	51,812		46,497	5,315

TOTAL RESIDENT DEATHS - 51,812  
 PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1973 (SEE PP IV) - 4,757,000.

DEATH RATES ARE PER 100,000 POP..

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1973

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	637
2 CONGENITAL ANOMALIES (740-759)	220
3 INFLUENZA/PNEUMONIA (470-474,480-486)	79
4 ACCIDENTS (E800-E949)	49
5 SEPTICEMIA (038)	25
1-4 YEARS	
1 ACCIDENTS (E800-E949)	109
2 CONGENITAL ANOMALIES (740-759)	34
3 MALIGNANT NEOPLASMS (140-209)	19
4 INFLUENZA/PNEUMONIA (470-474,480-486)	11
5 HOMICIDE (E960-E978)	5
5-14 YEARS	
1 ACCIDENTS (E800-E949)	189
2 MALIGNANT NEOPLASMS (140-209)	51
3 CONGENITAL ANOMALIES (740-759)	25
4 HOMICIDE (E960-E978)	16
5 INFLUENZA/PNEUMONIA (470-474,480-486)	14
15-24 YEARS	
1 ACCIDENTS (E800-E949)	623
2 HOMICIDE (E960-E978)	130
3 SUICIDE (E950-E959)	86
4 MALIGNANT NEOPLASMS (140-209)	60
5 INFLUENZA/PNEUMONIA (470-474,480-486)	24
25-34-YEARS	
1 ACCIDENTS (E800-E949)	316
2 HOMICIDE (E960-E978)	106
3 MALIGNANT NEOPLASMS (140-209)	102
4 HEART DIS. (390-398,402,404,410-429)	71
5 SUICIDE (E950-E959)	69


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1973

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	307
2 HEART DIS. (390-398,402,404,410-429)	278
3 ACCIDENTS (E800-E949)	219
4 SUICIDE (E950-E959)	85
5 CEREBROVASCULAR DISEASE (430-438)	76
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,092
2 MALIGNANT NEOPLASMS (140-209)	985
3 ACCIDENTS (E800-E949)	283
4 CEREBROVASCULAR DISEASE (430-438)	203
5 CIRRHOSIS OF LIVER (571)	129
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,778
2 MALIGNANT NEOPLASMS (140-209)	1,971
3 CEREBROVASCULAR DISEASE (430-438)	512
4 ACCIDENTS (E800-E949)	305
5 CIRRHOSIS OF LIVER (571)	171
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	5,056
2 MALIGNANT NEOPLASMS (140-209)	2,608
3 CEREBROVASCULAR DISEASE (430-438)	1,221
4 DIABETES MELLITUS (250)	325
5 INFLUENZA/PNEUMONIA (470-474,480-486)	289
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,677
2 CEREBROVASCULAR DISEASE (430-438)	2,299
3 MALIGNANT NEOPLASMS (140-209)	2,137
4 INFLUENZA/PNEUMONIA (470-474,480-486)	515
5 ARTERIOSCLEROSIS (440)	359
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	4,140
2 CEREBROVASCULAR DISEASE (430-438)	1,598
3 MALIGNANT NEOPLASMS (140-209)	654
4 ARTERIOSCLEROSIS (440)	449
5 INFLUENZA/PNEUMONIA (470-474,480-486)	386

**GRAPH C.**  
**MATERNAL DEATH RATES 1932-1973**  
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1947	12.9	11.8	26.2	1962	4.6	4.2	6.9
1933	51.6	50.0	77.9	1948	10.1	8.9	23.4	1963	3.7	2.8	8.8
1934	58.5	55.3	109.6	1949	8.5	7.2	20.2	1964	4.1	2.6	12.6
1935	57.0	55.0	87.0	1950	8.2	6.8	20.5	1965	2.7	2.5	4.0
1936	61.0	60.0	85.0	1951	7.6	6.7	15.7	1966	2.1	1.8	3.3
1937	51.3	49.9	71.2	1952	7.1	6.1	16.3	1967	2.4	1.9	5.2
1938	38.2	36.6	61.3	1953	6.6	5.4	16.2	1968	2.0	1.4	5.3
1939	37.0	35.4	59.9	1954	4.9	4.1	11.0	1969	1.9	1.7	2.5
1940	36.5	35.0	56.7	1955	4.7	4.0	9.7	1970	3.3	2.7	6.4
1941	31.7	28.6	75.1	1956	5.5	3.8	17.3	1971	1.5	1.4	2.3
1942	24.3	23.2	38.0	1957	3.3	2.5	8.7	1972	2.3	1.8	4.9
1943	22.7	21.9	33.7	1958	3.6	2.9	8.5	1973	2.3	1.8	5.2
1944	20.9	18.4	50.6	1959	3.8	3.3	6.7				
1945	16.9	15.3	36.1	1960	5.1	3.9	12.9				
1946	13.8	11.9	36.7	1961	2.4	1.7	6.8				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

## RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1973

CAUSE OF DEATH	TOTAL	NUMBER		TOTAL	RATES	
		WHITE	NON-WHITE		WHITE	NON-WHITE
ALL CAUSES (630-678)	16	10	6	2.3	1.8	5.2
ECTOPIC PREGNANCY (631)	1		1	.1		.9
TOXEMIAS, EXCEPT ABORTION (636-639)	6	3	3	.9	.5	2.6
HEMORRHAGE (632,651-653)	2	1	1	.3	.2	.9
ABORTIONS (640-645)						
SEPSIS (670,671,673)	2	1	1	.3	.2	.9
ALL OTHER COMPLICATIONS (630, 633-635, 654-662,672,674-678)	5	5		.7	.9	
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1973

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	51,812	1,218	239	180	197	588	540	445	486	575	864
MALE	28,580	714	141	108	120	430	410	318	321	356	519
FEMALE	23,232	504	98	72	77	158	130	127	165	219	345
TOTAL WHITE	46,497	907	189	149	161	489	419	355	362	437	691
MALE	25,537	536	111	89	101	365	320	253	239	270	409
FEMALE	20,960	371	78	60	60	124	99	102	123	167	282
TOTAL NONWHITE	5,315	311	50	31	36	99	121	90	124	138	173
MALE	3,043	178	30	19	19	65	90	65	82	86	110
FEMALE	2,272	133	20	12	17	34	31	25	42	52	63
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	74						1		1		4
SYPHILIS AND ITS SEQUELAE (090-097)	15										
OTHER INFECTIVE & PARASITIC DISEASES REMAINDER OF (000-136)	281	54	9	9	4	9	3	3	7	3	4
MALIGNANT NEOPLASMS (140-209)	8,904	6	19	28	23	37	23	39	63	105	202
DIGEST. ORGANS (150-159)	2,298					2	4	2	4	17	34
RESPIRATORY SYSTEM (160-163)	2,064				1	1		2	4	20	44
BREAST (174)	766								9	20	41
GENITAL ORGANS (180-187)	1,134		2		1	3	2	4	10	16	24
URINARY ORGANS (188-189)	414		1	1			1		1		2
LEUKEMIA (204-207)	362	2	5	21	11	15	9	10	10	4	7
OTHER REMAINDER OF (140-209)	1,866	4	11	6	10	16	7	21	25	28	50
DIABETES MELLITUS (250)	1,087					2	3	7	9	12	19
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,874	16	6	4	8	10	19	30	63	112	253
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	20,133	9	3	3	4	7	9	22	49	78	200
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)	347				2		4	4	7	6	15
HYPERTENSIVE HEART (402, 404)	429							1			2
ISCHEMIC HEART (410-414)	17,967						2	9	28	62	156
OTHER HEART DISEASE (420-429)	1,390	9	3	3	2	7	3	8	14	10	27

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1973

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	231						1	1	1	2	2
CEREBROVASCULAR DISEASE (430-438)	5,952	5	3	1	1	3	9	6	12	31	45
ARTERIOSCLEROSIS (440)	947										
OTHER CIRCULATORY (441-448)	611	2			3			1	1	1	6
INFLUENZA/PNEUMONIA (470-474,480-486)	1,555	79	11	7	7	13	11	12	10	5	14
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	743	1	2		1			2	1	3	4
PEPTIC ULCER (531-533)	196					1		1		4	3
CIRRHOSIS OF LIVER (571)	536	1			1		2	3	10	26	35
NEPHRITIS AND NEPHROSIS (580-584)	236					2	1	2	6	4	5
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)	16					2	4	4	4	2	
CONGENITAL ANOMALIES (740-759)	337	220	34	15	10	11	6	4	5	5	1
DISEASES OF EARLY INFANCY (760-769,2,772,774-778)	637	637									
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,566	83	6	3	2	6	8	9	16	14	39
ALL OTHER DISEASES (RESIDUAL)	3,694	65	33	23	20	38	35	45	63	77	86
ACCIDENTAL DEATHS (E800-E949)	2,843	49	109	84	105	348	275	181	135	114	105
MOTOR VEHICLE (E810-E823)	1,450	4	46	45	51	261	203	121	84	71	55
OTHER TRANS. (E800-E807,E825-E845)	78		1	2	6	7	12	6	4	6	5
POISONING (E850-E877)	82	1	1	4	4	13	12	8	3	3	4
FALLS (E880-E887)	455	2	2	2	1	1	5		2	7	6
FIRES (E890-E899)	151	4	17	10	8	7	3	7	3	4	3
DROWNING & SUBMERSIONS (E910)	140	4	16	11	10	33	14	11	5	4	6
FIREARM MISSILES (E922)	76	1	4	1	16	12	4	5	7	3	4
INDUSTRIAL (E916-E921,E923-E928)	190	2	11	4	3	9	13	13	11	11	13
OTHER REMAINDER OF (E900-E949)	221	31	11	5	6	5	9	10	16	5	8
SUICIDE (E950-E959)	567				2	31	55	33	36	39	46
HOMICIDE (E960-E978)	458	3	5	6	10	56	74	61	45	38	36
ALL OTHER EXTERNAL CAUSES (E980-E999)	193	4	5	1	4	22	20	9	12	12	8

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1973

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,419	2,178	3,077	4,400	5,568	6,480	7,403	7,342	5,280	2,485	824
MALE	870	1,402	2,002	2,895	3,485	3,834	3,955	3,383	2,185	863	250
FEMALE	549	776	1,075	1,505	2,083	2,646	3,448	3,959	3,095	1,617	574
TOTAL WHITE	1,178	1,854	2,673	3,835	4,956	5,843	6,858	6,952	5,035	2,354	771
MALE	729	1,213	1,752	2,568	3,142	3,491	3,653	3,180	2,068	809	228
FEMALE	449	641	921	1,267	1,814	2,352	3,205	3,772	2,967	1,555	543
TOTAL NONWHITE	241	324	404	565	612	637	545	390	245	121	53
MALE	141	189	250	327	343	343	302	203	117	59	22
FEMALE	100	135	154	238	269	294	243	187	128	62	31
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)		4	10	9	13	7	15	7	2		
SYPHILIS AND ITS SEQUELAE (090-097)			1	2	6	1	4				1
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	8	8	13	24	14	31	28	22	18	10	
MALIGNANT NEOPLASMS (140-209)	359	626	828	1,143	1,343	1,265	1,227	910	466	156	32
DIGEST. ORGANS (150-159)	64	134	193	275	333	341	398	290	139	56	12
RESPIRATORY SYSTEM (160-163)	88	182	259	363	376	310	212	140	42	13	7
BREAST (174)	58	86	79	103	104	96	71	59	29	9	2
GENITAL ORGANS (180-187)	48	51	73	102	154	162	195	156	99	23	7
URINARY ORGANS (188-189)	8	24	28	41	76	65	73	52	31	9	1
LEUKEMIA (204-207)	12	10	20	29	48	44	36	33	24	11	
OTHER REMAINDER OF (140-209)	81	139	176	230	252	247	242	180	102	35	3
DIABETES MELLITUS (250)	28	40	77	113	156	169	203	146	75	21	6
MAJOR CARDIOVASCULAR DISEASE (390-448)	488	842	1,305	2,105	2,888	3,741	4,587	5,024	3,868	1,860	635
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	386	706	1,071	1,707	2,245	2,811	3,233	3,444	2,528	1,204	403
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	18	22	34	52	59	45	39	27	8	3	2
HYPERTENSIVE HEART (402, 404)	6	9	16	39	31	48	66	96	72	33	9
ISCHEMIC HEART (410-414)	329	622	939	1,502	2,012	2,563	2,947	3,073	2,293	1,063	397
OTHER HEART DISEASE (420-429)	33	53	82	114	143	155	181	248	155	100	40

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1973

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	2	2	11	12	27	27	42	40	38	17	0
CEREBROVASCULAR DISEASE (430-438)	83	120	182	330	502	719	1,080	1,219	992	462	144
ARTERIOSCLEROSIS (440)	3	3	5	22	30	76	128	231	230	154	65
OTHER CIRCULATORY (441-448)	14	11	36	34	84	108	104	90	80	23	12
INFLUENZA/PNEUMONIA (470-474,480-486)	25	46	43	81	121	168	256	259	200	136	50
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	12	27	52	90	147	134	127	91	34	12	3
PEPTIC ULCER (531-533)	3	3	15	28	27	33	31	24	17	5	1
CIRRHOSIS OF LIVER (571)	57	72	86	85	68	47	22	13	8		
NEPHRITIS AND NEPHROSIS (580-584)	4	10	14	10	31	35	34	39	22	12	5
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	5	4	5	4	1	1	2	3	1		
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	65	96	146	164	161	182	186	161	126	61	30
ALL OTHER DISEASES (RESIDUAL)	121	157	230	336	410	495	500	465	312	140	42
ACCIDENTAL DEATHS (E800-E949)	136	147	157	148	128	112	154	150	119	66	19
MOTOR VEHICLE (E810-E823)	71	85	78	66	61	49	45	36	13	5	
OTHER TRANS. (E800-E807,E825-E845)	5	2	7	5	2	1	1	5			
POISONING (E850-E877)	2	8	6	5	5	1		1	1		
FALLS (E880-E887)	10	6	19	27	18	39	66	83	87	54	16
FIRES (E890-E899)	10	7	11	12	14	6	8	10	5		2
DROWNING & SUBMERSIONS (E910)	4	6	5	2	1	2	5			1	
FIREARM MISSILES (E922)	4	3	4	2	3	2	1				
INDUSTRIAL (E916-E921,E923-E928)	21	21	12	19	9	6	8	4			
OTHER REMAINDER OF (E900-E949)	9	9	15	10	15	6	20	11	13	6	1
SUICIDE (E950-E959)	52	63	61	32	33	39	17	19	7	1	
HOMICIDE (E960-E978)	35	19	21	17	11	10	7	3	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)	21	14	13	9	10	10	3	6	4	5	

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1973

COUNTIES	POP.	NUMBER			RECORDED			RATE			RECORDED		
		RESIDENT			INFANT MAT.			INF. MAT.			INF. MAT.		
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,757,000	51,812	1,218	16	53,003	1,305	13	10.9	17.8	2.3	11.1	18.4	1.8
COUNTIES INCL. CITIES													
ADAIR	24,000	220	6	-	390	10	-	9.2	18.9	-	16.3	17.9	-
ANDREW	13,100	151	1	-	80	-	-	11.5	7.0	-	6.1	-	-
ATCHISON	9,700	113	3	-	143	2	-	11.6	22.2	-	14.7	10.0	-
AUDRAIN	25,500	310	8	-	365	4	-	12.2	22.1	-	14.3	8.5	-
BARRY	21,500	278	6	-	207	1	-	12.9	22.8	-	9.6	5.2	-
BARTON	11,100	182	-	-	138	-	-	16.4	-	-	12.4	-	-
BATES	16,300	257	2	-	188	1	-	15.8	9.0	-	11.5	5.8	-
BENTON	11,500	178	4	-	93	-	-	15.5	33.6	-	8.1	-	-
BOLLINGER	9,600	124	2	-	63	-	-	12.9	17.1	-	6.6	-	-
BOONE	83,700	583	18	-	1,259	72	-	7.0	16.0	-	15.0	39.0	-
BUCHANAN	87,000	1,115	24	1	1,376	23	1	12.8	19.6	8.2	15.8	13.6	5.9
BUTLER	36,700	491	7	-	890	12	-	13.4	14.5	-	24.3	13.8	-
CALDWELL	9,100	118	-	1	44	-	-	13.0	-	100.0	4.8	-	-
CALLAWAY	27,700	265	6	-	314	-	-	9.6	15.7	-	11.3	-	-
CAMDEN	15,700	200	2	-	129	-	-	12.7	11.2	-	8.2	-	-
CAPE GIRARDEAU	51,400	486	13	1	674	21	1	9.5	19.3	14.9	13.1	17.0	8.1
CARROLL	12,100	180	1	-	109	-	-	14.9	5.5	-	9.0	-	-
CARTER	4,200	80	4	-	32	1	-	19.0	51.3	-	7.6	-	-
CASS	45,900	376	12	-	249	3	-	8.2	16.9	-	5.4	8.5	-
CEDAR	10,300	183	3	-	168	2	-	17.8	25.4	-	16.3	10.5	-
CHARITON	10,600	170	4	-	52	-	-	16.0	30.3	-	4.9	-	-
CHRISTIAN	18,200	180	9	-	57	1	-	9.9	29.7	-	3.1	-	-
CLARK	8,200	112	-	-	58	-	-	13.7	-	-	7.1	-	-
CLAY	131,400	809	40	1	833	17	-	6.2	21.0	5.2	6.3	12.3	-
CLINTON	14,000	163	2	-	161	1	1	11.6	12.0	-	11.5	8.8	87.7
COLE	48,500	397	14	-	684	18	-	8.2	21.0	-	14.1	13.1	-
COOPER	14,700	201	2	-	174	1	-	13.7	11.8	-	11.8	13.9	-
CRAWFORD	16,100	233	6	-	230	6	-	14.5	25.1	-	14.3	24.7	-
DADE	7,000	110	1	-	71	-	-	15.7	11.0	-	10.1	-	-
DALLAS	10,800	184	1	-	121	-	-	17.0	6.4	-	11.2	-	-
DAVISS	8,200	134	1	-	77	-	-	16.3	8.3	-	9.4	-	-
DE KALB	7,800	123	-	-	39	1	-	15.8	-	-	5.0	-	-
DENT	12,900	188	1	-	146	1	-	14.6	5.1	-	11.3	9.7	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1973 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1973

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	10,800	134	1	-	69	-	-	12.4	7.9	-	6.4	-	-
DUNKLIN	35,100	466	17	-	373	10	-	13.3	28.2	-	10.6	18.8	-
FRANKLIN	61,100	638	17	-	447	8	-	10.4	16.4	-	7.3	15.1	-
GASCONADE	12,900	178	-	-	167	2	-	13.8	-	-	12.9	21.3	-
GENTRY	8,300	136	1	-	157	3	-	16.4	10.9	-	18.9	21.7	-
GREENE	165,000	1,595	40	1	2,495	78	1	9.7	16.1	4.0	15.1	19.2	2.5
GRUNDY	11,200	185	1	-	194	1	-	16.5	5.9	-	17.3	4.9	-
HARRISON	10,000	165	4	1	109	1	-	16.5	43.5	108.7	10.9	16.9	-
HENRY	19,700	332	3	-	352	2	-	16.9	11.9	-	17.9	5.4	-
HICKORY	5,400	82	-	-	38	-	-	15.2	-	-	7.0	-	-
HOLT	7,100	98	1	-	35	-	-	13.8	13.7	-	4.9	-	-
HOWARD	10,900	153	2	-	170	1	-	14.0	19.2	-	15.6	9.3	-
HOWELL	26,400	368	13	-	405	6	-	13.9	34.4	-	15.3	10.4	-
IRON	9,900	112	2	-	114	1	-	11.3	10.8	-	11.5	13.0	-
JACKSON	647,700	6,600	165	3	7,551	271	3	10.2	16.8	3.1	11.7	21.2	2.3
JASPER	82,400	1,118	24	2	1,108	17	2	13.6	18.8	15.6	13.4	10.9	12.8
JEFFERSON	115,300	756	19	-	490	4	-	6.6	9.6	-	4.3	8.8	-
JOHNSON	35,200	276	8	-	239	3	-	7.8	12.3	-	6.8	4.5	-
KNOX	5,900	98	-	-	47	-	-	16.6	-	-	8.0	-	-
LACLEDE	20,600	273	6	-	275	5	-	13.3	19.5	-	13.3	16.8	-
LAFAYETTE	28,400	387	4	-	373	1	-	13.6	10.9	-	13.1	3.1	-
LAWRENCE	27,400	341	3	-	388	3	-	12.4	8.5	-	14.2	9.7	-
LEWIS	10,500	124	4	-	50	-	-	11.8	32.8	-	4.8	-	-
LINCOLN	19,500	231	2	-	198	-	-	11.8	7.4	-	10.2	-	-
LINN	15,600	270	3	-	289	3	-	17.3	16.1	-	18.5	11.8	-
LIVINGSTON	16,500	245	1	-	303	1	-	14.8	4.5	-	18.4	2.9	-
MC DONALD	14,200	182	5	-	51	-	-	12.8	26.9	-	3.6	-	-
MACON	15,300	258	2	-	211	-	-	16.9	10.4	-	13.3	-	-
MADISON	9,100	162	4	-	143	3	-	17.8	33.9	-	15.7	27.3	-
MARIES	7,100	84	-	-	27	-	-	11.8	-	-	3.8	-	-
MARION	28,000	427	10	-	531	11	-	15.3	26.2	-	19.2	18.3	-
MERCER	4,700	83	1	-	62	2	-	17.7	27.8	-	13.2	74.1	-
MILLER	17,300	224	2	-	95	-	-	12.9	7.8	-	5.5	-	-
MISSISSIPPI	16,800	227	9	-	130	3	-	13.5	29.2	-	7.7	26.1	-
MONITEAU	11,100	139	1	-	55	1	-	12.5	6.1	-	5.0	76.9	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1973 (SEE PP. IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1973

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,700	154	3	-	84	1	-	15.9	29.1	-	8.7	166.7	-
MONTGOMERY	10,800	157	2	-	56	1	-	14.5	14.2	-	5.2	-	-
MORGAN	11,400	158	4	-	73	1	-	13.9	30.1	-	6.4	1000.0	-
NEW MADRID	24,600	302	7	1	169	3	-	12.3	18.3	26.2	6.9	157.9	-
NEWTON	35,300	352	8	-	446	6	-	10.0	15.3	-	12.6	10.0	-
NODDWAY	24,500	276	8	-	241	7	-	11.3	27.3	-	9.8	29.4	-
OREGON	9,500	148	2	-	78	1	-	15.6	20.6	-	8.2	166.7	-
OSAGE	11,200	122	-	-	43	-	-	10.9	-	-	3.8	-	-
OZARK	7,000	97	1	-	34	-	-	13.9	12.3	-	4.9	-	-
PEMISCOT	27,100	421	19	-	367	18	1	15.5	37.6	-	13.5	32.7	18.2
PERRY	14,700	192	1	-	197	1	-	13.1	4.8	-	13.4	5.3	-
PETTIS	36,400	465	10	-	510	7	-	12.8	20.7	-	14.0	11.0	-
PHELPS	31,400	296	12	-	332	4	-	9.4	28.3	-	10.6	6.2	-
PIKE	17,200	244	5	-	220	-	-	14.2	22.7	-	12.8	-	-
PLATTE	34,800	225	9	-	115	2	-	6.5	16.2	-	3.3	-	-
POLK	16,800	222	-	-	128	-	-	13.2	-	-	7.6	-	-
PULASKI	38,500	212	17	-	208	17	-	5.5	18.1	-	5.4	18.1	-
PUTNAM	6,100	112	3	-	111	2	-	18.4	51.7	-	18.2	37.7	-
RALLS	7,700	104	1	-	48	-	-	13.5	8.6	-	6.2	-	-
RANDOLPH	22,700	361	4	-	360	1	-	15.9	13.9	-	15.9	3.6	-
RAY	19,400	220	4	-	205	2	-	11.3	15.9	-	10.6	12.2	-
REYNOLDS	6,200	67	2	-	29	-	-	10.8	23.0	-	4.7	-	-
181 RIPLEY	12,200	166	6	-	122	3	-	13.6	44.8	-	10.0	46.2	-
183 ST. CHARLES	103,600	611	31	-	637	18	-	5.9	16.5	-	6.1	14.4	-
185 ST. CLAIR	8,500	137	2	-	139	1	-	16.1	24.1	-	16.4	19.2	-
187 ST. FRANCOIS	39,500	526	10	-	666	9	-	13.3	18.5	-	16.9	10.8	-
189 STE. GENEVIEVE	13,700	132	3	-	101	-	-	9.6	16.4	-	7.4	-	-
510 ST. LOUIS COUNTY	951,300	7,276	169	-	6,090	101	-	7.6	13.9	-	6.4	8.2	-
185 ST. LOUIS CITY	568,100	8,473	246	3	11,160	420	3	14.9	27.0	3.3	19.6	33.3	2.4
SALINE	24,100	397	5	-	337	3	-	16.5	15.6	-	14.0	12.0	-
SCHUYLER	4,800	76	-	-	23	-	-	15.8	-	-	4.8	-	-
SCOTLAND	5,400	86	-	-	85	1	-	15.9	-	-	15.7	13.5	-
SCOTT	34,700	406	11	-	456	18	-	11.7	18.8	-	13.1	24.7	-
SHANNON	7,500	94	-	-	41	-	-	12.5	-	-	5.5	-	-
SHELBY	7,800	145	2	-	63	-	-	18.6	18.5	-	8.1	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1973 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1973

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	26,800	372	5	-	274	5	-	13.9	12.8	-	10.2	9.1	-
STONE	11,800	150	2	-	50	1	-	12.7	13.6	-	4.2	-	-
SULLIVAN	7,700	134	2	-	88	-	-	17.4	22.0	-	11.4	-	-
TANEY	16,900	198	5	-	181	5	-	11.7	26.3	-	10.7	32.5	-
TEXAS	20,200	283	4	-	251	2	-	14.0	15.6	-	12.4	7.4	-
VERNON	19,000	275	2	-	343	2	-	14.5	8.8	-	18.1	9.3	-
WARREN	11,600	129	4	-	84	1	-	11.1	28.6	-	7.2	-	-
WASHINGTON	16,400	176	2	-	108	1	-	10.7	6.7	-	6.6	6.6	-
WAYNE	9,700	137	1	-	52	-	-	14.1	8.1	-	5.4	-	-
WEBSTER	17,600	209	4	1	74	-	-	11.9	13.8	34.6	4.2	-	-
WORTH	3,200	59	1	-	33	-	-	18.4	26.3	-	10.3	-	-
WRIGHT	15,400	217	1	-	136	1	-	14.1	4.8	-	8.8	7.0	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1973 (SEE PP IV)



TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES	↓ DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	32,665	807	13	43,501	1,221	13
TOTAL CITIES 10,000 POP. AND OVER	25,262	666	12	33,579	1,054	11
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,403	141	1	9,922	167	2
CITIES 10,000 POP. AND OVER						
BALLWIN	79	3	-	13	-	-
BELLEFONTAINE NEIGHBORS	139	1	-	14	-	-
BERKELEY	85	5	-	8	-	-
BRENTWOOD	80	-	-	9	-	-
BRIDGETON	101	3	-	19	-	-
CAPE GIRARDEAU	300	13	1	582	21	1
CARTHAGE	174	1	-	205	2	-
CLAYTON	179	2	-	992	18	-
COLUMBIA	344	13	-	1,159	71	-
CRESTWOOD	69	-	-	5	-	-
FERGUSON	217	4	-	35	-	-
FLORISSANT	393	11	-	539	13	-
FULTON	109	2	-	262	-	-
GLADSTONE	77	8	-	12	1	-
GRANDVIEW	85	7	-	21	-	-
HANNIBAL	318	5	-	482	11	-
MARION CO. PART	315	5	-	481	11	-
ROLLS CO. PART	3	-	-	1	-	-
HAZELWOOD	88	6	-	2	-	-
INDEPENDENCE	843	19	1	667	9	1
JEFFERSON CITY	285	11	-	652	18	-
JENNINGS	258	4	-	22	-	-
JOPLIN	568	12	2	877	18	2
JASPER CO. PART	549	10	2	746	15	2
NEWTON CO. PART	19	2	-	131	1	-
KANSAS CITY	5,335	147	1	6,821	262	2
CLAY CO. PART	299	19	-	56	1	-
JACKSON CO. PART	4,982	125	1	6,752	261	2

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PLATTE CO. PART	54	3	-	13	-	-
KIRKSVILLE	138	5	-	367	10	-
KIRKWOOD	298	3	-	488	5	-
LADUE	86	-	-	18	-	-
LEE'S SUMMIT	140	4	-	47	1	-
LIBERTY	101	2	-	101	-	-
MAPLEWOOD	169	1	-	13	-	-
MARSHALL	174	4	-	239	3	-
MEXICO	168	2	-	308	4	-
MOBERLY	242	2	-	320	1	-
OVERLAND	244	8	-	24	-	-
POPLAR BLUFF	288	2	-	839	11	-
RAYTOWN	202	2	-	25	-	-
RICHMOND HEIGHTS	174	6	-	569	11	-
ROLLA	101	8	-	237	3	-
ST. ANN	112	3	-	4	-	-
ST. CHARLES	302	17	-	547	18	-
ST. JOSEPH	1,014	23	1	1,363	23	1
ST. LOUIS CITY	8,473	246	3	11,160	420	3
SEDALIA	363	6	-	465	7	-
SIKESTON	173	6	-	318	14	-
NEW MADRID CO. PART	1	-	-	3	-	-
SCOTT CO. PART	172	6	-	315	14	-
SPRINGFIELD	1,313	29	1	2,378	78	1
UNIVERSITY CITY	499	5	-	111	-	-
WARRENSBURG	96	2	-	183	2	-
WEBSTER GROVES.	264	3	-	57	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	77	1	-	111	3	-
BEL-RIDGE	33	2	-	1	-	-
BELTON	86	6	-	17	1	-
BETHANY	63	2	-	85	1	-
BLUE SPRINGS	59	1	-	9	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
BOLIVAR	69	-	-	35	-	-
BONNE TERRE	48	-	-	135	1	-
BOONVILLE	94	1	-	105	1	-
BOWLING GREEN	69	1	-	37	-	-
BRECKENRIDGE HILLS	14	-	-	-	-	-
BROOKFIELD	107	3	-	150	3	-
BUTLER	81	1	-	147	-	-
CALIFORNIA	60	1	-	34	-	-
CAMERON	52	1	-	95	2	1
CLINTON CO. PART	46	1	-	91	1	1
DE KALB CO. PART	6	-	-	2	1	-
CANTON	21	-	-	6	-	-
CARROLLTON	70	-	-	85	-	-
CARUTHERSVILLE	144	3	-	27	-	-
CENTRALIA	54	-	-	29	-	-
CHAFFEE	43	2	-	84	2	-
CHARLESTON	78	1	-	61	-	-
CHILLICOTHE	161	-	-	242	1	-
CLINTON	166	3	-	283	2	-
CREVE COEUR	179	4	-	1,028	34	-
CRYSTAL CITY	37	1	-	7	-	-
DELLWOOD	46	-	-	3	-	-
DESOTO	89	1	-	26	1	-
DES PERES	34	1	-	37	-	-
DESLUGE	33	1	-	3	-	-
DEXTER	94	-	-	190	3	-
EAST PRAIRIE	77	3	-	23	2	-
ELDON	62	1	-	18	-	-
ELDERADO SPRINGS	86	1	-	132	2	-
ELLISVILLE	34	1	-	69	-	-
EXCELSIOR SPRINGS	107	2	-	115	2	-
CLAY CO. PART	103	2	-	114	2	-
RAY CO. PART	4	-	-	1	-	-
FARMINGTON	111	4	-	325	8	-
FAYETTE	53	2	-	138	1	-
FESTUS	53	1	-	10	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FLAT RIVER	77	2	-	10	-	-
FREDERICKTOWN	93	3	-	120	2	-
FRONTENAC	30	-	-	4	-	-
GLENDALE	59	2	-	5	-	-
HARRISONVILLE	73	2	-	150	2	-
HAYTI	91	8	-	310	17	1
HERMANN	32	-	-	94	2	-
HIGGINSVILLE	57	-	-	24	-	-
HILLSDALE VILLAGE	22	1	-	2	-	-
JACKSON	72	-	-	57	-	-
KENNETT	142	5	-	268	10	-
KINLOCH	17	-	-	-	-	-
LAMAR	84	-	-	113	-	-
LEBANON	134	2	-	227	4	-
LEXINGTON	94	2	-	168	-	-
LOUISIANA	69	-	-	160	-	-
MACON	83	1	-	137	-	-
MALDEN	68	3	-	37	-	-
MANCHESTER	49	1	-	76	-	-
MARCELINE	65	-	-	112	-	-
MARSHFIELD	55	-	-	29	-	-
MARYVILLE	103	2	-	197	6	-
MOLINE ACRES	39	-	-	2	-	-
MONETT	82	2	-	107	1	-
BARRY CO. PART	63	2	-	104	1	-
LAWRENCE CO. PART	19	-	-	3	-	-
MOUNTAIN GROVE	86	-	-	43	-	-
MT. VERNON	52	1	-	17	-	-
NEOSHO	122	1	-	188	1	-
NEVADA	153	-	-	238	2	-
NEW MADRID	35	3	-	14	2	-
NORMANDY	106	3	-	427	6	-
NORTH KANSAS CITY	70	2	-	317	6	-
NORTHWOODS	31	-	-	-	-	-
ODESSA	48	1	-	36	-	-
O'FALLON	41	2	-	8	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
OLIVETTE	71	-	-	4	-	-
PACIFIC	35	-	-	4	-	-
FRANKLIN CO. PART	32	-	-	4	-	-
ST. LOUIS CO. PART	3	-	-	-	-	-
PAGEDALE	55	2	-	4	-	-
PALMYRA	56	2	-	27	-	-
PERRYVILLE	83	-	-	148	1	-
PINELAWN	64	2	-	15	-	-
PLEASANT HILL	32	-	-	7	-	-
PORTAGEVILLE	46	1	1	12	1	-
POTOSI	32	1	-	6	1	-
RICHMOND	88	-	-	161	1	-
RIVERVIEW	38	2	-	3	-	-
ROCK HILL	51	-	-	10	-	-
ST. CLAIR	44	2	-	2	1	-
ST. JAMES	55	2	-	49	1	-
ST. JOHN	84	1	-	5	-	-
STE. GENEVIEVE	53	-	-	82	-	-
SALEM	96	1	-	23	1	-
SAVANNAH	63	-	-	35	-	-
SHREWSBURY	36	1	-	7	-	-
SLATER	75	-	-	31	-	-
SUGAR CREEK	37	1	-	6	-	-
SULLIVAN	65	1	-	163	4	-
CRAWFORD CO. PART	7	-	-	153	4	-
FRANKLIN CO. PART	58	1	-	10	-	-
SUNSET HILLS	24	-	-	23	-	-
TOWN AND COUNTRY	16	1	-	298	11	-
TRENTON	118	1	-	171	1	-
TROY	37	-	-	140	-	-
UNION	64	2	-	26	1	-
VALLEY PARK	38	-	-	40	-	-
VANDALIA	63	2	-	14	-	-
VINITA PARK	26	1	-	-	-	-
WARSON WOODS	20	1	-	5	-	-
WASHINGTON	96	2	-	322	5	-


TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1973

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
WAYNESVILLE	32	1	-	88	2	-
WEBB CITY	104	-	-	53	-	-
WELLSTON	60	1	-	7	-	-
WENTZVILLE	41	1	-	9	-	-
WEST PLAINS	138	8	-	273	5	-
WINDSOR	57	-	-	51	-	-
WOODSON TERRACE	32	-	-	1	-	-

## INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9
1969	21.3	18.6	36.4
1970	19.5	17.0	33.6
1971	20.2	18.6	28.0
1972	18.3	16.2	28.5
1973	17.7	15.9	27.1

GRAPH D.  
INFANT DEATH RATES BY COLOR 1932-1973  
(per 1,000 live births)

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1973

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.		OVER 1 HR. 1 DAY		OVER 7 DAS		OVER 28 DAS		OVER 3 MOS		OVER 6 MOS		OVER 1 YEAR	
				1 HR.	1 DAY	7 DAS	28 DAS	3 MOS	6 MOS	1 YEAR							
ALL CAUSES	WHITE	907	15.9	84	251	260	77	93	70	66							
	NONWHITE	311	27.1	14	95	73	23	50	37	19							
	TOTAL	1,218	17.8	98	346	333	100	143	107	85							
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	8	.1				1	1	3							3	
	NONWHITE	11	1.0				1	3	3	2						2	
	TOTAL	19	.3				2	4	6	2						5	
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	52	.9	1	2	9	2	22	10	6							
	NONWHITE	27	2.3		1	1	2	14	8	1							
	TOTAL	79	1.2	1	3	10	4	36	18	7							
CONGENITAL ANOMALIES (740-759)	WHITE	186	3.3	17	49	49	26	23	10	12							
	NONWHITE	34	3.0	2	4	8	3	8	5	4							
	TOTAL	220	3.2	19	53	57	29	31	15	15							
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	43	.8		7	31	5										
	NONWHITE	13	1.1		5	6	2										
	TOTAL	56	.8		12	37	7										
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	93	1.6	9	54	23	6										
	NONWHITE	47	4.1	1	28	17	1										
	TOTAL	140	2.0	10	82	40	7										
IMMATURITY, UNQUALIFIED (777)	WHITE	76	1.3	18	45	7	3	1									
	NONWHITE	31	2.7	4	20	6	1										
	TOTAL	107	1.6	22	65	13	4	1									
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	258	4.5	37	89	116	12			1							
	NONWHITE	76	6.6	6	37	28	4	1									
	TOTAL	334	4.9	43	126	144	16	1									
ALL OTHER CAUSES (RESIDUAL)	WHITE	191	3.3	2	5	24	22	44	50	44							
	NONWHITE	72	6.3	1	5	6	7	24	22	12							
	TOTAL	263	3.8	3	5	30	29	68	72	56							

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

PROVISIONAL EST. POP. JULY 1, 1973 (SEE PP IV) MISSOURI - 4,757,000	STATE TOTAL				UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	68,605	14.4	57,109	11,496	27,744	1,277	2,890	217
ATTENDED BY M.D.	60,895		50,048	10,847	23,774	1,130	2,233	183
ATTENDED BY D.O.	7,594		6,984	610	3,908	133	655	32
ATTENDED BY MIDWIFE	83		46	37	44	13		2
OTHERS OR UNSPECIFIED	33		31	2	18	1	2	
LIVE BIRTHS UNDER 5.5 LBS.	5,006		3,529	1,477	1,669	142	176	18
TOTAL FETAL DEATHS	812	11.8	607	205	274	24	29	1
ATTENDED BY M.D.	721		527	194	225	23	25	1
ATTENDED BY D.O.	88		78	10	48	1	4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	3		2	1	1			
TOTAL DEATHS	51,812	10.9	46,497	5,315	18,654	493	3,155	132
UNDER ONE YEAR OF AGE	1,218	17.8	907	311	387	24	52	7
NEONATAL DEATHS	877	12.8	672	205	292	14	36	3
MATERNAL DEATHS	16	2.3	10	6	3			1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	74	1.6	62	12	22		3	
SYPHILIS AND ITS SEQUELAE (090-097)	15	.3	10	5	2	1	3	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	281	5.9	226	55	85	5	16	
MALIGNANT NEOPLASMS (140-209)	8,904	187.2	7,995	909	3,057	84	492	22
DIGEST. ORGANS (150-159)	2,298	48.3	2,056	242	774	18	129	9
RESPIRATORY SYSTEM (160-163)	2,064	43.4	1,865	199	702	15	110	2
BREAST (174)	766	16.1	681	85	223	10	37	2
GENITAL ORGANS (180-187)	1,134	23.8	986	148	392	9	61	4
URINARY ORGANS (188-189)	414	8.7	385	29	145	4	34	
LEUKEMIA (204-207)	362	7.6	333	29	131	2	24	
OTHER REMAINDER OF (140-209)	1,866	39.2	1,689	177	690	26	97	5
DIABETES MELLITUS (250)	1,087	22.9	939	148	347	12	57	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,874	586.0	25,596	2,278	10,221	228	1,828	60
DISEASES OF HEART (390-398,402,404,410-429)	20,133	423.2	18,514	1,619	7,362	152	1,304	48

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000		NON- WHITE	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	347	7.3	317	30	107	4	16	
HYPERTENSIVE HEART (402,404)	429	9.0	355	74	151	7	34	8
ISCHEMIC HEART (410-414)	17,967	377.7	16,626	1,341	6,529	128	1,159	39
OTHER HEART DISEASE (420-429)	1,390	29.2	1,216	174	575	13	95	1
HYPERTENSION (400,401,403)	231	4.9	201	30	97	2	16	
CEREBROVASCULAR DISEASE (430-438)	5,952	125.1	5,423	529	2,205	66	391	9
ARTERIOSCLEROSIS (440)	947	19.9	893	54	342	6	77	2
OTHER CIRCULATORY (441-448)	611	12.8	565	46	215	2	40	1
INFLUENZA/PNEUMONIA (470-474,480-486)	1,555	32.7	1,401	154	601	14	110	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	743	15.6	706	37	284	1	47	
PEPTIC ULCER (531-533)	196	4.1	184	12	78		4	
CIRRHOSIS OF LIVER (571)	536	11.3	437	99	118	5	21	1
NEPHRITIS AND NEPHROSIS (580-584)	236	5.0	186	50	77	5	11	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	16	.3	10	6	3			1
CONGENITAL ANOMALIES (740-759)	337	7.1	286	51	125	2	15	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	637	13.4	470	167	201	14	26	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,566	32.9	1,367	199	613	28	101	14
ALL OTHER DISEASES (RESIDUAL)	3,694	77.7	3,207	487	1,247	38	228	17
ACCIDENTAL DEATHS (E800-E949)	2,843	59.8	2,537	306	1,241	38	146	10
MOTOR VEHICLE (E810-E823)	1,450	30.5	1,338	112	712	13	76	4
OTHER TRANS. (E800-E807,E825-E845)	78	1.6	71	7	33	3	3	
POISONING (E850-E877)	82	1.7	70	12	32	1	4	1
FALLS (E880-E887)	455	9.6	414	41	137	1	30	
FIRES (E890-E899)	151	3.2	117	34	56	5	8	1
DROWNING & SUBMERSIONS (E910)	140	2.9	113	27	56	9	7	2
FIREARM MISSILES (E922)	76	1.6	63	13	36	1	3	1
INDUS. TYPE (E916-E921,E923-E928)	190	4.0	169	21	104	3	4	
OTHER REMAINDER OF (E900-E949)	221	4.6	182	39	75	2	11	1
SUICIDE (E950-E959)	567	11.9	531	36	211	2	28	
HOMICIDE (E960-E978)	458	9.6	189	269	55	14	13	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	193	4.1	158	35	66	2	6	

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	NON- WHITE		NON- WHITE		NON- WHITE		NON- WHITE	
TOTAL LIVE BIRTHS	4,084	575	1,943	226	3,103	224	3,077	418
ATTENDED BY M.D.	3,412	461	1,700	159	2,722	199	2,794	388
ATTENDED BY D.O.	670	114	240	45	381	25	281	30
ATTENDED BY MIDWIFE			2	22				
OTHERS OR UNSPECIFIED	2		1				2	
LIVE BIRTHS UNDER 5.5 LBS.	251	72	100	19	183	35	184	57
TOTAL FETAL DEATHS	48	4	17	5	31	3	32	9
ATTENDED BY M.D.	42	3	13	3	29	3	28	9
ATTENDED BY D.O.	6	1	4	2	2		4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,910	206	1,922	152	2,444	92	2,785	150
UNDER ONE YEAR OF AGE	72	10	35	8	60	5	60	10
NEONATAL DEATHS	56	7	29	8	38	4	43	7
MATERNAL DEATHS							3	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4	2	3		1		3	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	17	3	10	2	11		18	2
MALIGNANT NEOPLASMS (140-209)	688	20	347	27	439	15	548	35
DIGEST. ORGANS (150-159)	188	7	86	9	112	2	134	6
RESPIRATORY SYSTEM (160-163)	168	3	85	9	99	2	127	6
BREAST (174)	68	2	33	2	37		58	5
GENITAL ORGANS (180-187)	76	4	46	2	56	4	69	7
URINARY ORGANS (188-189)	22	1	19	1	22	1	22	
LEUKEMIA (204-207)	37		16	1	16		21	3
OTHER REMAINDER OF (140-209)	129	3	62	3	97	6	117	8
DIABETES MELLITUS (250)	86	6	38	2	48	3	48	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,185	86	1,094	80	1,346	50	1,524	64
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,558	63	792	54	956	27	1,084	46

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	28	1	14	1	18		21	1
HYPERTENSIVE HEART (402,404)	44	4	19	3	13	1	16	1
ISCHEMIC HEART (410-414)	1,398	46	712	44	866	25	998	37
OTHER HEART DISEASE (420-429)	88	12	47	6	59	1	49	7
HYPERTENSION (400,401,403)	22		7	1	7		9	1
CEREBROVASCULAR DISEASE (430-438)	493	21	232	22	316	18	341	16
ARTERIOSCLEROSIS (440)	63	1	38	2	41	2	45	1
OTHER CIRCULATORY (441-448)	49	1	25	1	26	3	45	
INFLUENZA/PNEUMONIA (470-474,480-486)	107	7	53	5	80	1	73	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	43	5	38		45		34	
PEPTIC ULCER (531-533)	18	1	9	1	9		6	
CIRRHOSIS OF LIVER (571)	27	3	18	2	32	1	40	2
NEPHRITIS AND NEPHROSIS (580-584)	14	2	8		10	1	9	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							3	
CONGENITAL ANOMALIES (740-759)	27	2	7	2	12		22	4
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	34	6	23	5	27	2	31	5
SYMPTOMS & ILL-DEFINED COND. (780-796)	96	15	42	7	58	7	54	1
ALL OTHER DISEASES (RESIDUAL)	266	16	112	9	172	7	189	11
ACCIDENTAL DEATHS (E800-E949)	219	17	92	4	107	2	131	10
MOTOR VEHICLE (E810-E823)	110	9	35	1	61	1	67	4
OTHER TRANS. (E800-E807,E825-E845)	7		5		4		5	1
POISONING (E850-E877)	6		4	1	4		5	2
FALLS (E880-E887)	41	1	19	1	19		17	
FIRES (E890-E899)	12	2	3	1	2	1	3	
DROWNING & SUBMERSIONS (E910)	11	3	7		3		11	1
FIREARM MISSILES (E922)	5		5		4		1	1
INDUSTRIAL (E916-E921,E923-E928)	14	1	5		6		10	
OTHER REMAINDER OF (E900-E949)	13	1	9		4		12	1
SUICIDE (E950-E959)	49	3	24	1	30	2	30	3
HOMICIDE (E960-E978)	12	12	3	4	7		11	7
ALL OTHER EXTERNAL CAUSES (E980-E999)	18		1	1	10	1	11	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,379	182	1,840	73	6,594	2,632	3,455	5,672
ATTENDED BY M.D.	2,347	180	1,823	73	5,829	2,416	3,414	5,658
ATTENDED BY D.O.	31	2	16		761	216	41	13
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		1		4			1
LIVE BIRTHS UNDER 5.5 LBS.	156	30	114	15	428	365	268	724
TOTAL FETAL DEATHS	28	5	17	3	86	57	45	94
ATTENDED BY M.D.	28	5	17	3	77	53	43	91
ATTENDED BY D.O.					9	4	1	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	1
TOTAL DEATHS	1,678	73	1,283	30	5,024	1,156	5,642	2,831
UNDER ONE YEAR OF AGE	43	4	25	4	107	59	66	180
NEONATAL DEATHS	38	4	21	2	65	40	54	116
MATERNAL DEATHS								
CAUSE OF DEATH		1	1		3	1		3
TUBERCULOSIS, ALL FORMS (010-019)	3		3		10	5	10	5
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES	1					1	4	3
REMAINDER OF (000-136)	10	1	6	1	20	11	33	30
MALIGNANT NEOPLASMS (140-209)	290	14	219	6	925	189	990	497
DIGEST. ORGANS (150-159)	66	2	52	1	240	52	275	136
RESPIRATORY SYSTEM (160-163)	81	3	46	4	204	44	243	111
BREAST (174)	32	1	23		79	17	91	46
GENITAL ORGANS (180-187)	22	2	21		119	31	124	85
URINARY ORGANS (188-189)	18	1	12		45	7	46	14
LEUKEMIA (204-207)	8		12		40	3	28	20
OTHER REMAINDER OF (140-209)	63	5	53	1	198	35	183	85
DIABETES MELLITUS (250)	27	2	26	4	111	30	151	93
MAJOR CARDIOVASCULAR DISEASE (390-448)								
DISEASES OF HEART	920	33	696	11	2,535	449	3,247	1,217

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
(390-398,402,404,410-429)								
RHEUMATIC FEVER & CHRONIC	19		13		44	10	37	13
RHEUMATIC HEART DISEASE (390-398)	12	2	6	1	21	9	39	38
HYPERTENSIVE HEART (402,404)	572	17	437	7	1,615	233	2,340	765
ISCHEMIC HEART (410-414)	41		14	1	172	68	76	65
OTHER HEART DISEASE (420-429)	5		4		14	5	20	21
HYPERTENSION (400,401,403)	210	14	166	2	520	103	549	258
CEREBROVASCULAR DISEASE (430-438)	36		44		77	11	130	29
ARTERIOSCLEROSIS (440)	25		12		72	10	56	28
OTHER CIRCULATORY (441-448)	47	1	32		130	20	168	104
INFLUENZA/PNEUMONIA (470-474,480-486)	33		21		75	10	86	21
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		5		32	4	18	6
PEPTIC ULCER (531-533)	17	1	8	1	66	19	90	64
CIRRHOSIS OF LIVER (571)	9		3		23	17	22	25
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	10	1	12		36	9	20	31
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	29	2	13	2	46	35	40	93
	46	2	56	1	257	111	44	13
SYMPTOMS & ILL-DEFINED COND. (780-796)	116	5	75	2	390	111	412	271
ALL OTHER DISEASES (RESIDUAL)								
ACCIDENTAL DEATHS	81	8	77		246	57	197	160
(E800-E949)	53	3	42		114	22	68	55
MOTOR VEHICLE (E810-E823)	3	1			8	1	3	1
OTHER TRANS. (E800-E807,E825-E845)	3		2		6	2	4	5
POISONING (E850-E877)	7		17		52	7	75	31
FALLS (E880-E887)	2	1	4		17	5	10	18
FIRES (E890-E899)	3				9	4	6	8
DROWNING & SUBMERSIONS (E910)	1		2		3	2	3	8
FIREARM MISSILES (E922)	4	2	6		11	4	5	11
INDUSTRIAL (E916-E921,E923-E928)	5	1	4		26	10	23	23
OTHER REMAINDER OF (E900-E949)	25	1	18		69	8	47	16
SUICIDE (E950-E959)	6	1	9	2	32	64	41	164
HOMICIDE (E960-E978)	3		3		18	5	22	25

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	311	7	141	2	134	1	324	38
ATTENDED BY M.D.	10		140	2	134	1	236	27
ATTENDED BY D.O.	301	7	1				78	11
ATTENDED BY MIDWIFE							10	
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	17	1	5		7		24	5
TOTAL FETAL DEATHS			2		1		4	
ATTENDED BY M.D.			2		1		4	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	219	1	151		113		286	24
UNDER ONE YEAR OF AGE	6		1		3		7	1
NEONATAL DEATHS	5		1		3		6	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	28		23		11		54	5
DIGEST. ORGANS (150-159)	7		9		3		19	3
RESPIRATORY SYSTEM (160-163)	6		3		2		12	2
BREAST (174)	4		1		2		4	
GENITAL ORGANS (180-187)	4		7		1		9	
URINARY ORGANS (188-189)	2		1				2	
LEUKEMIA (204-207)	1						2	
OTHER REMAINDER OF (140-209)	4		2		3		6	
DIABETES MELLITUS (250)	1		1				6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	118		89		74		157	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	87		70		48		115	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		1		2			
HYPERTENSIVE HEART (402,404)	1						13	2
ISCHEMIC HEART (410-414)	78		68		46		89	6
OTHER HEART DISEASE (420-429)	5		1				13	1
HYPERTENSION (400,401,403)			1		2		3	
CEREBROVASCULAR DISEASE (430-438)	26		15		21		27	2
ARTERIOSCLEROSIS (440)	3				1		8	1
OTHER CIRCULATORY (441-448)	2		3		2		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		3		1		9	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		2		2	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)	3	1			3			
NEPHRITIS AND NEPHROSIS (580-584)			2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	3		1		3		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		4				9	3
ALL OTHER DISEASES (RESIDUAL)	21		13		10		26	1
ACCIDENTAL DEATHS								
(E800-E949)	21		7		6		14	
MOTOR VEHICLE (E810-E823)	12		5		2		8	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)	3							
FALLS (E880-E887)	3				1		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	1		2		1		1	
OTHER REMAINDER OF (E900-E949)	2						1	
SUICIDE (E950-E959)	2		4		2		2	
HOMICIDE (E960-E978)								1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	259	4	130		219	4	119	
ATTENDED BY M.D.	225	4	123		190	3	84	
ATTENDED BY D.O.	33		6		29	1	35	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		1					
LIVE BIRTHS UNDER 5.5 LBS.	20		2		15	1	8	
TOTAL FETAL DEATHS	4		2		3			
ATTENDED BY M.D.	4		2		3			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	278		182		255	2	178	
UNDER ONE YEAR OF AGE	6				2		4	
NEONATAL DEATHS	6				1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		2			
MALIGNANT NEOPLASMS (140-209)	52		32		34		21	
DIGEST. ORGANS (150-159)	9		10		7		5	
RESPIRATORY SYSTEM (160-163)	12		6		9		9	
BREAST (174)	2		2		2		3	
GENITAL ORGANS (180-187)	9		6		9			
URINARY ORGANS (188-189)	2				2		1	
LEUKEMIA (204-207)	3		1		1			
OTHER REMAINDER OF (140-209)	15		7		4		3	
DIABETES MELLITUS (250)	6		7		6		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	128		95		127	1	110	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	89		69		95	1	70	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2		1		2	
HYPERTENSIVE HEART (402,404)	2		1		4		1	
ISCHEMIC HEART (410-414)	81		60		74	1	46	
OTHER HEART DISEASE (420-429)	5		6		16		21	
HYPERTENSION (400,401,403)							3	
CEREBROVASCULAR DISEASE (430-438)	31		22		23		35	
ARTERIOSCLEROSIS (440)	8				5		2	
OTHER CIRCULATORY (441-448)			4		4			
INFLUENZA/PNEUMONIA (470-474,480-486)	17		9		13		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		5		4		1	
PEPTIC ULCER (531-533)	3						1	
CIRRHOSIS OF LIVER (571)	3		2		3		5	
NEPHRITIS AND NEPHROSIS (580-584)					3		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3						5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	18		1		21		4	
ALL OTHER DISEASES (RESIDUAL)	19		15		21		13	
ACCIDENTAL DEATHS								
(E800-E949)	18		9		15	1	6	
MOTOR VEHICLE (E810-E823)	14		5		8		6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			1		3			
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)					1	1		
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	1		1		1			
OTHER REMAINDER OF (E900-E949)	1		1		2			
SUICIDE (E950-E959)	3		4		1		1	
HOMICIDE (E960-E978)	1				1			
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	117		1,012	115	1,159	64	450	34
ATTENDED BY M.D.	91		989	115	1,154	64	384	32
ATTENDED BY D.O.	26		23		4		66	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			1
LIVE BIRTHS UNDER 5.5 LBS.	6		66	15	88	15	28	5
TOTAL FETAL DEATHS	1		9	3	17	1	5	
ATTENDED BY M.D.	1		9	3	17	1	5	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	124		523	60	1,091	24	452	39
UNDER ONE YEAR OF AGE	2		15	3	22	2	5	2
NEONATAL DEATHS	1		12	3	22	1	3	1
MATERNAL DEATHS						1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			5	2	4		1	
MALIGNANT NEOPLASMS (140-209)	20		91	13	196	3	64	5
DIGEST. ORGANS (150-159)	5		24	2	44	1	17	1
RESPIRATORY SYSTEM (160-163)	5		24	3	50		20	1
BREAST (174)	3		10	1	19		3	
GENITAL ORGANS (180-187)	2		7	2	12		5	1
URINARY ORGANS (188-189)			4		14	1	4	
LEUKEMIA (204-207)	1		4		5		1	
OTHER REMAINDER OF (140-209)	4		18	5	52	1	14	2
DIABETES MELLITUS (250)			12	2	16		8	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	73		289	26	600	11	253	24
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	47		202	16	420	7	175	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3		8			
HYPERTENSIVE HEART (402,404)	1		2	1	9	1	1	
ISCHEMIC HEART (410-414)	40		190	15	368	6	154	7
OTHER HEART DISEASE (420-429)	5		7		35		20	1
HYPERTENSION (400,401,403)	1		1		5			
CEREBROVASCULAR DISEASE (430-438)	24		74	10	130	4	73	16
ARTERIOSCLEROSIS (440)			6		28		2	
OTHER CIRCULATORY (441-448)	1		6		17		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		12	1	33		14	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		8		30		10	
PEPTIC ULCER (531-533)	1		1		4		1	
CIRRHOSIS OF LIVER (571)	2		3	1	11		3	
NEPHRITIS AND NEPHROSIS (580-584)					6		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						1		
CONGENITAL ANOMALIES (740-759)	1		5	1	3		4	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	1		8	1	18	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		4		42	3	37	6
ALL OTHER DISEASES (RESIDUAL)	9		37	5	73	2	22	1
ACCIDENTAL DEATHS (E800-E949)	11		35	5	40	3	20	1
MOTOR VEHICLE (E810-E823)	4		20	3	28		10	
OTHER TRANS. (E800-E807,E825-E845)	1		3			1		
POISONING (E850-E877)			1				1	
FALLS (E880-E887)			4		1		1	
FIRES (E890-E899)				1	3		2	1
DROWNING & SUBMERSIONS (E910)			1		2			
FIREARM MISSILES (E922)			1		1		3	
INDUSTRIAL (E916-E921,E923-E928)	2		2		4	2		
OTHER REMAINDER OF (E900-E949)	4		3	1	1		3	
SUICIDE (E950-E959)			11	1	7		5	
HOMICIDE (E960-E978)			1	1	5		3	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1	1			3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	100		361	22	178		633	39
ATTENDED BY M.D.	70		264	20	150		601	39
ATTENDED BY D.O.	30		97	2	28		31	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	2		16		13		33	10
TOTAL FETAL DEATHS			2	1	4		5	1
ATTENDED BY M.D.			2	1	4		4	1
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118		231	34	200		469	17
UNDER ONE YEAR OF AGE			6		2		11	2
NEONATAL DEATHS			5		2		8	2
MATERNAL DEATHS	1						1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3		1		4	
MALIGNANT NEOPLASMS (140-209)	35		30	3	43		87	3
DIGEST. ORGANS (150-159)	6		7		7		20	1
RESPIRATORY SYSTEM (160-163)	6		8		11		17	
BREAST (174)	2		2	1	3		8	1
GENITAL ORGANS (180-187)	7		4	2	5		14	
URINARY ORGANS (188-189)	1				2		2	
LEUKEMIA (204-207)	1		1		2		7	
OTHER REMAINDER OF (140-209)	12		8		13		19	1
DIABETES MELLITUS (250)	3		4	1	1		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	58		14	20	103		270	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38		79	12	76		184	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		5	
HYPERTENSIVE HEART (402,404)			8	1	1		2	1
ISCHEMIC HEART (410-414)	36		67	10	63		165	2
OTHER HEART DISEASE (420-429)	2		3	1	11		12	2
HYPERTENSION (400,401,403)	1				1		5	
CEREBROVASCULAR DISEASE (430-438)	16		24	7	20		60	1
ARTERIOSCLEROSIS (440)	3		5	1	5		3	
OTHER CIRCULATORY (441-448)			6		1		18	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		9		2		10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			5		1		5	
PEPTIC ULCER (531-533)	1		1				1	
CIRRHOSIS OF LIVER (571)					2		2	
NEPHRITIS AND NEPHROSIS (580-584)	1		2		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1						1	
CONGENITAL ANOMALIES (740-759)			2	1			1	1
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)			4		2		6	2
SYMPTOMS & ILL-DEFINED COND. (780-796)			26	3	5		10	
ALL OTHER DISEASES (RESIDUAL)	10		16	3	20		36	3
ACCIDENTAL DEATHS								
(E800-E949)	4		12	3	15		22	1
MOTOR VEHICLE (E810-E823)	2		6	1	8		12	1
OTHER TRANS. (E800-E807,E825-E845)							2	
POISONING (E850-E877)				1			1	
FALLS (E880-E887)			2		2		1	
FIRES (E890-E899)				1			2	
DROWNING & SUBMERSIONS (E910)	1		2		1			
FIREARM MISSILES (E922)			1		1		2	
INDUSTRIAL (E916-E921,E923-E928)	1		1		2		1	
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)			2		2		3	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1		2		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	172	9	78		702	10	118	
ATTENDED BY M.D.	100	1	71		518	7	84	
ATTENDED BY D.O.	72	8	7		184	3	33	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	11	1	2		41	1	9	
TOTAL FETAL DEATHS	4		4		17			
ATTENDED BY M.D.	3		4		14			
ATTENDED BY D.O.	1				3			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	178	2	80		376		183	
UNDER ONE YEAR OF AGE	1		4		12		3	
NEONATAL DEATHS	1		3		8		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		3		1	
MALIGNANT NEOPLASMS (140-209)	35		10		63		31	
DIGEST. ORGANS (150-159)	9		2		15		9	
RESPIRATORY SYSTEM (160-163)	5		2		12		8	
BREAST (174)	7		2		3		4	
GENITAL ORGANS (180-187)	1		2		8		4	
URINARY ORGANS (188-189)	3				4		2	
LEUKEMIA (204-207)	1				3		2	
OTHER REMAINDER OF (140-209)	9		2		18		2	
DIABETES MELLITUS (250)	5		1		4		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	92	1	36		201		109	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63		26		141		63	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				3			
HYPERTENSIVE HEART (402,404)	2				3		1	
ISCHEMIC HEART (410-414)	48		25		126		54	
OTHER HEART DISEASE (420-429)	11		1		9		8	
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	21	1	10		48		39	
ARTERIOSCLEROSIS (440)	7				7		3	
OTHER CIRCULATORY (441-448)	1				4		3	
INFLUENZA/PNEUMONIA (470-474, 480-486)	8		5		10		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8				10			
PEPTIC ULCER (531-533)					1		2	
CIRRHOSIS OF LIVER (571)					3			
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		3			
DISEASES OF EARLY INFANCY (760-769.2, 769.4-772, 774-778)					6		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		6		3		5	
ALL OTHER DISEASES (RESIDUAL)	14	1	7		20		11	
ACCIDENTAL DEATHS (E800-E949)	7		8		35		10	
MOTOR VEHICLE (E810-E823)	5		5		24		6	
OTHER TRANS. (E800-E807, E825-E845)			1		1			
POISONING (E850-E877)								
FALLS (E880-E887)			1		5		2	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)					2		1	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921, E923-E928)	1				2			
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	2		2		11		4	
HOMICIDE (E960-E978)			3		2			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	124	8	302	1	84		1,883	25
ATTENDED BY M.D.	84	4	300	1	63		1,681	23
ATTENDED BY D.O.	40	4	2		21		202	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	9	2	26		3		93	1
TOTAL FETAL DEATHS	1					1	19	
ATTENDED BY M.D.	1					1	14	
ATTENDED BY D.O.							5	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	156	14	180		112		794	15
UNDER ONE YEAR OF AGE	4		9				40	
NEONATAL DEATHS	4		5				22	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2	1	1				6	
MALIGNANT NEOPLASMS (140-209)	25	4	36		9		134	4
DIGEST. ORGANS (150-159)	8	2	8		3		33	2
RESPIRATORY SYSTEM (160-163)	3		10		2		32	2
BREAST (174)	1		3		1		10	
GENITAL ORGANS (180-187)	3	1	3		1		13	
URINARY ORGANS (188-189)	2		1				8	
LEUKEMIA (204-207)	2		2		1		7	
OTHER REMAINDER OF (140-209)	6	1	9		1		31	
DIABETES MELLITUS (250)	4		2		2		19	
MAJOR CARDIOVASCULAR DISEASE (390-448)	91	5	91		72		407	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55	3	55		48		283	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2		1		3	
HYPERTENSIVE HEART (402,404)			1		2		6	
ISCHEMIC HEART (410-414)	51	3	47		33		254	8
OTHER HEART DISEASE (420-429)	2		5		12		20	1
HYPERTENSION (400,401,403)	1		2				6	
CEREBROVASCULAR DISEASE (430-438)	26	1	28		20		87	1
ARTERIOSCLEROSIS (440)	8		6		1		16	
OTHER CIRCULATORY (441-448)	1	1			3		15	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		6		3		18	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		5		3		13	
PEPTIC ULCER (531-533)					1		3	
CIRRHOSIS OF LIVER (571)	1		1				5	
NEPHRITIS AND NEPHROSIS (580-584)		1					1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	2		1				9	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		2				16	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	2	8		1		8	1
ALL OTHER DISEASES (RESIDUAL)	5		13		12		57	
ACCIDENTAL DEATHS (E800-E949)	7	1	12		9		72	
MOTOR VEHICLE (E810-E823)	4	1	6		4		34	
OTHER TRANS. (E800-E807,E825-E845)							4	
POISONING (E850-E877)							3	
FALLS (E880-E887)	2						13	
FIRES (E890-E899)			2				1	
DROWNING & SUBMERSIONS (E910)							3	
FIREARM MISSILES (E922)	1		2				2	
INDUSTRIAL (E916-E921,E923-E928)					1		7	
OTHER REMAINDER OF (E900-E949)			2		4		5	
SUICIDE (E950-E959)	1						11	
HOMICIDE (E960-E978)			2				4	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						8	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	160	7	620	46	150	19	239	
ATTENDED BY M.D.	114	6	423	25	143	19	174	
ATTENDED BY D.O.	46	1	197	21	7		65	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	10		36	4	8	5	13	
TOTAL FETAL DEATHS	1		6	1	2		2	
ATTENDED BY M.D.			3	1	2		2	
ATTENDED BY D.O.	1		3					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	157	6	376	21	180	21	233	
UNDER ONE YEAR OF AGE	2		13	1	1	1	6	
NEONATAL DEATHS	1		10	1	1	1	3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1			
MALIGNANT NEOPLASMS (140-209)	27	2	61	6	31	1	50	
DIGEST. ORGANS (150-159)	6		10		4		16	
RESPIRATORY SYSTEM (160-163)	5		15		10		14	
BREAST (174)	3		3	1	2		1	
GENITAL ORGANS (180-187)	4		7	3	5		3	
URINARY ORGANS (188-189)	1		3		2		6	
LEUKEMIA (204-207)	1	1	4	1	2		1	
OTHER REMAINDER OF (140-209)	7	1	19	1	6	1	9	
DIABETES MELLITUS (250)	1		7	1	4		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	97	4	217	10	107	14	122	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	70	2	156	6	79	12	86	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		4		2		3	
HYPERTENSIVE HEART (402,404)					1	1	2	
ISCHEMIC HEART (410-414)	56	2	146	5	70	4	73	
OTHER HEART DISEASE (420-429)	12		6	1	6	7	8	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	20	1	51	4	23	2	27	
ARTERIOSCLEROSIS (440)	5	1	4		2		4	
OTHER CIRCULATORY (441-448)	1		6		3		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		10		8	1	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		4		2	
PEPTIC ULCER (531-533)			1		1		3	
CIRRHOSIS OF LIVER (571)			5				1	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1	1			2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		8		1	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		5				6	
ALL OTHER DISEASES (RESIDUAL)	12		21	2	8	1	12	
ACCIDENTAL DEATHS								
(E800-E949)	8		27	1	10	2	16	
MOTOR VEHICLE (E810-E823)	5		14		5		9	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)			3		2			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			3	1		1	1	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			4		3		2	
OTHER REMAINDER OF (E900-E949)	1		3			1	4	
SUICIDE (E950-E959)	2		4		4		5	
HOMICIDE (E960-E978)			3			1		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	90	1	157		120		96	
ATTENDED BY M.D.	82	1	146		76		69	
ATTENDED BY D.O.	8		10		44		27	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	8	1	13		7		5	
TOTAL FETAL DEATHS	2		1		1		2	
ATTENDED BY M.D.	2		1				2	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	109	1	184		134		123	
UNDER ONE YEAR OF AGE	1		1		1			
NEONATAL DEATHS	1		1		1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2							
MALIGNANT NEOPLASMS (140-209)	17		20		26		23	
DIGEST. ORGANS (150-159)	2		4		4		10	
RESPIRATORY SYSTEM (160-163)	2		7		7		4	
BREAST (174)	4						1	
GENITAL ORGANS (180-187)	2		5		4			
URINARY ORGANS (188-189)	1				2			
LEUKEMIA (204-207)					3		2	
OTHER REMAINDER OF (140-209)	6		4		6		6	
DIABETES MELLITUS (250)	1	1	2		2		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	65		111		75		66	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	50		72		52		51	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1					1	
HYPERTENSIVE HEART (402,404)			10		7			
ISCHEMIC HEART (410-414)	47		53		39		41	
OTHER HEART DISEASE (420-429)	2		9		6		9	
HYPERTENSION (400,401,403)	1		3		1			
CEREBROVASCULAR DISEASE (430-438)	13		35		21		12	
ARTERIOSCLEROSIS (440)	1		1				1	
OTHER CIRCULATORY (441-448)					1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		5		2		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		4		3	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)							1	
NEPHRITIS AND NEPHROSIS (580-584)	1				2		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1							
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		18		2			
ALL OTHER DISEASES (RESIDUAL)	8		13		14		13	
ACCIDENTAL DEATHS (E800-E949)	3		8		6		11	
MOTOR VEHICLE (E810-E823)			5		2		5	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2				1		3	
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		2	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	1		2		1			
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	194	1	126		536	66	1,023	15
ATTENDED BY M.D.	102		92		492	35	911	13
ATTENDED BY D.O.	92	1	33		44	31	111	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1				1	
LIVE BIRTHS UNDER 5.5 LBS.	13		6		35	9	61	1
TOTAL FETAL DEATHS	1		2		2	1	10	
ATTENDED BY M.D.			1		2	1	9	
ATTENDED BY D.O.	1		1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	188		134		447	19	631	7
UNDER ONE YEAR OF AGE	1		1		14	3	17	
NEONATAL DEATHS			1		11	3	13	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					3		2	
MALIGNANT NEOPLASMS (140-209)	20		22		70	1	119	3
DIGEST. ORGANS (150-159)	5		2		16		33	
RESPIRATORY SYSTEM (160-163)	2		4		20	1	24	
BREAST (174)	1		1		8		15	
GENITAL ORGANS (180-187)	2		7		8		13	1
URINARY ORGANS (188-189)	2		1		3		5	
LEUKEMIA (204-207)	2		1		4		4	1
OTHER REMAINDER OF (140-209)	6		6		11		25	1
DIABETES MELLITUS (250)	4		5		6		9	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	100		69		219	10	324	3
DISEASES OF HEART								
(390-398,402,404,410-429)	75		48		177	6	248	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				2		2	
HYPERTENSIVE HEART (402,404)	1		1		4	1		
ISCHEMIC HEART (410-414)	66		43		168	5	229	3
OTHER HEART DISEASE (420-429)	7		4		3		17	
HYPERTENSION (400,401,403)			1		3		3	
CEREBROVASCULAR DISEASE (430-438)	18		14		30	3	54	
ARTERIOSCLEROSIS (440)	3		5		2		10	
OTHER CIRCULATORY (441-448)	4		1		7	1	9	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		9		23		19	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		1		9		5	
PEPTIC ULCER (531-533)			1		3	1	3	
CIRRHOSIS OF LIVER (571)					2		4	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		3		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					3	1	3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		4	3	11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12		2		32	1	36	
ALL OTHER DISEASES (RESIDUAL)	16		10		24		45	
ACCIDENTAL DEATHS (E800-E949)	18		11		41	1	37	
MOTOR VEHICLE (E810-E823)	12		8		25		16	
OTHER TRANS. (E800-E807,E825-E845)			1		2		1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	1		1		2		4	
FIRES (E890-E899)	3				6		6	
DROWNING & SUBMERSIONS (E910)	1					1	2	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		4	
OTHER REMAINDER OF (E900-E949)					4		3	
SUICIDE (E950-E959)	3				2		7	
HOMICIDE (E960-E978)	1		1		1	1	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	154	3	92		2,406	75	169	
ATTENDED BY M.D.	98	3	86		2,381	75	149	
ATTENDED BY D.O.	56		6		23		20	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					2			
LIVE BIRTHS UNDER 5.5 LBS.	10		8		143	15	8	
TOTAL FETAL DEATHS	2				19	3	3	
ATTENDED BY M.D.	2				18	3	3	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	178		136		1,562	33	184	1
UNDER ONE YEAR OF AGE			1		36	4	1	
NEONATAL DEATHS			1		29	2	1	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					3			
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		7	1	1	
MALIGNANT NEOPLASMS (140-209)	27		18		263	6	35	
DIGEST. ORGANS (150-159)	9		4		65	1	22	
RESPIRATORY SYSTEM (160-163)	6		6		56	4	5	
BREAST (174)	2		1		26		2	
GENITAL ORGANS (180-187)	2		3		27		2	
URINARY ORGANS (188-189)	1				14			
LEUKEMIA (204-207)	2				14		1	
OTHER REMAINDER OF (140-209)	5		4		61	1	3	
DIABETES MELLITUS (250)	6		2		30	4	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	114		82		846	14	101	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	90		57		580	11	76	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	307	1	355	13	354	1	118	4
ATTENDED BY M.D.	274	1	243	9	327	1	96	3
ATTENDED BY D.O.	32		112	4	26		21	1
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	20		11	2	23		7	1
TOTAL FETAL DEATHS	4		2		5			
ATTENDED BY M.D.	4				5			
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	271	2	377	10	341		118	6
UNDER ONE YEAR OF AGE	6		4		3		4	
NEONATAL DEATHS	3		4		2		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					4			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2			
MALIGNANT NEOPLASMS (140-209)	42		69	2	65		22	
DIGEST. ORGANS (150-159)	8		20		14		4	
RESPIRATORY SYSTEM (160-163)	13		9	1	20		4	
BREAST (174)	3		5		3		3	
GENITAL ORGANS (180-187)	9		11	1	8		4	
URINARY ORGANS (188-189)	2		2		1			
LEUKEMIA (204-207)	1		6		4		2	
OTHER REMAINDER OF (140-209)	6		16		15		5	
DIABETES MELLITUS (250)	5		11	2	2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	154	1	210	3	176		66	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	113	1	150	2	130		45	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	6		9		2	1		
HYPERTENSIVE HEART (402,404)	11		2		3		1	
ISCHEMIC HEART (410-414)	373	6	251	2	98	4	38	
OTHER HEART DISEASE (420-429)	23		16		14		5	
HYPERTENSION (400,401,403)	2		3		2			
CEREBROVASCULAR DISEASE (430-438)	150	2	75		35		16	
ARTERIOSCLEROSIS (440)	17	1	9	2	13		1	
OTHER CIRCULATORY (441-448)	13		11				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	36		22		7	1	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	13		10		3		5	
PEPTIC ULCER (531-533)	5		3					
CIRRHOSIS OF LIVER (571)	10		5		2			
NEPHRITIS AND NEPHROSIS (580-584)	7		5				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	2							
CONGENITAL ANOMALIES (740-759)	10		14					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	11	1	8		5			
SYMPTOMS & ILL-DEFINED COND. (780-796)	43	1	4		1			
ALL OTHER DISEASES (RESIDUAL)	77	2	55	1	12	1	8	
ACCIDENTAL DEATHS (E800-E949)	60	1	66		19		3	
MOTOR VEHICLE (E810-E823)	21	1	46		9		3	
OTHER TRANS. (E800-E807,E825-E845)	4		3		3			
POISONING (E850-E877)	3		2		1			
FALLS (E880-E887)	16		6		3			
FIRES (E890-E899)	1		2					
DROWNING & SUBMERSIONS (E910)	5		3					
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		4		1			
OTHER REMAINDER OF (E900-E949)	8				1			
SUICIDE (E950-E959)	11		9		3			
HOMICIDE (E960-E978)	3		4	1	2			
ALL OTHER EXTERNAL CAUSES (E980-E999)			9					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2					
HYPERTENSIVE HEART (402,404)	12		2		3			
ISCHEMIC HEART (410-414)	64		134	1	20		44	
OTHER HEART DISEASE (420-429)	8		6	1	3		3	
HYPERTENSION (400,401,403)			2		1			
CEREBROVASCULAR DISEASE (430-438)	19		47	1	15		11	
ARTERIOSCLEROSIS (440)	1		11		2		1	
OTHER CIRCULATORY (441-448)	1		5		3		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		9				5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		1		1	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)			2		1			
NEPHRITIS AND NEPHROSIS (580-584)	3		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	2		1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		2					
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		10		9			
ALL OTHER DISEASES (RESIDUAL)	12		21		7		5	
ACCIDENTAL DEATHS (E800-E949)	4		13	1	6		7	2
MOTOR VEHICLE (E810-E823)	2		7	1	6		5	2
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	1		4					
FIRES (E890-E899)							2	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	1		1					
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	4		1		4			
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	88	16	377	1	185	1	7,170	2,657
ATTENDED BY M.D.	87	16	374	1	141	1	6,324	2,437
ATTENDED BY D.O.	1		3		44		842	220
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							4	
LIVE BIRTHS UNDER 5.5 LBS.	2		28		8		488	369
TOTAL FETAL DEATHS	1	1	3		3		92	59
ATTENDED BY M.D.	1	1	2		3		83	55
ATTENDED BY D.O.			1				9	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	142	11	367	1	110	2	5,429	1,171
UNDER ONE YEAR OF AGE	2		13		2		105	60
NEONATAL DEATHS	2		10		1		67	41
MATERNAL DEATHS							2	1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				11	5
SYPHILIS AND ITS SEQUELAE (090-097)								1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4	1			22	12
MALIGNANT NEOPLASMS (140-209)	21	2	47		13		995	190
DIGEST. ORGANS (150-159)	6	1	17		3		250	52
RESPIRATORY SYSTEM (160-163)	3	1	7		3		223	44
BREAST (174)	1		4		2		85	17
GENITAL ORGANS (180-187)	3		7		2		128	31
URINARY ORGANS (188-189)	2		2				50	7
LEUKEMIA (204-207)			1		2		45	3
OTHER REMAINDER OF (140-209)	6		9		1		214	36
DIABETES MELLITUS (250)	3		9		4		121	30
MAJOR CARDIOVASCULAR DISEASE (390-448)	89	8	193		59	1	2,726	457
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	59	7	135		43	1	1,983	325

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3		2		49	10
HYPERTENSIVE HEART (402,404)			2				22	9
ISCHEMIC HEART (410-414)	56	6	119		39	1	1,726	237
OTHER HEART DISEASE (420-429)	2	1	11		2		186	69
HYPERTENSION (400,401,403)	1		2		1		12	5
CEREBROVASCULAR DISEASE (430-438)	24	1	44		9		573	106
ARTERIOSCLEROSIS (440)	4		2		4		87	11
OTHER CIRCULATORY (441-448)	1		10		2		71	10
INFLUENZA/PNEUMONIA (470-474,480-486)	5		17		9		145	20
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			10		1		90	10
PEPTIC ULCER (531-533)			3		1		33	4
CIRRHOSIS OF LIVER (571)	1		3		3		76	19
NEPHRITIS AND NEPHROSIS (580-584)	2		1				24	17
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							2	1
CONGENITAL ANOMALIES (740-759)			5		1		40	9
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		7		1		45	36
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		7		3		270	112
ALL OTHER DISEASES (RESIDUAL)	9		30		8	1	413	114
ACCIDENTAL DEATHS (E800-E949)	5		26		5		288	57
MOTOR VEHICLE (E810-E823)	2		18		1		142	22
OTHER TRANS. (E800-E807,E825-E845)							9	1
POISONING (E850-E877)			2				6	2
FALLS (E880-E887)	1		1		3		53	7
FIRES (E890-E899)	1		1				17	5
DROWNING & SUBMERSIONS (E910)	1		3				14	4
FIREARM MISSILES (E922)					1		2	2
INDUSTRIAL (E916-E921,E923-E928)			1				20	4
OTHER REMAINDER OF (E900-E949)							25	10
SUICIDE (E950-E959)	3		4		1		74	8
HOMICIDE (E960-E978)		1					36	64
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		18	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,254	25	1,953	29	587	63	60	
ATTENDED BY M.D.	1,031	19	1,919	29	524	59	10	
ATTENDED BY D.O.	222	6	34		63	4	50	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	89	2	120	2	36	5	2	
TOTAL FETAL DEATHS	16		18		1	1	1	
ATTENDED BY M.D.	14		18		1	1		
ATTENDED BY D.O.	2						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,099	19	750	6	266	10	98	
UNDER ONE YEAR OF AGE	23	1	19		7	1		
NEONATAL DEATHS	19	1	14		5			
MATERNAL DEATHS	2							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	6		3		1	1		
MALIGNANT NEOPLASMS (140-209)	191	5	143		41	2	16	
DIGEST. ORGANS (150-159)	46	2	32		15	1	4	
RESPIRATORY SYSTEM (160-163)	45		35		7		3	
BREAST (174)	25		13		2			
GENITAL ORGANS (180-187)	25		18		4		3	
URINARY ORGANS (188-189)	10		5		2	1	1	
LEUKEMIA (204-207)	7	1	8		3			
OTHER REMAINDER OF (140-209)	33	2	32		8		5	
DIABETES MELLITUS (250)	19		13		3			
MAJOR CARDIOVASCULAR DISEASE (390-448)	595	9	376	4	167	5	62	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	413	6	278	2	117	5	44	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	91	1	248	4	49		73	
ATTENDED BY M.D.	67	1	93	2	33		70	
ATTENDED BY D.O.	24		155	2	16		3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	6		17		3		3	
TOTAL FETAL DEATHS	1		3					
ATTENDED BY M.D.	1							
ATTENDED BY D.O.			3					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	165		328	4	82		96	2
UNDER ONE YEAR OF AGE	4		3				1	
NEONATAL DEATHS	3		3					
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	21		50		7		14	
DIGEST. ORGANS (150-159)	5		7		2		6	
RESPIRATORY SYSTEM (160-163)	5		13				2	
BREAST (174)	1		7				1	
GENITAL ORGANS (180-187)	4		7				2	
URINARY ORGANS (188-189)			4					
LEUKEMIA (204-207)	2				2			
OTHER REMAINDER OF (140-209)	4		12		3		3	
DIABETES MELLITUS (250)	2		4				1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	106		209	3	47		62	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	85		144	2	26		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		14			
HYPERTENSIVE HEART (402,404)					8	1	11	
ISCHEMIC HEART (410-414)	78		47		540	9	63	
OTHER HEART DISEASE (420-429)	11		9		18	1	2	1
HYPERTENSION (400,401,403)			1		7			
CEREBROVASCULAR DISEASE (430-438)	18		21		193	3	23	
ARTERIOSCLEROSIS (440)	5		1		51		2	
OTHER CIRCULATORY (441-448)	1		2		15			
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8		36		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		23		1	
PEPTIC ULCER (531-533)			1		7		1	
CIRRHOSIS OF LIVER (571)	2				8	1	1	
NEPHRITIS AND NEPHROSIS (580-584)			1		6		7	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)					16			
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)					19	2	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2				66	1	8	
ALL OTHER DISEASES (RESIDUAL)	16		7		95	2	5	
ACCIDENTAL DEATHS (E800-E949)	6		9		102		7	
MOTOR VEHICLE (E810-E823)	1		5		61		4	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)	1				2			
FALLS (E880-E887)	1		1		18			
FIRES (E890-E899)					4			
DROWNING & SUBMERSIONS (E910)	1				2			
FIREARM MISSILES (E922)	2				2			
INDUSTRIAL (E916-E921,E923-E928)			1		7		1	
OTHER REMAINDER OF (E900-E949)			2		5		1	
SUICIDE (E950-E959)			1		21		1	
HOMICIDE (E960-E978)			1		9	2		
ALL OTHER EXTERNAL CAUSES (E980-E999)					3			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3		2		1	1
HYPERTENSIVE HEART (402,404)	3		1		5			
ISCHEMIC HEART (410-414)	106	1	134	2	113		43	4
OTHER HEART DISEASE (420-429)	3		12		10		1	
HYPERTENSION (400,401,403)	3		1				1	
CEREBROVASCULAR DISEASE (430-438)	32		42		38		19	1
ARTERIOSCLEROSIS (440)	5		11	1	6		1	
OTHER CIRCULATORY (441-448)	1		6		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	8		9		20		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		5	1	4		1	
PEPTIC ULCER (531-533)	1		2		1		1	
CIRRHOSIS OF LIVER (571)	1		3		2			
NEPHRITIS AND NEPHROSIS (580-584)	1		2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		3				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		2		2		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		8		12		5	
ALL OTHER DISEASES (RESIDUAL)	21	1	19		31		5	
ACCIDENTAL DEATHS (E800-E949)	22		27	1	17		11	
MOTOR VEHICLE (E810-E823)	15		14		11		6	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	1		6		4		1	
FIRES (E890-E899)	1		1	1	1			
DROWNING & SUBMERSIONS (E910)	1		1				1	
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)			2		1			
OTHER REMAINDER OF (E900-E949)	2		3				1	
SUICIDE (E950-E959)	1		6		2			
HOMICIDE (E960-E978)	3			1				
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	260	9	183	3	218	6	180	6
ATTENDED BY M.D.	188	6	123	3	172	4	128	6
ATTENDED BY D.O.	72	3	60		46	2	51	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	15	2	9		16		20	1
TOTAL FETAL DEATHS	4		1		2		6	
ATTENDED BY M.D.	2		1		2		4	
ATTENDED BY D.O.	2						2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	220	11	270		243	2	180	2
UNDER ONE YEAR OF AGE	2		3		1		5	
NEONATAL DEATHS	2		3		1		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	30	2	43		37		27	
DIGEST. ORGANS (150-159)	12		10		12		7	
RESPIRATORY SYSTEM (160-163)	7		12		7		8	
BREAST (174)			5				4	
GENITAL ORGANS (180-187)	2		3		7		3	
URINARY ORGANS (188-189)	1		4		1		1	
LEUKEMIA (204-207)	1				2			
OTHER REMAINDER OF (140-209)	7	2	9		8		4	
DIABETES MELLITUS (250)	4		13		7	1	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	138	5	169		148	1	120	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	81	2	109		106	1	83	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1		1	
HYPERTENSIVE HEART (402,404)	1		3		4		1	
ISCHEMIC HEART (410-414)	74	2	95		86	1	55	1
OTHER HEART DISEASE (420-429)	6		8		15		26	
HYPERTENSION (400,401,403)	2	1			1			
CEREBROVASCULAR DISEASE (430-438)	46	1	45		31		34	
ARTERIOSCLEROSIS (440)	6	1	10		5		2	
OTHER CIRCULATORY (441-448)	3		5		5		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		6		8		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4		2		1	1
PEPTIC ULCER (531-533)			1		2			
CIRRHOSIS OF LIVER (571)	1		1		2		1	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		2		1		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	1			1		3	
ALL OTHER DISEASES (RESIDUAL)	15	1	13		10		5	
ACCIDENTAL DEATHS (E800-E949)	9	2	11		23		11	
MOTOR VEHICLE (E810-E823)	7	1	8		10		7	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)							3	
FALLS (E880-E887)			1		7			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	2	1			4			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)					2		1	
SUICIDE (E950-E959)	1		3		1			
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	188	5	118		82		357	25
ATTENDED BY M.D.	55	1	87		46		350	25
ATTENDED BY D.O.	132	4	31		36		7	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	9	1	11		1		18	4
TOTAL FETAL DEATHS					2		5	1
ATTENDED BY M.D.					2		5	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	253	5	161	1	84		408	19
UNDER ONE YEAR OF AGE	2		4				9	1
NEONATAL DEATHS	2		2				8	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				4	
MALIGNANT NEOPLASMS (140-209)	30		24		9		53	4
DIGEST. ORGANS (150-159)	5		10		2		13	
RESPIRATORY SYSTEM (160-163)	3		4				11	
BREAST (174)			1				3	
GENITAL ORGANS (180-187)	5		2				8	1
URINARY ORGANS (188-189)	2		1				2	1
LEUKEMIA (204-207)					2		3	
OTHER REMAINDER OF (140-209)	15		6		5		13	2
DIABETES MELLITUS (250)	2	1	2		2		9	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	165	2	80	1	39		230	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	126	2	60		30		166	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				1		1	
HYPERTENSIVE HEART (402,404)	5						3	
ISCHEMIC HEART (410-414)	108	2	51		25		150	2
OTHER HEART DISEASE (420-429)	10		9		4		12	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	22		14	1	5		57	5
ARTERIOSCLEROSIS (440)	7		4		1		4	2
OTHER CIRCULATORY (441-448)	9		2		3		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		9		3		19	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				2		8	
PEPTIC ULCER (531-533)	1				1		1	
CIRRHOSIS OF LIVER (571)							2	
NEPHRITIS AND NEPHROSIS (580-584)	2		3				5	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2				5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		11		7		17	2
ALL OTHER DISEASES (RESIDUAL)	20	2	17		10		33	1
ACCIDENTAL DEATHS (E800-E949)	10		11		9		16	
MOTOR VEHICLE (E810-E823)	1		6		4		7	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2						2	
FALLS (E880-E887)	4		1		1		2	
FIRES (E890-E899)			3		1			
DROWNING & SUBMERSIONS (E910)	2				1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1		2	
OTHER REMAINDER OF (E900-E949)	1		1		1		3	
SUICIDE (E950-E959)	4		1		1		3	1
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	35	1	257		205	103	159	4
ATTENDED BY M.D.	15	1	100		110	18	102	2
ATTENDED BY D.O.	20		156		95	84	56	2
ATTENDED BY MIDWIFE						1		
OTHERS OR UNSPECIFIED			1				1	
LIVE BIRTHS UNDER 5.5 LBS.	2		9		13	13	6	
TOTAL FETAL DEATHS	1		6		5	1		
ATTENDED BY M.D.	1				3			
ATTENDED BY D.O.			6		2	1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	83		224		191	36	135	4
UNDER ONE YEAR OF AGE	1		2		7	2	1	
NEONATAL DEATHS	1		2		7	1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1			1		
MALIGNANT NEOPLASMS (140-209)	15		36		32	2	14	
DIGEST. ORGANS (150-159)	2		7		4	1	7	
RESPIRATORY SYSTEM (160-163)	1		12		13	1	1	
BREAST (174)	1		3		2			
GENITAL ORGANS (180-187)	2		4		5			
URINARY ORGANS (188-189)	1		1		1		2	
LEUKEMIA (204-207)	1		2					
OTHER REMAINDER OF (140-209)	7		7		7		4	
DIABETES MELLITUS (250)	1		4		1		5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	53		126		102	17	92	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	37		87		81	10	65	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1							
HYPERTENSIVE HEART (402,404)	1		4					
ISCHEMIC HEART (410-414)	33		77		72	7	62	3
OTHER HEART DISEASE (420-429)	2		6		9	3	3	
HYPERTENSION (400,401,403)			2		2		1	
CEREBROVASCULAR DISEASE (430-438)	11		27		17	7	23	
ARTERIOSCLEROSIS (440)	4		6		2		1	
OTHER CIRCULATORY (441-448)	1		4				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		10		4	1	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			4		3		2	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)			1		2			
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		4	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		1		13	6		
ALL OTHER DISEASES (RESIDUAL)	4		18		10	4	7	
ACCIDENTAL DEATHS (E800-E949)	3		15		15	4	7	
MOTOR VEHICLE (E810-E823)	3		13		6	2	4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					1			
FALLS (E880-E887)			1		1		1	
FIRES (E890-E899)					2		1	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)			1		1	1		
OTHER REMAINDER OF (E900-E949)					2	1	1	
SUICIDE (E950-E959)			4		1		1	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	97	6	134	7	131	2	306	76
ATTENDED BY M.D.	80	6	87	7	103	2	235	53
ATTENDED BY D.O.	14		47		28		61	14
ATTENDED BY MIDWIFE	3						10	9
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	8		6	1	2		20	8
TOTAL FETAL DEATHS	1		1		2		1	
ATTENDED BY M.D.	1							
ATTENDED BY D.O.			1		2		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	149	5	150	7	154	4	252	50
UNDER ONE YEAR OF AGE	3		2		4		4	3
NEONATAL DEATHS	2		1		1		3	
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1			1			
MALIGNANT NEOPLASMS (140-209)	19		26	1	25	1	33	6
DIGEST. ORGANS (150-159)	9		5		4		5	1
RESPIRATORY SYSTEM (160-163)	2		6		4	1	14	2
BREAST (174)	2		3		2		1	1
GENITAL ORGANS (180-187)	3		3		2		3	
URINARY ORGANS (188-189)			3	1	4		4	
LEUKEMIA (204-207)	1		1		3			
OTHER REMAINDER OF (140-209)	2		5		6		6	2
DIABETES MELLITUS (250)	3		4		3		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	81	2	86	5	85	2	120	25
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	59	1	61	4	57	1	87	21

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3						3	
HYPERTENSIVE HEART (402,404)			1	1			2	
ISCHEMIC HEART (410-414)	47	1	58	3	52	1	79	19
OTHER HEART DISEASE (420-429)	9		2		5		3	2
HYPERTENSION (400,401,403)	1				2	1		
CEREBROVASCULAR DISEASE (430-438)	17	1	20	1	19		26	4
ARTERIOSCLEROSIS (440)	2		2		5		5	
OTHER CIRCULATORY (441-448)	2		3		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6	1	2		5		12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		1		3	
PEPTIC ULCER (531-533)	2				1			
CIRRHOSIS OF LIVER (571)	1				1		2	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				1	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)			1		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		3		1		27	8
ALL OTHER DISEASES (RESIDUAL)	14		17	1	12	1	16	4
ACCIDENTAL DEATHS (E800-E949)	10	1	5		14		21	4
MOTOR VEHICLE (E810-E823)	2	1	1		8		11	1
OTHER TRANS. (E800-E807,E825-E845)			1					1
POISONING (E850-E877)					1		1	
FALLS (E880-E887)	3		2		3		2	
FIRES (E890-E899)							3	
DROWNING & SUBMERSIONS (E910)					1		1	
FIREARM MISSILES (E922)								1
INDUSTRIAL (E916-E921,E923-E928)	3				1		1	
OTHER REMAINDER OF (E900-E949)	2		1				2	1
SUICIDE (E950-E959)	2		1		4		3	
HOMICIDE (E960-E978)			1				4	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	509	13	289	4	97		179	
ATTENDED BY M.D.	380	4	285	4	83		118	
ATTENDED BY D.O.	125	9	4		14		61	
ATTENDED BY MIDWIFE	4							
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	37	2	23	1	12		6	
TOTAL FETAL DEATHS	6		6		1		1	
ATTENDED BY M.D.	5		6		1		1	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	346	6	276		148		122	
UNDER ONE YEAR OF AGE	8		8		2			
NEONATAL DEATHS	3		7		1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1			1		1	
MALIGNANT NEOPLASMS (140-209)	72		35		20		13	
DIGEST. ORGANS (150-159)	13		18		3		6	
RESPIRATORY SYSTEM (160-163)	24		4		3			
BREAST (174)	6		1		1		1	
GENITAL ORGANS (180-187)	11		5		1		1	
URINARY ORGANS (188-189)	2		2				1	
LEUKEMIA (204-207)	5		1		3			
OTHER REMAINDER OF (140-209)	11		4		9		4	
DIABETES MELLITUS (250)	4		4		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	174	3	170		90		78	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	127	3	105		70		57	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)			7					
ISCHEMIC HEART (410-414)	110	3	84		67		50	
OTHER HEART DISEASE (420-429)	17		13		2		7	
HYPERTENSION (400,401,403)	2		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	39		56		16		16	
ARTERIOSCLEROSIS (440)	5		6		2		4	
OTHER CIRCULATORY (441-448)	1		2		1			
INFLUENZA/PNEUMONIA (470-474,480-486)	12	1	12		7		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		4		1	
PEPTIC ULCER (531-533)	1		2					
CIRRHOSIS OF LIVER (571)	2		1					
NEPHRITIS AND NEPHROSIS (580-584)	3						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	4		6					
SYMPTOMS & ILL-DEFINED COND. (780-796)	24	1			1		2	
ALL OTHER DISEASES (RESIDUAL)	25		27		13		8	
ACCIDENTAL DEATHS (E800-E949)	14		13		9		10	
MOTOR VEHICLE (E810-E823)	7		7		5		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3		2		1		1	
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)	1		1					
INDUSTRIAL (E916-E921,E923-E928)	1		1				2	
OTHER REMAINDER OF (E900-E949)	1		2		2		1	
SUICIDE (E950-E959)	3				1		3	
HOMICIDE (E960-E978)	2		2					
ALL OTHER EXTERNAL CAUSES (E980-E999)	2						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	80	1	293	212	208	1	459	24
ATTENDED BY M.D.	73		293	212	208	1	441	24
ATTENDED BY D.O.	7	1					18	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	4		26	28	7		24	6
TOTAL FETAL DEATHS	3		6	4	1		6	
ATTENDED BY M.D.	3		6	4	1		6	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	97		308	113	192		430	35
UNDER ONE YEAR OF AGE	1		6	13	1		10	
NEONATAL DEATHS	1		5	6			7	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3		1		6	
MALIGNANT NEOPLASMS (140-209)	14		29	9	28		74	4
DIGEST. ORGANS (150-159)	5		6	1	6		19	
RESPIRATORY SYSTEM (160-163)	4		8	1	4		14	
BREAST (174)			3	1	1		8	
GENITAL ORGANS (180-187)	3		1	3	4		9	2
URINARY ORGANS (188-189)			3		2		5	
LEUKEMIA (204-207)					1		4	
OTHER REMAINDER OF (140-209)	2		8	3	10		15	2
DIABETES MELLITUS (250)	2		9	2	3		7	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	51		168	46	132		249	24
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	31		124	32	109		173	18

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1		2	
HYPERTENSIVE HEART (402,404)			7	13	3		2	1
ISCHEMIC HEART (410-414)	29		111	18	102		159	17
OTHER HEART DISEASE (420-429)	2		4	1	3		10	
HYPERTENSION (400,401,403)	1		2		1			
CEREBROVASCULAR DISEASE (430-438)	17		34	14	19		65	3
ARTERIOSCLEROSIS (440)	2		4		1		6	
OTHER CIRCULATORY (441-448)			4		2		5	3
INFLUENZA/PNEUMONIA (470-474,480-486)	6		8	7	2		16	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			4		5		7	
PEPTIC ULCER (531-533)			1				6	
CIRRHOSIS OF LIVER (571)			3		1		4	
NEPHRITIS AND NEPHROSIS (580-584)			3	1			5	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3	1	1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1	6			3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		30	22			3	1
ALL OTHER DISEASES (RESIDUAL)	9		21	5	7		27	3
ACCIDENTAL DEATHS (E800-E949)	9		16	9	10		11	
MOTOR VEHICLE (E810-E823)	8		8	1	8		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			1		1		5	
FIRES (E890-E899)				3			1	
DROWNING & SUBMERSIONS (E910)			2	5				
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		4					
OTHER REMAINDER OF (E900-E949)			1		1		1	
SUICIDE (E950-E959)			4	1	1		6	
HOMICIDE (E960-E978)			5	4			3	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		2	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	417	7	204	16	548	8	246	
ATTENDED BY M.D.	288	6	160	11	506	8	236	
ATTENDED BY D.O.	128	1	36	5	42		9	
ATTENDED BY MIDWIFE			7					
OTHERS OR UNSPECIFIED	1		1				1	
LIVE BIRTHS UNDER 5.5 LBS.	29		13	2	32		8	
TOTAL FETAL DEATHS	5		6	1	4		4	
ATTENDED BY M.D.	5		5	1	4		3	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	291	5	224	20	223	2	221	1
UNDER ONE YEAR OF AGE	9	3	5		9			
NEONATAL DEATHS	8	3	5		6			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		3		1	
MALIGNANT NEOPLASMS (140-209)	54		38	1	44	1	27	
DIGEST. ORGANS (150-159)	15		7		15	1	5	
RESPIRATORY SYSTEM (160-163)	14		13		5		8	
BREAST (174)	5		3		1			
GENITAL ORGANS (180-187)	5		4		6		6	
URINARY ORGANS (188-189)	1		2		3			
LEUKEMIA (204-207)	3		3		1		2	
OTHER REMAINDER OF (140-209)	11		6	1	13		6	
DIABETES MELLITUS (250)	5		3		5		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	152	2	124	12	98	1	131	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	106	1	89	10	58		99	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				1	
HYPERTENSIVE HEART (402,404)	4		3					
ISCHEMIC HEART (410-414)	87	1	75	9	56		92	
OTHER HEART DISEASE (420-429)	14		10	1	2		6	
HYPERTENSION (400,401,403)	2		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	36	1	19	2	25	1	25	
ARTERIOSCLEROSIS (440)	6		13		8		3	
OTHER CIRCULATORY (441-448)	2		2		6		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	17		10		1		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		5		3		5	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)	2			1	2		1	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3	1			2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	2	5		4			
SYMPTOMS & ILL-DEFINED COND. (780-796)	13		2	1	19		14	
ALL OTHER DISEASES (RESIDUAL)	15		16	2	22		14	
ACCIDENTAL DEATHS (E800-E949)	16		12	3	16		12	1
MOTOR VEHICLE (E810-E823)	4		6	3	9		9	1
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)	3		1		1			
FALLS (E880-E887)	2		3					
FIRES (E890-E899)	1				1		1	
DROWNING & SUBMERSIONS (E910)	2				2			
FIREARM MISSILES (E922)			1				1	
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER REMAINDER OF (E900-E949)	3				1			
SUICIDE (E950-E959)	2		4		2		1	
HOMICIDE (E960-E978)	1		2				2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	807	131	58		110	6	271	17
ATTENDED BY M.D.	661	129	15		104	5	187	7
ATTENDED BY D.O.	145	2	43		6	1	84	10
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	57	15	7		3		17	1
TOTAL FETAL DEATHS	6		2		2		2	
ATTENDED BY M.D.	5				2			
ATTENDED BY D.O.	1		2				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	201	11	112		100	4	340	21
UNDER ONE YEAR OF AGE	13	4	3		1		4	
NEONATAL DEATHS	10	3	2		1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						2	
MALIGNANT NEOPLASMS (140-209)	28	1	18		16	1	63	4
DIGEST. ORGANS (150-159)	7		8		4		18	
RESPIRATORY SYSTEM (160-163)	7		2		5		17	1
BREAST (174)	3		1		1		5	1
GENITAL ORGANS (180-187)	2		1		2		7	
URINARY ORGANS (188-189)	1				2		1	
LEUKEMIA (204-207)	3						2	1
OTHER REMAINDER OF (140-209)	5	1	6		2	1	13	1
DIABETES MELLITUS (250)	3		1		2		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	81	3	78		64	2	183	11
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	3	50		48		135	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)					1		4	
HYPERTENSIVE HEART (402,404)	7		2					
ISCHEMIC HEART (410-414)	46	3	45		43		117	6
OTHER HEART DISEASE (420-429)	9		3		4		14	1
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	13		20		15	2	43	4
ARTERIOSCLEROSIS (440)	2		5		1		4	
OTHER CIRCULATORY (441-448)	4		3				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	4	1	2		2		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		1		8	
PEPTIC ULCER (531-533)							3	
CIRRHOSIS OF LIVER (571)	6		1		1		4	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	6	1	1		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7	3	2				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15				1	1	9	
ALL OTHER DISEASES (RESIDUAL)	13		3		5		24	2
ACCIDENTAL DEATHS (E800-E949)	25	1	3		5		18	2
MOTOR VEHICLE (E810-E823)	15		1		3		4	
OTHER TRANS. (E800-E807,E825-E845)	2	1					2	
POISONING (E850-E877)	1						2	
FALLS (E880-E887)	1				1		4	1
FIRES (E890-E899)	2							
DROWNING & SUBMERSIONS (E910)	2		1					1
FIREARM MISSILES (E922)							3	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		2	
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (E950-E959)	4		1		2		4	
HOMICIDE (E960-E978)	2	1					1	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	246	5	86	1	134		1,861	23
ATTENDED BY M.D.	184	5	65	1	129		1,775	21
ATTENDED BY D.O.	62		21		5		85	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	16	1	5		5		118	
TOTAL FETAL DEATHS	2		1		1		18	
ATTENDED BY M.D.	2		1		1		17	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	213	7	67		165	1	593	18
UNDER ONE YEAR OF AGE	4		2		6		31	
NEONATAL DEATHS	1		2		4		26	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				4	
MALIGNANT NEOPLASMS (140-209)	22	3	9		23		122	
DIGEST. ORGANS (150-159)	7	2	2		5		30	
RESPIRATORY SYSTEM (160-163)	5		3		5		35	
BREAST (174)	3				3		6	
GENITAL ORGANS (180-187)	5		1		4		18	
URINARY ORGANS (188-189)							5	
LEUKEMIA (204-207)					1		6	
OTHER REMAINDER OF (140-209)	2	1	3		5		22	
DIABETES MELLITUS (250)	8		1		8		8	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	117	2	39		82	1	296	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	71	1	33		62	1	208	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				2	1
HYPERTENSIVE HEART (402,404)	2						2	
ISCHEMIC HEART (410-414)	62	1	29		59	1	184	6
OTHER HEART DISEASE (420-429)	6		2		3		20	1
HYPERTENSION (400,401,403)							2	1
CEREBROVASCULAR DISEASE (430-438)	27	1	4		17		70	2
ARTERIOSCLEROSIS (440)	15		2		2		12	
OTHER CIRCULATORY (441-448)	4				1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		2		12		18	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		1		3		5	
PEPTIC ULCER (531-533)	2						3	
CIRRHOSIS OF LIVER (571)	1						4	
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					4		9	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		2		2		19	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15		3		10		20	
ALL OTHER DISEASES (RESIDUAL)	16	2	2		15		33	3
ACCIDENTAL DEATHS (E800-E949)	15		6		6		39	
MOTOR VEHICLE (E810-E823)	7		3		4		23	
OTHER TRANS. (E800-E807,E825-E845)							3	
POISONING (E850-E877)	1						1	
FALLS (E880-E887)	4		1				3	
FIRES (E890-E899)					1		2	
DROWNING & SUBMERSIONS (E910)	1						3	
FIREARM MISSILES (E922)	1		1					
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		1	
OTHER REMAINDER OF (E900-E949)							3	
SUICIDE (E950-E959)	2		1				8	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	83		538	2	183		10,632	1,526
ATTENDED BY M.D.	47		319	1	155		10,359	1,461
ATTENDED BY D.O.	35		219	1	28		271	65
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1						2	
LIVE BIRTHS UNDER 5.5 LBS.	7		35	1	15		586	176
TOTAL FETAL DEATHS	2		4		1		88	27
ATTENDED BY M.D.	2		2		1		86	26
ATTENDED BY D.O.			2				2	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	135	2	523	3	129	3	6,863	413
UNDER ONE YEAR OF AGE	2		10		3		147	22
NEONATAL DEATHS	1		5		2		106	18
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1				6	2
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		32	4
MALIGNANT NEOPLASMS (140-209)	19		68	1	24	1	1,426	92
DIGEST. ORGANS (150-159)	5		15	1	8		386	22
RESPIRATORY SYSTEM (160-163)	4		15		6	1	332	17
BREAST (174)	2		9				139	15
GENITAL ORGANS (180-187)	2		8		6		158	13
URINARY ORGANS (188-189)	1		2				71	4
LEUKEMIA (204-207)			4		1		52	1
OTHER REMAINDER OF (140-209)	5		15		3		288	20
DIABETES MELLITUS (250)	5		13		1		153	11
MAJOR CARDIOVASCULAR DISEASE (390-448)	85		309		65	1	3,716	156
DISEASES OF HEART								
(390-398,402,404,410-429)	65		233		49	1	2,780	110

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				66	4
HYPERTENSIVE HEART (402,404)	1		3		2		21	2
ISCHEMIC HEART (410-414)	55		221		46		2,611	95
OTHER HEART DISEASE (420-429)	8		8		1	1	82	9
HYPERTENSION (400,401,403)	1		2		1		34	
CEREBROVASCULAR DISEASE (430-438)	17		60		14		700	41
ARTERIOSCLEROSIS (440)			10		1		121	4
OTHER CIRCULATORY (441-448)	2		4				81	1
INFLUENZA/PNEUMONIA (470-474,480-486)	6	1	20		4		158	4
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		14		4		88	4
PEPTIC ULCER (531-533)	1				3		24	1
CIRRHOSIS OF LIVER (571)			3		2		89	11
NEPHRITIS AND NEPHROSIS (580-584)			1		1		16	3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		2		52	3
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			7				78	13
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		24		3		98	5
ALL OTHER DISEASES (RESIDUAL)	6		33	1	7		441	38
ACCIDENTAL DEATHS (E800-E949)	8		22	1	6	1	312	30
MOTOR VEHICLE (E810-E823)	2		10	1	3		176	13
OTHER TRANS. (E800-E807,E825-E845)			1				11	2
POISONING (E850-E877)			1				14	3
FALLS (E880-E887)	4		3				54	1
FIRES (E890-E899)			3			1	8	1
DROWNING & SUBMERSIONS (E910)	1		1				15	3
FIREARM MISSILES (E922)							7	2
INDUSTRIAL (E916-E921,E923-E928)	1		2		2		16	3
OTHER REMAINDER OF (E900-E949)			1		1		11	2
SUICIDE (E950-E959)			3		2		108	9
HOMICIDE (E960-E978)			2		2		25	25
ALL OTHER EXTERNAL CAUSES (E980-E999)		1			2		41	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	3,455	5,672	299	22	56		59	
ATTENDED BY M.D.	3,414	5,658	293	22	7		19	
ATTENDED BY D.O.	41	13	6		49		40	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED		1						
LIVE BIRTHS UNDER 5.5 LBS.	268	724	13	2	4		1	
TOTAL FETAL DEATHS	45	94	1		1			
ATTENDED BY M.D.	43	91	1					
ATTENDED BY D.O.	1	2			1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1	1						
TOTAL DEATHS	5,642	2,831	369	28	76		86	
UNDER ONE YEAR OF AGE	66	180	5					
NEONATAL DEATHS	54	116	5					
MATERNAL DEATHS		3						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	10	5					1	
SYPHILIS AND ITS SEQUELAE (090-097)	4	3		1				
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	33	30	2					
MALIGNANT NEOPLASMS (140-209)	990	497	64	7	9		16	
DIGEST. ORGANS (150-159)	275	136	18	4	2		5	
RESPIRATORY SYSTEM (160-163)	243	111	12	2	1		3	
BREAST (174)	91	46	9		2		1	
GENITAL ORGANS (180-187)	124	85	10				3	
URINARY ORGANS (188-189)	46	14	5					
LEUKEMIA (204-207)	28	20	1		1			
OTHER REMAINDER OF (140-209)	183	85	9	1	3		4	
DIABETES MELLITUS (250)	151	83	4	1	2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,247	1,217	230	12	47		47	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,492	881	172	7	29		30	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	37	13	2				1	
HYPERTENSIVE HEART (402,404)	39	38	5					
ISCHEMIC HEART (410-414)	2,340	765	151	6	23		26	
OTHER HEART DISEASE (420-429)	76	65	14	1	6		3	
HYPERTENSION (400,401,403)	20	21	2	1				
CEREBROVASCULAR DISEASE (430-438)	549	258	47	4	17		14	
ARTERIOSCLEROSIS (440)	130	29	5		1			
OTHER CIRCULATORY (441-448)	56	28	4				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	168	104	8				3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	86	21	8		3		2	
PEPTIC ULCER (531-533)	18	6	4		1			
CIRRHOSIS OF LIVER (571)	90	64	3	1	2		1	
NEPHRITIS AND NEPHROSIS (580-584)	22	25	1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		3						
CONGENITAL ANOMALIES (740-759)	20	31	3					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	40	93	3					
SYMPTOMS & ILL-DEFINED COND. (780-796)	44	13	2					
ALL OTHER DISEASES (RESIDUAL)	412	271	19	3	7		12	
ACCIDENTAL DEATHS (E800-E949)	197	160	14	3	3		4	
MOTOR VEHICLE (E810-E823)	68	55	10	1	2		2	
OTHER TRANS. (E800-E807,E825-E845)	3	1						
POISONING (E850-E877)	4	5						
FALLS (E880-E887)	75	31	2	1			1	
FIRES (E890-E899)	10	18		1				
DROWNING & SUBMERSIONS (E910)	6	8						
FIREARM MISSILES (E922)	3	8			1			
INDUSTRIAL (E916-E921,E923-E928)	5	11	1					
OTHER REMAINDER OF (E900-E949)	23	23	1				1	
SUICIDE (E950-E959)	47	16	3		1			
HOMICIDE (E960-E978)	41	164	1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	22	25						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	505	81	108		108		363	28
ATTENDED BY M.D.	381	18	99		69		224	5
ATTENDED BY D.O.	122	36	9		39		139	23
ATTENDED BY MIDWIFE	2	27						
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	33	11	5		3		18	2
TOTAL FETAL DEATHS	10	3	2				4	1
ATTENDED BY M.D.	6	1	2				3	1
ATTENDED BY D.O.	4	2					1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	365	41	94		142	3	365	7
UNDER ONE YEAR OF AGE	10	1			2		4	1
NEONATAL DEATHS	6	1			2		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3							
MALIGNANT NEOPLASMS (140-209)	59	6	8		20	2	43	
DIGEST. ORGANS (150-159)	11	3			3		5	
RESPIRATORY SYSTEM (160-163)	17	1	1		5	2	14	
BREAST (174)	2				1		5	
GENITAL ORGANS (180-187)	12	1	2		3			
URINARY ORGANS (188-189)	5		1		2		2	
LEUKEMIA (204-207)	3		1		1		2	
OTHER REMAINDER OF (140-209)	9	1	3		5		15	
DIABETES MELLITUS (250)	4		4				11	
MAJOR CARDIOVASCULAR DISEASE (390-448)	210	24	54		101		214	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	154	17	35		73		133	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	6				16		2	1
ISCHEMIC HEART (410-414)	139	15	35		52		114	
OTHER HEART DISEASE (420-429)	8	2			5		16	
HYPERTENSION (400,401,403)	3		2		10		1	
CEREBROVASCULAR DISEASE (430-438)	42	6	13		14		68	3
ARTERIOSCLEROSIS (440)	8						8	
OTHER CIRCULATORY (441-448)	3	1	4		4		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	8	3				1	8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		3		6	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)	1				1		2	
NEPHRITIS AND NEPHROSIS (580-584)	3		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	4	1			2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9	3	2		2		15	1
ALL OTHER DISEASES (RESIDUAL)	26	2	10		6		27	
ACCIDENTAL DEATHS (E800-E949)	30	1	8		6		26	1
MOTOR VEHICLE (E810-E823)	15		3		3		13	
OTHER TRANS. (E800-E807,E825-E845)	4							
POISONING (E850-E877)		1						
FALLS (E880-E887)	3				1		4	
FIRES (E890-E899)			1		1		5	
DROWNING & SUBMERSIONS (E910)	2						3	1
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)	5		3					
SUICIDE (E950-E959)	2		3		1		3	
HOMICIDE (E960-E978)		1						
ALL OTHER EXTERNAL CAUSES (E980-E999)							3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	147		91		190		255	1
ATTENDED BY M.D.	146		15		182		177	1
ATTENDED BY D.O.	1		76		8		78	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	6		9		17		8	
TOTAL FETAL DEATHS	2				1		4	
ATTENDED BY M.D.	2				1		3	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	150		134		198		283	
UNDER ONE YEAR OF AGE	2		2		5		4	
NEONATAL DEATHS	1		2		5		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		1		1	
MALIGNANT NEOPLASMS (140-209)	27		11		50		35	
DIGEST. ORGANS (150-159)	7		2		17		11	
RESPIRATORY SYSTEM (160-163)	6				13		6	
BREAST (174)	3		1				1	
GENITAL ORGANS (180-187)	5		2		9		5	
URINARY ORGANS (188-189)					4			
LEUKEMIA (204-207)	3		1		1		1	
OTHER REMAINDER OF (140-209)	3		5		6		11	
DIABETES MELLITUS (250)	3		3		2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	78		92		90		172	
DISEASES OF HEART								
(390-398,402,404,410-429)	56		68		61		122	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2						1	
HYPERTENSIVE HEART (402,404)			3				4	
ISCHEMIC HEART (410-414)	53		56		55		112	
OTHER HEART DISEASE (420-429)	1		9		6		5	
HYPERTENSION (400,401,403)					2		4	
CEREBROVASCULAR DISEASE (430-438)	17		22		18		41	
ARTERIOSCLEROSIS (440)	4		1		5		4	
OTHER CIRCULATORY (441-448)	1		1		4		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		4		6		17	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		1		7	
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	1		1				1	
NEPHRITIS AND NEPHROSIS (580-584)					1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1				4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		4			
SYMPTOMS & ILL-DEFINED COND. (780-796)	16		1		11		6	
ALL OTHER DISEASES (RESIDUAL)	10		2		12		9	
ACCIDENTAL DEATHS (E800-E949)	6		9		14		22	
MOTOR VEHICLE (E810-E823)	3		5		11		12	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)								
FALLS (E880-E887)	2		2		1		4	
FIRES (E890-E899)							5	
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)			1				1	
INDUSTRIAL (E916-E921,E923-E928)	1				1			
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	1		3		4		2	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	227		133	7	296	2	124	
ATTENDED BY M.D.	205		114	7	217	2	108	
ATTENDED BY D.O.	22		19		71		16	
ATTENDED BY MIDWIFE					7			
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	13		14	2	25		9	
TOTAL FETAL DEATHS	2		3		5		1	
ATTENDED BY M.D.	1		2		4			
ATTENDED BY D.O.	1		1		1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	275		124	5	174	2	137	
UNDER ONE YEAR OF AGE	2		4		2		1	
NEONATAL DEATHS	2		3				1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						1	
MALIGNANT NEOPLASMS (140-209)	48		20	1	24	1	23	
DIGEST. ORGANS (150-159)	11		5		8	1	3	
RESPIRATORY SYSTEM (160-163)	11		7		5		7	
BREAST (174)	3		2		1		1	
GENITAL ORGANS (180-187)	7		4	1	2		3	
URINARY ORGANS (188-189)	2				3			
LEUKEMIA (204-207)	1		1				1	
OTHER REMAINDER OF (140-209)	13		1		5		8	
DIABETES MELLITUS (250)	2		2		3			
MAJOR CARDIOVASCULAR DISEASE (390-448)	152		78	2	93	1	68	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	111		59	1	69	1	51	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1					
HYPERTENSIVE HEART (402,404)	10		1					
ISCHEMIC HEART (410-414)	94		56	1	62	1	47	
OTHER HEART DISEASE (420-429)	6		1		7		4	
HYPERTENSION (400,401,403)	1		1		1			
CEREBROVASCULAR DISEASE (430-438)	36		9		16		14	
ARTERIOSCLEROSIS (440)	3		4		5		1	
OTHER CIRCULATORY (441-448)	1		5	1	2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		3		7		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		1		2	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	2				1		2	
NEPHRITIS AND NEPHROSIS (580-584)	2				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1			
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	2		2				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13		2	1	8		8	
ALL OTHER DISEASES (RESIDUAL)	15		9		15		12	
ACCIDENTAL DEATHS (E800-E949)	20		4	1	15		8	
MOTOR VEHICLE (E810-E823)	9		2		6		3	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)	1							
FALLS (E880-E887)	5				3		2	
FIRES (E890-E899)				1	2			
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)					2			
INDUSTRIAL (E916-E921,E923-E928)	2		1		1		2	
OTHER REMAINDER OF (E900-E949)	2						1	
SUICIDE (E950-E959)	4		2		1		2	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				2		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	289		38		207	1
ATTENDED BY M.D.	265		26		138	1
ATTENDED BY D.O.	21		12		69	
ATTENDED BY MIDWIFE	2					
OTHERS OR UNSPECIFIED	1					
LIVE BIRTHS UNDER 5.5 LBS.	19		4		12	
TOTAL FETAL DEATHS	1					
ATTENDED BY M.D.						
ATTENDED BY D.O.	1					
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	209		59		215	2
UNDER ONE YEAR OF AGE	4		1		1	
NEONATAL DEATHS	4		1			
MATERNAL DEATHS	1					
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)						
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	1				1	
MALIGNANT NEOPLASMS (140-209)	24		10		25	1
DIGEST. ORGANS (150-159)	2		2		5	
RESPIRATORY SYSTEM (160-163)	7		4		8	
BREAST (174)	2		1			
GENITAL ORGANS (180-187)	4		1		3	
URINARY ORGANS (188-189)	3				1	
LEUKEMIA (204-207)	4				3	
OTHER REMAINDER OF (140-209)	2		2		5	1
DIABETES MELLITUS (250)	4		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	126		37		125	1
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	84		26		73	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	2		1		2	
HYPERTENSIVE HEART (402,404)	1		2		2	
ISCHEMIC HEART (410-414)	78		22		67	1
OTHER HEART DISEASE (420-429)	3		1		2	
HYPERTENSION (400,401,403)					2	
CEREBROVASCULAR DISEASE (430-438)	31		8		44	
ARTERIOSCLEROSIS (440)	6		2		6	
OTHER CIRCULATORY (441-448)	5		1			
INFLUENZA/PNEUMONIA (470-474,480-486)	6		3		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		2		4	
PEPTIC ULCER (531-533)					1	
CIRRHOSIS OF LIVER (571)	1				1	
NEPHRITIS AND NEPHROSIS (580-584)					1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1					
CONGENITAL ANOMALIES (740-759)	1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	2				10	
ALL OTHER DISEASES (RESIDUAL)	16		1		12	
ACCIDENTAL DEATHS (E800-E949)	15		2		17	
MOTOR VEHICLE (E810-E823)	9		1		10	
OTHER TRANS. (E800-E807,E825-E845)					1	
POISONING (E850-E877)	1					
FALLS (E880-E887)			1		2	
FIRES (E890-E899)					1	
DROWNING & SUBMERSIONS (E910)					1	
FIREARM MISSILES (E922)	1					
INDUSTRIAL (E916-E921,E923-E928)	3				1	
OTHER REMAINDER OF (E900-E949)	1				1	
SUICIDE (E950-E959)	3					
HOMICIDE (E960-E978)						
ALL OTHER EXTERNAL CAUSES (E980-E999)						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	152	3	45	1	158	58	77	18
ATTENDED BY M.D.	151	3	43		146	46	76	17
ATTENDED BY D.O.	1		2	1	12	12	1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	10		4	1	10	8	3	
TOTAL FETAL DEATHS	3					1	2	
ATTENDED BY M.D.	3					1	2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	78	1	139		81	4	77	3
UNDER ONE YEAR OF AGE	3		1		3	2		
NEONATAL DEATHS	1				3	2		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	21		29		19	1	13	1
DIGEST. ORGANS (150-159)	7		3		8		2	
RESPIRATORY SYSTEM (160-163)	2		8		5	1	6	1
BREAST (174)	2		4		2		1	
GENITAL ORGANS (180-187)	1		2		1			
URINARY ORGANS (188-189)	2		3				1	
LEUKEMIA (204-207)			5				2	
OTHER REMAINDER OF (140-209)	7		4		3		1	
DIABETES MELLITUS (250)			3		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	39		81		38	1	43	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	30		61		29	1	36	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		1	
HYPERTENSIVE HEART (402,404)	1						1	
ISCHEMIC HEART (410-414)	29		59		26	1	34	
OTHER HEART DISEASE (420-429)			1		1			
HYPERTENSION (400,401,403)	1				1			
CEREBROVASCULAR DISEASE (430-438)	5		17		6		5	1
ARTERIOSCLEROSIS (440)	3		1		1		1	
OTHER CIRCULATORY (441-448)			2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		4				1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			4		3		1	
PEPTIC ULCER (531-533)					1		2	
CIRRHOSIS OF LIVER (571)	2		1		2		2	1
NEPHRITIS AND NEPHROSIS (580-584)			1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				2	1		
SYMPTOMS & ILL-DEFINED COND. (780-796)					1	1	1	
ALL OTHER DISEASES (RESIDUAL)	5		7		4		4	
ACCIDENTAL DEATHS (E800-E949)	3		5		3		6	
MOTOR VEHICLE (E810-E823)	2		2		1		3	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)							1	
FALLS (E880-E887)			1				2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	4	1	2		2		2	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	204	7	369	37	155	3	58	8
ATTENDED BY M.D.	189	7	356	37	142	3	58	8
ATTENDED BY D.O.	15		12		13			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	11	1	20	9	7		2	1
TOTAL FETAL DEATHS	1		3	1	3			
ATTENDED BY M.D.	1		2	1	3			
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	99	2	285	15	170	4	178	1
UNDER ONE YEAR OF AGE	2	1	11	2	1		2	
NEONATAL DEATHS	1	1	8	2	1			
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3		1			
MALIGNANT NEOPLASMS (140-209)	25	1	56	3	31	1	37	
DIGEST. ORGANS (150-159)	6	1	11	1	11		10	
RESPIRATORY SYSTEM (160-163)	6		12		3		7	
BREAST (174)	3		6	1	4		2	
GENITAL ORGANS (180-187)	4		11		4		8	
URINARY ORGANS (188-189)	1		1		1		2	
LEUKEMIA (204-207)	2		5				1	
OTHER REMAINDER OF (140-209)	3		10	1	8	1	7	
DIABETES MELLITUS (250)	1		6		6		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	51		155	6	94	3	100	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	33		101	5	63	3	76	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		1		1	
HYPERTENSIVE HEART (402,404)			2	1	1			
ISCHEMIC HEART (410-414)	33		93	2	57	3	74	
OTHER HEART DISEASE (420-429)			2	2	4		1	
HYPERTENSION (400,401,403)			3		1		1	
CEREBROVASCULAR DISEASE (430-438)	14		37	1	24		20	
ARTERIOSCLEROSIS (440)	3		2		4		1	
OTHER CIRCULATORY (441-448)	1		12		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		6	1	6		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		2		3	
PEPTIC ULCER (531-533)			1		2		1	
CIRRHOSIS OF LIVER (571)	1		2				3	
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)			1	1			1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	1	6	2	1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		4		4		2	
ALL OTHER DISEASES (RESIDUAL)	4		25	2	10		18	
ACCIDENTAL DEATHS (E800-E949)	4		12		9		6	
MOTOR VEHICLE (E810-E823)	3		6		5		2	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)					1		1	
FALLS (E880-E887)	1		1				1	
FIRES (E890-E899)			2				1	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	1		1		2		1	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	554	101	84		226	9	776	17
ATTENDED BY M.D.	553	101	84		217	9	749	15
ATTENDED BY D.O.	1				9		27	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	30	15	3		14		42	
TOTAL FETAL DEATHS	4	2			2		8	2
ATTENDED BY M.D.	4	2			2		8	2
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	295	49	69		216	1	392	1
UNDER ONE YEAR OF AGE	10	3			4		11	
NEONATAL DEATHS	7	3			3		9	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4	1			1		2	
MALIGNANT NEOPLASMS (140-209)	47	11	12		47	1	71	
DIGEST. ORGANS (150-159)	11	1	3		16		17	
RESPIRATORY SYSTEM (160-163)	12	3	1		13		24	
BREAST (174)	8	1	3		6		6	
GENITAL ORGANS (180-187)	6	2	1		3		7	
URINARY ORGANS (188-189)	3						3	
LEUKEMIA (204-207)	1		1			1	2	
OTHER REMAINDER OF (140-209)	6	4	3		9		12	
DIABETES MELLITUS (250)	5	2	1		3		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	168	21	44		110		201	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	109	11	32		91		150	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		2		9	
HYPERTENSIVE HEART (402,404)		1			1		3	
ISCHEMIC HEART (410-414)	105	10	30		86		130	1
OTHER HEART DISEASE (420-429)	2		1		2		8	
HYPERTENSION (400,401,403)	1				2			
CEREBROVASCULAR DISEASE (430-438)	51	10	10		12		40	
ARTERIOSCLEROSIS (440)	4		1		4		5	
OTHER CIRCULATORY (441-448)	3		1		1		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	4	1	1		2		13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		2		4		3	
PEPTIC ULCER (531-533)	1							
CIRRHOSIS OF LIVER (571)	1	1	1		7		6	
NEPHRITIS AND NEPHROSIS (580-584)							3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4	1			1		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4	1			2		7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1				3		5	
ALL OTHER DISEASES (RESIDUAL)	18	3	3		19		35	
ACCIDENTAL DEATHS (E800-E949)	22	5	4		14		24	
MOTOR VEHICLE (E810-E823)	12	3	2		9		15	
OTHER TRANS. (E800-E807,E825-E845)	3		1					
POISONING (E850-E877)	1				1		2	
FALLS (E880-E887)	2		1				4	
FIRES (E890-E899)		1						
DROWNING & SUBMERSIONS (E910)	1				3		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1				1			
OTHER REMAINDER OF (E900-E949)	2	1					2	
SUICIDE (E950-E959)	9	1	1		3		9	
HOMICIDE (E960-E978)	1	1						
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	95	13	255	4	353	20	234	21
ATTENDED BY M.D.	82	13	244	3	325	19	231	21
ATTENDED BY D.O.	13		11	1	28	1	3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	5		13		25	1	10	4
TOTAL FETAL DEATHS	1		1		3	1	5	1
ATTENDED BY M.D.	1		1		3	1	5	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	87	22	77		85		302	16
UNDER ONE YEAR OF AGE	2		8		7		4	1
NEONATAL DEATHS	2		7		5		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				1	
MALIGNANT NEOPLASMS (140-209)	9	2	11		10		39	3
DIGEST. ORGANS (150-159)	2		5		2		8	
RESPIRATORY SYSTEM (160-163)	3		1		1		9	
BREAST (174)		1	1		1		1	
GENITAL ORGANS (180-187)		1			2		6	1
URINARY ORGANS (188-189)			1		1		1	1
LEUKEMIA (204-207)	1		1		1		2	
OTHER REMAINDER OF (140-209)	3		2		2		12	1
DIABETES MELLITUS (250)	2	1	1		2		3	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	46	13	26		42		174	7
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	31	8	19		31		121	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					1		1	
HYPERTENSIVE HEART (402,404)	3	1	2		1		3	
ISCHEMIC HEART (410-414)	28	6	16		28		108	1
OTHER HEART DISEASE (420-429)		1	1		1		9	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	11	5	6		9		48	4
ARTERIOSCLEROSIS (440)	1				1		2	2
OTHER CIRCULATORY (441-448)	3		1				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		2		1		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		3		8	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)			2		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	2						3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)		1	2		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		4		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	3	2		4		11	2
ALL OTHER DISEASES (RESIDUAL)	10	2	6		6		25	1
ACCIDENTAL DEATHS (E800-E949)	1		14		10		9	
MOTOR VEHICLE (E810-E823)	1		9		8		4	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)					1		2	
FALLS (E880-E887)			1					
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			2					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1		1			
OTHER REMAINDER OF (E900-E949)							3	
SUICIDE (E950-E959)	1				1		3	1
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			3					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	197	18	1,703	31	342	44	117	25
ATTENDED BY M.D.	192	14	1,471	24	249	23	104	23
ATTENDED BY D.O.	5	4	232	7	93	21	13	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	12	1	102	3	20	4	11	5
TOTAL FETAL DEATHS	1	1	14	2	5	1	2	
ATTENDED BY M.D.	1	1	12	1	3	1	1	
ATTENDED BY D.O.			2	1	2		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	82	6	819	24	266	19	257	1
UNDER ONE YEAR OF AGE	5	1	19		10	1	4	
NEONATAL DEATHS	2	1	14		7	1	2	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1	6		1		1	
MALIGNANT NEOPLASMS (140-209)	21	2	168	3	40	6	68	1
DIGEST. ORGANS (150-159)	6	1	41	2	7		12	
RESPIRATORY SYSTEM (160-163)	5	1	32		8		20	
BREAST (174)			16		1	1	7	
GENITAL ORGANS (180-187)	2		24	1	5	3	5	
URINARY ORGANS (188-189)			9		2		6	
LEUKEMIA (204-207)	1		4		4	1	1	
OTHER REMAINDER OF (140-209)	7		42		13	1	17	1
DIABETES MELLITUS (250)	1		23		5		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	42	2	391	11	158	10	137	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	34	2	279	7	116	6	97	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			9		2		2	
HYPERTENSIVE HEART (402,404)			2				1	
ISCHEMIC HEART (410-414)	32	1	241	7	110	5	90	
OTHER HEART DISEASE (420-429)	2	1	27		4	1	4	
HYPERTENSION (400,401,403)			2				2	
CEREBROVASCULAR DISEASE (430-438)	5		88	3	34	4	29	
ARTERIOSCLEROSIS (440)	1		12	1	2		6	
OTHER CIRCULATORY (441-448)	2		10		6		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		15	1	4		9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		15		2		1	
PEPTIC ULCER (531-533)			5					
CIRRHOSIS OF LIVER (571)			9		4		3	
NEPHRITIS AND NEPHROSIS (580-584)			3		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)			9		1	1	2	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	2		8		5		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		26	2	4		2	
ALL OTHER DISEASES (RESIDUAL)	6		64	3	17	2	15	
ACCIDENTAL DEATHS (E800-E949)	4		52	3	17		7	
MOTOR VEHICLE (E810-E823)	1		29	3	8		3	
OTHER TRANS. (E800-E807,E825-E845)			2					
POISONING (E850-E877)								
FALLS (E880-E887)	2		10		2		4	
FIRES (E890-E899)	1		4					
DROWNING & SUBMERSIONS (E910)			2		3			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)			5		3			
SUICIDE (E950-E959)	2		15		3		1	
HOMICIDE (E960-E978)		1	5		3			
ALL OTHER EXTERNAL CAUSES (E980-E999)			4	1	1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	580	17	4,891	2,601	3,717	2,584	975	13
ATTENDED BY M.D.	461	11	4,358	2,392	3,303	2,375	881	13
ATTENDED BY D.O.	118	6	529	209	410	209	94	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		4		4			
LIVE BIRTHS UNDER 5.5 LBS.	44	2	326	362	262	362	55	
TOTAL FETAL DEATHS	10		72	55	62	55	10	
ATTENDED BY M.D.	9		65	52	57	52	8	
ATTENDED BY D.O.	1		7	3	5	3	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	554	14	4,205	1,132	3,851	1,132	300	
UNDER ONE YEAR OF AGE	11	1	88	59	66	59	19	
NEONATAL DEATHS	7	1	51	40	41	40	8	
MATERNAL DEATHS	2		2	1	1	1	1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			10	5	10	5		
SYPHILIS AND ITS SEQUELAE (090-097)				1		1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		14	11	13	11	1	
MALIGNANT NEOPLASMS (140-209)	94	3	757	186	687	186	59	
DIGEST. ORGANS (150-159)	22	1	199	50	181	50	12	
RESPIRATORY SYSTEM (160-163)	26		172	44	158	44	14	
BREAST (174)	13		63	17	57	17	6	
GENITAL ORGANS (180-187)	12		95	30	86	30	8	
URINARY ORGANS (188-189)	4		36	7	31	7	4	
LEUKEMIA (204-207)	2	1	36	3	34	3	2	
OTHER REMAINDER OF (140-209)	15	1	156	35	140	35	13	
DIABETES MELLITUS (250)	6		88	30	84	30	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	300	6	2,144	438	1,968	438	152	
DISEASES OF HEART								
(390-398,402,404,410-429)	209	3	1,573	313	1,446	313	113	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	JCOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		35	10	35	10		
HYPERTENSIVE HEART (402,404)	8		19	9	17	9	2	
ISCHEMIC HEART (410-414)	185	3	1,374	226	1,261	226	99	
OTHER HEART DISEASE (420-429)	14		145	68	133	68	12	
HYPERTENSION (400,401,403)	1		12	5	9	5	2	
CEREBROVASCULAR DISEASE (430-438)	80	2	432	100	398	100	29	
ARTERIOSCLEROSIS (440)	4	1	65	10	62	10	2	
OTHER CIRCULATORY (441-448)	6		62	10	53	10	6	
INFLUENZA/PNEUMONIA (470-474,480-486)	18		115	19	112	19	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		60	10	55	10	3	
PEPTIC ULCER (531-533)	1		27	4	27	4		
CIRRHOSIS OF LIVER (571)	8		57	19	55	19	2	
NEPHRITIS AND NEPHROSIS (580-584)	5		20	17	20	17		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	2		2	1	1	1	1	
CONGENITAL ANOMALIES (740-759)	4		27	9	22	9	5	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	6	1	38	35	30	35	6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	28	1	231	109	223	109	4	
ALL OTHER DISEASES (RESIDUAL)	41	2	326	108	296	108	23	
ACCIDENTAL DEATHS (E800-E949)	26	1	194	54	163	54	27	
MOTOR VEHICLE (E810-E823)	9	1	85	19	71	19	13	
OTHER TRANS. (E800-E807,E825-E845)	2		6	1	4	1	1	
POISONING (E850-E877)	1		6	2	5	2		
FALLS (E880-E887)	6		42	7	38	7	4	
FIRES (E890-E899)	1		13	5	12	5		
DROWNING & SUBMERSIONS (E910)	2		7	4	7	4		
FIREARM MISSILES (E922)			3	2	2	2	1	
INDUSTRIAL (E916-E921,E923-E928)	1		11	4	7	4	4	
OTHER REMAINDER OF (E900-E949)	4		21	10	17	10	4	
SUICIDE (E950-E959)	5		54	8	49	8	5	
HOMICIDE (E960-E978)	1		27	64	24	64	3	
ALL OTHER EXTERNAL CAUSES (E980-E999)			14	4	11	4	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	199	4	207	7	254	52	25	1
ATTENDED BY M.D.	174	4	6		252	52	25	1
ATTENDED BY D.O.	25		201	7	2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	9		11	1	7	11	1	
TOTAL FETAL DEATHS					1	2		
ATTENDED BY M.D.					1	2		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	54		137	1	280	18	86	
UNDER ONE YEAR OF AGE	3		5		1	2		
NEONATAL DEATHS	2		4		1			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1	1		
MALIGNANT NEOPLASMS (140-209)	11		16		59	2	22	
DIGEST. ORGANS (150-159)	6		5		15		5	
RESPIRATORY SYSTEM (160-163)			3		9		1	
BREAST (174)			3		8		2	
GENITAL ORGANS (180-187)	1		1		6		4	
URINARY ORGANS (188-189)	1		1		5		3	
LEUKEMIA (204-207)					1			
OTHER REMAINDER OF (140-209)	3		3		15	2	7	
DIABETES MELLITUS (250)					1	1	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	24		75		168	8	48	
DISEASES OF HEART (390-398, 402, 404, 410-429)	14		54		115	8	36	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1		1	
HYPERTENSIVE HEART (402,404)					1			
ISCHEMIC HEART (410-414)	14		48		110	7	35	
OTHER HEART DISEASE (420-429)			3		3	1		
HYPERTENSION (400,401,403)	1				1			
CEREBROVASCULAR DISEASE (430-438)	5		16		41		8	
ARTERIOSCLEROSIS (440)	1		3		10			
OTHER CIRCULATORY (441-448)	3		2		1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)			8		4		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				4		3	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			3	1	1		1	
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		5		4			
ALL OTHER DISEASES (RESIDUAL)	7		15		19	3	2	
ACCIDENTAL DEATHS (E800-E949)	4		8		8	1	6	
MOTOR VEHICLE (E810-E823)	1		5		6	1		
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)	1							
FALLS (E880-E887)			3		1		3	
FIRES (E890-E899)	1						1	
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)			2		4		1	
HOMICIDE (E960-E978)					1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				2	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	290	1	194	1	111	15	158	16
ATTENDED BY M.D.	263	1	159		111	15	157	16
ATTENDED BY D.O.	27		35	1			1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	23		7		6	2	8	2
TOTAL FETAL DEATHS	1		2			1		
ATTENDED BY M.D.	1		2			1		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	139	1	93	8	167	2	161	13
UNDER ONE YEAR OF AGE	4		2		1		4	
NEONATAL DEATHS	2		1		1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							2	
MALIGNANT NEOPLASMS (140-209)	30		10	2	27		28	2
DIGEST. ORGANS (150-159)	8		2	1	5		6	1
RESPIRATORY SYSTEM (160-163)	6		4	1	10		6	1
BREAST (174)	2		1		2		3	
GENITAL ORGANS (180-187)	4		2		3		5	
URINARY ORGANS (188-189)	1				4		3	
LEUKEMIA (204-207)	1							
OTHER REMAINDER OF (140-209)	8		1		3		5	
DIABETES MELLITUS (250)	6		1		5		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	75		57	6	95		96	7
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	40		39	6	72		69	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		1	
HYPERTENSIVE HEART (402,404)					1			
ISCHEMIC HEART (410-414)	33		37	5	65		60	2
OTHER HEART DISEASE (420-429)	7		1	1	4		8	1
HYPERTENSION (400,401,403)			1				1	1
CEREBROVASCULAR DISEASE (430-438)	27		12		18		25	3
ARTERIOSCLEROSIS (440)	6		3		4			
OTHER CIRCULATORY (441-448)	2		2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		2		2		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		1		6	
PEPTIC ULCER (531-533)			1				2	
CIRRHOSIS OF LIVER (571)	1		1		4		2	1
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		1		1		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		1		5			
ALL OTHER DISEASES (RESIDUAL)	10	1	5		12	1	11	
ACCIDENTAL DEATHS (E800-E949)	9		7		9		1	3
MOTOR VEHICLE (E810-E823)	3		3		2		1	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					1			
FALLS (E880-E887)	2		1		2			1
FIRES (E890-E899)					1			1
DROWNING & SUBMERSIONS (E910)	1		1		1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	3				1			
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)			2		3		1	
HOMICIDE (E960-E978)					1	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	125	25	130	17	281	18	231	22
ATTENDED BY M.D.	92	20	85	7	267	18	202	21
ATTENDED BY D.O.	33	5	45	10	14		29	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	5	3	5	1	18	3	14	5
TOTAL FETAL DEATHS	1		2		4		3	
ATTENDED BY M.D.	1				4		3	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	149	19	228	14	240	4	261	27
UNDER ONE YEAR OF AGE	1	1	2		8		1	1
NEONATAL DEATHS	1	1	2		5			1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	25	4	42	3	37		35	5
DIGEST. ORGANS (150-159)	9	2	10		10		8	1
RESPIRATORY SYSTEM (160-163)	7	2	12	1	8		13	1
BREAST (174)	3		5		2		2	
GENITAL ORGANS (180-187)	2		4		9		5	1
URINARY ORGANS (188-189)	1				1		1	
LEUKEMIA (204-207)			2	1	1		1	
OTHER REMAINDER OF (140-209)	3		9	1	6		5	2
DIABETES MELLITUS (250)	4		6		8		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	86	9	126	7	130	2	155	16
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	64	6	89	4	96	2	110	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		4			
HYPERTENSIVE HEART (402,404)	8	2			2		1	
ISCHEMIC HEART (410-414)	45	4	78	3	85	2	96	6
OTHER HEART DISEASE (420-429)	11		7	1	5		13	1
HYPERTENSION (400,401,403)	2				1			
CEREBROVASCULAR DISEASE (430-438)	14	2	32	3	27		40	9
ARTERIOSCLEROSIS (440)	6	1	4		4		2	
OTHER CIRCULATORY (441-448)			1		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	6	1	7		8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		7		5		6	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)			3		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)							1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1	1	1		4			
SYMPTOMS & ILL-DEFINED COND. (780-796)	6	2	8		5		19	3
ALL OTHER DISEASES (RESIDUAL)	15	1	11	2	21	1	16	1
ACCIDENTAL DEATHS (E800-E949)	6		12		10	1	7	1
MOTOR VEHICLE (E810-E823)	2		2		8	1	4	
OTHER TRANS. (E800-E807,E825-E845)	1		2					
POISONING (E850-E877)			1					
FALLS (E880-E887)			4				1	
FIRES (E890-E899)								1
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1		1		2		1	
INDUSTRIAL (E916-E921,E923-E928)	1		1					
OTHER REMAINDER OF (E900-E949)	1		1				1	
SUICIDE (E950-E959)	1		2		5		4	
HOMICIDE (E960-E978)		1		1	1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	RAYTOWN		RICHMOND HIGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	346	6	81	18	162	6	199	7
ATTENDED BY M.D.	326	6	81	17	137	6	182	6
ATTENDED BY D.O.	20			1	24		17	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	16		4	3	15		11	
TOTAL FETAL DEATHS	1				1		4	
ATTENDED BY M.D.	1				1		3	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	202		156	18	97	4	111	1
UNDER ONE YEAR OF AGE	2		4	2	5	3	3	
NEONATAL DEATHS	1		4	2	5	3	2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1	1	1			
MALIGNANT NEOPLASMS (140-209)	39		28	3	22		18	
DIGEST. ORGANS (150-159)	8		7	1	6		5	
RESPIRATORY SYSTEM (160-163)	11		6	1	5		4	
BREAST (174)	2		3	1	3			
GENITAL ORGANS (180-187)	5		8		2		2	
URINARY ORGANS (188-189)	2				1			
LEUKEMIA (204-207)	2		1				1	
OTHER REMAINDER OF (140-209)	9		3		5		6	
DIABETES MELLITUS (250)	2		3	1	1		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	99		93	8	52	1	61	1
DISEASES OF HEART								
(390-398,402,404,410-429)	69		69	5	34	1	47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		1	
HYPERTENSIVE HEART (402,404)					1		1	
ISCHEMIC HEART (410-414)	63		68	5	28	1	40	
OTHER HEART DISEASE (420-429)	6				4		5	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	21		17	2	16		11	1
ARTERIOSCLEROSIS (440)	4		3	1	1		3	
OTHER CIRCULATORY (441-448)	5		4		1			
INFLUENZA/PNEUMONIA (470-474,480-486)	6		4		6		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		3		1		3	
PEPTIC ULCER (531-533)			1	1				
CIRRHOSIS OF LIVER (571)	6		2				3	
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1		2	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3	1	3	2	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		3		4		1	
ALL OTHER DISEASES (RESIDUAL)	15		7	1	2		6	
ACCIDENTAL DEATHS (E800-E949)	10		4		3		5	
MOTOR VEHICLE (E810-E823)	6		2				5	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)								
FALLS (E880-E887)			2					
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1				2			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	3							
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	5		3	1			2	
HOMICIDE (E960-E978)	5						2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1			1				

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	570	12	1,049	64	3,455	5,672	280	23
ATTENDED BY M.D.	550	12	1,045	64	3,414	5,658	270	23
ATTENDED BY D.O.	20		3		41	13	10	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1			1		
LIVE BIRTHS UNDER 5.5 LBS.	46		84	15	268	724	11	6
TOTAL FETAL DEATHS	5		16	1	45	94	4	
ATTENDED BY M.D.	5		16	1	43	91	4	
ATTENDED BY D.O.					1	2		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1	1		
TOTAL DEATHS	292	10	991	23	5,642	2,831	330	33
UNDER ONE YEAR OF AGE	17		22	1	66	180	6	
NEONATAL DEATHS	13		22	1	54	116	3	
MATERNAL DEATHS				1		3		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		2		10	5		
SYPHILIS AND ITS SEQUELAE (090-097)			1		4	3		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		4		33	30	4	
MALIGNANT NEOPLASMS (140-209)	71		172	3	990	497	61	4
DIGEST. ORGANS (150-159)	16		38	1	275	136	15	
RESPIRATORY SYSTEM (160-163)	20		45		243	111	13	
BREAST (174)	4		18		91	46	6	
GENITAL ORGANS (180-187)	12		9		124	85	7	2
URINARY ORGANS (188-189)	4		12	1	46	14	4	
LEUKEMIA (204-207)	3		5		28	20	3	
OTHER REMAINDER OF (140-209)	12		45	1	183	85	13	2
DIABETES MELLITUS (250)	3	1	15		151	83	6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	136	8	551	11	3,247	1,217	199	22
DISEASES OF HEART								
(390-398,402,404,410-429)	94	6	385	7	2,492	881	141	16

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1	1	8		37	13	2	
HYPERTENSIVE HEART (402,404)	1		9	1	39	38	1	1
ISCHEMIC HEART (410-414)	82	4	337	6	2,340	765	130	15
OTHER HEART DISEASE (420-429)	10	1	31		76	65	8	
HYPERTENSION (400,401,403)	2	1	4		20	21		
CEREBROVASCULAR DISEASE (430-438)	33	1	119	4	549	258	48	3
ARTERIOSCLEROSIS (440)	4		27		130	29	5	
OTHER CIRCULATORY (441-448)	3		16		56	28	5	3
INFLUENZA/PNEUMONIA (470-474, 480-486)	15	1	30		168	104	11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		25		86	21	4	
PEPTIC ULCER (531-533)	1		4		18	6	4	
CIRRHOSIS OF LIVER (571)	4		10		90	64	4	
NEPHRITIS AND NEPHROSIS (580-584)			6		22	25	2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1		3		
CONGENITAL ANOMALIES (740-759)	6		3		20	31		
DISEASES OF EARLY INFANCY (760-769.2, 769.4-772, 774-778)	9		18	1	40	93	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		40	2	44	13	3	1
ALL OTHER DISEASES (RESIDUAL)	12		63	2	412	271	18	3
ACCIDENTAL DEATHS (E800-E949)	19		35	3	197	160	8	
MOTOR VEHICLE (E810-E823)	11		26		68	55	2	
OTHER TRANS. (E800-E807, E825-E845)	1			1	3	1		
POISONING (E850-E877)					4	5		
FALLS (E880-E887)	2		1		75	31	5	
FIRES (E890-E899)			2		10	18	1	
DROWNING & SUBMERSIONS (E910)	2		1		6	8		
FIREARM MISSILES (E922)			1		3	8		
INDUSTRIAL (E916-E921, E923-E928)	1		3	2	5	11		
OTHER REMAINDER OF (E900-E949)	2		1		23	23		
SUICIDE (E950-E959)	4		7		47	16	3	
HOMICIDE (E960-E978)			5		41	164	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2				22	25	1	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	245	60	1,840	73	201	207	143	14
ATTENDED BY M.D.	195	17	1,823	73	196	204	123	13
ATTENDED BY D.O.	48	21	16		5	3	20	1
ATTENDED BY MIDWIFE	2	22						
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	11	6	114	15	8	24	7	
TOTAL FETAL DEATHS	4	3	17	3	2	4		
ATTENDED BY M.D.	2	1	17	3	2	4		
ATTENDED BY D.O.	2	2						
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	140	33	1,283	30	449	50	90	6
UNDER ONE YEAR OF AGE	5	1	25	4	3	2	2	
NEONATAL DEATHS	4	1	21	2	2	1	2	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			3					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		6	1	4	1	1	
MALIGNANT NEOPLASMS (140-209)	25	5	219	6	98	15	15	2
DIGEST. ORGANS (150-159)	5	2	52	1	28	2	7	1
RESPIRATORY SYSTEM (160-163)	7	1	46	4	22	5	2	
BREAST (174)	1		23		9	2	1	
GENITAL ORGANS (180-187)	6	1	21		9	3	2	
URINARY ORGANS (188-189)	2		12		4			1
LEUKEMIA (204-207)	2		12		3		2	
OTHER REMAINDER OF (140-209)	2	1	53	1	23	3	1	
DIABETES MELLITUS (250)	2		26	4	19	1		
MAJOR CARDIOVASCULAR DISEASE (390-448)	80	21	696	11	255	16	55	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	60	14	470	9	189	11	35	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			13		5			1
HYPERTENSIVE HEART (402,404)	1		6	1			3	
ISCHEMIC HEART (410-414)	57	13	437	7	180	9	29	1
OTHER HEART DISEASE (420-429)	2	1	14	1	4	2	3	
HYPERTENSION (400,401,403)	1		4				1	
CEREBROVASCULAR DISEASE (430-438)	17	6	166	2	54	5	11	
ARTERIOSCLEROSIS (440)	1		44		7		8	
OTHER CIRCULATORY (441-448)	1	1	12		5			
INFLUENZA/PNEUMONIA (470-474,480-486)	4	2	32		7		4	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		21		5			
PEPTIC ULCER (531-533)			5		1			
CIRRHOSIS OF LIVER (571)	1		8	1	5		1	
NEPHRITIS AND NEPHROSIS (580-584)			3		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1		12		2	1		
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	3	1	13	2	1	1	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	2	56	1	1			
ALL OTHER DISEASES (RESIDUAL)	8	1	75	2	29	1	2	1
ACCIDENTAL DEATHS (E800-E949)	10	1	77		15	8	9	
MOTOR VEHICLE (E810-E823)	6		42		7	2	5	
OTHER TRANS. (E800-E807,E825-E845)					1	1	1	
POISONING (E850-E877)		1	2		3	2		
FALLS (E880-E887)	1		17		3		1	
FIRES (E890-E899)			4					
DROWNING & SUBMERSIONS (E910)						1		
FIREARM MISSILES (E922)			2			1	1	
INDUSTRIAL (E916-E921,E923-E928)	1		6		1			
OTHER REMAINDER OF (E900-E949)	2		4			1	1	
SUICIDE (E950-E959)	1		18		2	2	1	
HOMICIDE (E960-E978)			9	2	1	4		
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		3			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

## WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	189	34
ATTENDED BY M.D.	187	34
ATTENDED BY D.O.	2	
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
LIVE BIRTHS UNDER 5.5 LBS.	9	7
TOTAL FETAL DEATHS	3	1
ATTENDED BY M.D.	3	1
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL DEATHS	241	23
UNDER ONE YEAR OF AGE	1	2
NEONATAL DEATHS	1	2
MATERNAL DEATHS		
CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)		
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)	2	
MALIGNANT NEOPLASMS (140-209)	44	5
DIGEST. ORGANS (150-159)	11	2
RESPIRATORY SYSTEM (160-163)	6	1
BREAST (174)	9	1
GENITAL ORGANS (180-187)	6	1
URINARY ORGANS (188-189)		
LEUKEMIA (204-207)	1	
OTHER REMAINDER OF (140-209)	11	
DIABETES MELLITUS (250)	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	143	10
DISEASES OF HEART		
(390-398,402,404,410-429)	100	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1973

## WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC		
RHEUMATIC HEART DISEASE (390-398)	4	
HYPERTENSIVE HEART (402,404)	3	
ISCHEMIC HEART (410-414)	89	7
OTHER HEART DISEASE (420-429)	4	
HYPERTENSION (400,401,403)		
CEREBROVASCULAR DISEASE (430-438)	29	3
ARTERIOSCLEROSIS (440)	8	
OTHER CIRCULATORY (441-448)	6	
INFLUENZA/PNEUMONIA (470-474,480-486)	11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1	
PEPTIC ULCER (531-533)	1	
CIRRHOSIS OF LIVER (571)	3	2
NEPHRITIS AND NEPHROSIS (580-584)	1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)	2	1
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	
ALL OTHER DISEASES (RESIDUAL)	12	1
ACCIDENTAL DEATHS		
(E800-E949)	10	
MOTOR VEHICLE (E810-E823)	5	
OTHER TRANS. (E800-E807,E825-E845)		
POISONING (E850-E877)		
FALLS (E880-E887)	2	
FIRES (E890-E899)		
DROWNING & SUBMERSIONS (E910)		
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)	1	
OTHER REMAINDER OF (E900-E949)	2	
SUICIDE (E950-E959)	3	1
HOMICIDE (E960-E978)		2
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

## RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1973

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	2,034	905	107	65	143	60	501	127	443	125	452	155	160	86	227	286
10. WORK TOTAL	170	2	1	-	4	-	20	-	53	2	75	-	10	-	7	-
11. AGRICULTURE	50	-	1	-	4	-	3	-	7	-	22	-	6	-	7	-
12. MINING, QUARRYING, OIL/GAS WELL	12	-	-	-	-	-	1	-	7	-	4	-	-	-	-	-
13. CONSTRUCTION	34	-	-	-	-	-	4	-	14	-	15	-	1	-	-	-
14. MANUFACTURING	16	2	-	-	-	-	-	-	5	2	10	-	1	-	-	-
15. TRANS. AND PUBLIC UTILITIES	23	-	-	-	-	-	5	-	6	-	12	-	-	-	-	-
16. TRADE	9	-	-	-	-	-	2	-	5	-	2	-	-	-	-	-
17. SERVICE	11	-	-	-	-	-	2	-	2	-	6	-	1	-	-	-
18. GOVERNMENT	5	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	10	-	-	-	-	-	1	-	6	-	2	-	1	-	-	-
20. HOME TOTAL	377	288	62	29	32	24	36	11	46	22	82	34	48	30	71	137
21. POISONINGS (GAS EXCEPTED)	14	12	1	-	-	2	8	3	3	4	2	3	-	-	-	-
22. POISONINGS BY GAS AND VAPOR	14	8	1	-	3	2	-	2	2	-	5	2	3	1	-	1
23. FALLS	114	159	3	2	1	2	1	1	4	4	29	10	23	17	53	127
24. FIRES	85	61	16	7	6	13	4	3	11	6	23	12	13	9	12	11
25. DROWNING	29	6	13	4	5	-	3	-	4	-	2	1	-	1	2	-
26. SUFFOCATION, INGESTED OBJECTS	13	5	5	2	-	-	1	-	2	1	4	2	1	-	-	-
27. SUFFOCATION, MECHANICAL	24	10	14	8	1	1	3	-	4	-	1	-	1	-	-	1
28. FIREARMS	45	7	4	1	11	4	12	1	8	1	6	-	3	-	1	-
29. OTHER AND UNSPECIFIED ACC.	39	20	5	5	5	-	4	1	8	6	10	4	4	2	3	2
30. MOTOR VEHICLE TOTAL	1,075	413	30	27	68	29	368	105	263	82	208	100	74	37	64	33
31. INJURY TO PEDESTRIAN	138	51	14	6	23	13	23	8	14	7	41	7	10	5	13	5
32. INJURY TO PEDAL CYCLIST	11	3	-	1	7	2	4	-	-	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	30	4	-	-	1	-	10	2	12	2	6	-	1	-	-	-
35. COLLISION WITH OTHER MOTOR V	442	227	8	11	26	10	153	51	100	45	76	68	43	22	36	20
36. COLLISION WITH FIXED OBJECT	255	67	4	4	4	3	106	26	70	11	51	14	11	6	9	3
37. NONCOLLISION	108	29	1	4	4	-	44	11	32	9	18	4	6	1	3	-
38. OTHER AND UNSPECIFIED ACC.	91	32	3	1	3	1	28	7	35	8	16	7	3	3	3	5

NOTE ALL AGES INCLUDES UNKNOWN AGE.

M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)


RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1973

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	412	202	14	9	39	7	77	11	81	19	87	21	28	19	85	116
51. RAILROAD NOT WITH MOTOR V	9	3	-	-	3	1	1	-	-	-	1	-	-	-	4	2
52. OTHER V NOT WITH MOTOR V	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
53. WATER TRANSPORT	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
54. AIR-TRANSPORT	40	14	-	1	6	1	6	3	18	5	8	4	2	-	-	-
55. FALLS	96	113	1	-	1	-	3	-	4	1	22	5	9	11	55	96
56. FIRES	8	-	-	-	1	-	1	-	1	-	3	-	-	-	2	-
57. DROWNING	122	17	3	3	18	5	44	5	32	3	16	1	6	-	3	-
58. FIREARMS	18	1	-	-	1	-	2	-	8	-	6	1	1	-	-	-
59. OTHER AND UNSPECIFIED ACC.	114	54	10	5	8	-	17	3	18	10	30	10	10	8	21	18
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE V = VEHICLE

# MARRIAGES

GRAPH E.  
MARRIAGE RATES 1949-1973  
(per 1,000 population)



## MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1962	35,192	8.1
1950	34,300	8.7	1963	37,667	8.6
1951	30,880	7.7	1964	38,802	8.7
1952	28,373	7.1	1965	39,882	8.9
1953	33,012	8.2	1966	42,597	9.4
1954	33,520	8.2	1967	44,055	9.7
1955	34,162	8.3	1968	48,155	10.5
1956	34,382	8.3	1969	50,411	10.9
1957	31,395	7.5	1970	50,224	10.7
1958	31,965	7.6	1971	51,048	10.8
1959	34,352	8.1	1972	53,372	11.2
1960	35,368	8.2	1973	51,990	10.9
1961	34,640	8.0			

**SOURCE:** Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates—Series P-25, No's 139, 304, 460, 488. Provisional estimate for July 1, 1973—see page iv.

TABLE 18

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1973

		AGE OF BRIDE														
AGE OF GROOM	TOTAL	15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	51,990	757	1,901	3,029	5,711	5,878	5,084	4,538	4,114	2,898	2,174	1,745	1,526	1,177	872	704
15 AND UNDER	52	5	5	4	10	6	5	2	5	1	1	1	3			1
16 YEARS	206	28	61	48	38	13	4	5	4		2	1				
17 YEARS	1,031	136	263	283	194	87	21	20	5	4	4	5	2	2	1	
18 YEARS	2,509	155	435	580	760	342	120	53	25	15	5	5	6	2		1
19 YEARS	3,972	139	362	684	1,140	974	390	129	57	33	11	9	14	9	4	6
20 YEARS	4,636	92	281	443	1,145	1,122	904	346	139	53	35	23	18	7	5	7
21 YEARS	4,893	59	153	348	842	1,029	927	827	374	137	61	34	30	25	6	9
22 YEARS	4,856	35	117	230	572	712	830	898	866	274	124	64	42	28	16	10
23 YEARS	4,149	25	66	145	346	531	612	680	711	502	195	120	72	47	25	19
24 YEARS	3,259	16	37	91	225	313	381	457	506	461	328	161	94	67	35	14
25 YEARS	2,684	15	29	46	143	220	278	315	397	336	285	230	146	80	30	33
26 YEARS	2,400	13	30	37	88	155	193	234	319	300	267	207	192	120	64	43
27 YEARS	1,743	10	12	21	52	99	108	137	201	175	200	199	152	113	66	51
28 YEARS	1,281	5	5	12	41	69	78	90	124	139	120	129	117	87	91	38
29 YEARS	1,149	3	6	16	25	43	56	76	94	106	120	123	106	88	58	53
30 YEARS	1,061	4	11	8	23	41	43	59	75	74	90	79	94	101	76	47
31 YEARS	907	2	5	12	16	28	24	40	45	52	70	82	90	65	66	56
32 YEARS	735	2	4	3	11	6	25	34	43	47	49	46	54	66	48	51
33 YEARS	656	3	2	4	9	18	16	25	32	35	38	46	46	43	53	37
34 YEARS	563	1	4	5	7	9	17	16	20	32	22	32	42	20	28	28
35-39 YEARS	2,243	2	7	4	13	37	29	63	47	69	91	101	125	105	103	104
40-44 YEARS	1,768	2	1		5	14	13	17	14	28	38	29	45	64	55	56
45-49 YEARS	1,463		1	2	2	5	4	7	7	15	11	12	22	25	31	31
50-54 YEARS	1,100		1	1	2	2	3	3	2	4	3	5	8	10	6	10
55-59 YEARS	802	2		1			1	2	2	2	3		2	3	4	6
60-64 YEARS	653	2								1		1	1			2
65-69 YEARS	526							1		1	1		3		1	1
70-74 YEARS	338			1		1						1				
75 YEARS AND OVER	335		1													
NOT STATED	20	1	2		2	2	2	2		2						

TABLE 18 (CONT)

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1973

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	700	598	494	515	448	1,809	1,396	1,174	915	650	498	361	201	95	28
15 AND UNDER						1	1			1					
16 YEARS	1									1					
17 YEARS		2					1								1
18 YEARS			2	1					1						1
19 YEARS	2	1			1	3		1							3
20 YEARS	4	2		2		5									3
21 YEARS	8	2	5	3	1	9		1			1				2
22 YEARS	11	9	4	5		5	1	1							2
23 YEARS	12	11	7	6	5	8	2		1						1
24 YEARS	22	13	9	9	5	12	1	1					1		
25 YEARS	32	12	10	16	11	18	2								
26 YEARS	38	18	14	18	9	23	11	4			1				2
27 YEARS	35	25	15	21	17	26	4	2							2
28 YEARS	22	29	22	14	8	29	11	1							
29 YEARS	42	28	27	19	10	33	13	2	1			1			
30 YEARS	64	37	23	18	13	51	20	7		1			1	1	
31 YEARS	48	47	32	27	21	58	18	1	2						
32 YEARS	56	33	30	19	18	57	21	12							
33 YEARS	41	47	26	37	29	51	13	4	1						
34 YEARS	27	36	33	28	33	84	29	7	3						
35-39 YEARS	118	123	121	128	106	447	193	74	26	4	2				1
40-44 YEARS	68	62	62	71	101	422	338	178	53	29	3				
45-49 YEARS	32	32	40	42	36	261	349	305	146	40	10	4			1
50-54 YEARS	9	16	7	21	12	120	203	281	228	96	29	15	2		1
55-59 YEARS	3	8	1	5	7	50	96	154	204	158	68	15	3	1	1
60-64 YEARS	3	4	3	5	2	20	40	85	139	157	121	45	16	4	2
65-69 YEARS	2		1			12	16	34	68	96	148	117	21	2	1
70-74 YEARS		1			1	3	5	14	31	38	71	92	67	12	
75 YEARS AND OVER					1	1	7	5	11	29	44	71	90	75	
NOT STATED					1		1					1			

TABLE 19

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,  
GROOM AND BRIDE , MISSOURI 1973

AGE	GROOM			BRIDE		
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	AN- NULLED
TOTAL	51,990	35,743	13	2,351	13,818	17
15 AND UNDER	52	40		1	11	3
16 YEARS	206	202		2	2	1
17 YEARS	1,031	1,026			5	
18 YEARS	2,509	2,497			11	1
19 YEARS	3,972	3,924		4	42	1
20 YEARS	4,636	4,538	1		93	2
21 YEARS	4,893	4,668	1	4	219	2
22 YEARS	4,856	4,524		2	327	2
23 YEARS	4,149	3,632	1	2	514	2
24 YEARS	3,259	2,690	3	8	557	1
25 YEARS	2,684	1,978	2	16	685	1
26 YEARS	2,400	1,584		11	802	3
27 YEARS	1,743	1,047		12	682	
28 YEARS	1,281	643	1	12	624	
29 YEARS	1,149	525		20	603	
30 YEARS	1,061	426		8	627	
31 YEARS	907	317		22	567	
32 YEARS	735	212		15	508	
33 YEARS	656	161	1	20	472	
34 YEARS	563	114	1	19	429	
35-39 YEARS	2,243	390	1	80	1,766	1
40-44 YEARS	1,768	215	1	113	1,436	
45-49 YEARS	1,463	140		199	1,120	
50-54 YEARS	1,100	91		269	732	1
55-59 YEARS	802	50		294	453	
60-64 YEARS	653	34		347	268	
65-69 YEARS	526	30		341	152	
70-74 YEARS	338	20		250	66	
75 YEARS AND OVER	335	11		280	40	
NOT STATED	20	14			5	

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS,  
MISSOURI 1973

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	35,743	31,823	295	3,602	11	12
WIDOWED	2,351	229	1,319	796	1	6
DIVORCED	13,818	4,352	1,112	8,347	4	3
ANNULLED	13	8		4	1	
NOT STATED	65	14	4	6		41
TOTAL	51,990	36,426	2,730	12,755	17	62

TABLE 21

## REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1973

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	47,166	47,041	106	19
NONWHITE	4,722	279	4,443	
NOT STATED	102	16	4	82
TOTAL	51,990	47,336	4,553	101



TABLE 22

## REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1973

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE	COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE
STATE TOTAL	4,757,000						
ADAIR	24,000	307	12.8	DOUGLAS	10,800	119	11.1
ANDREW	13,100	110	8.4	DUNKLIN	35,100	498	14.2
ATCHISON	9,700	256	26.4	FRANKLIN	61,100	699	11.4
AUDRAIN	25,500	323	9.1	GASCONADE	12,900	95	7.4
BARRY	21,500	261	12.1	GENTRY	8,300	80	9.6
BARTON	11,100	95	8.6	GREENE	165,000	2,045	12.4
BATES	16,300	112	6.9	GRUNDY	11,200	138	12.3
BENTON	11,500	92	8.0	HARRISON	10,000	166	16.6
BOLLINGER	9,600	104	10.8	HENRY	19,700	230	11.7
BOONE	83,700	835	10.0	HICKORY	5,400	34	6.3
BUCHANAN	87,000	1,082	12.4	HOLT	7,100	55	7.7
BUTLER	36,700	613	16.7	HOWARD	10,900	101	9.3
CALDWELL	9,100	58	6.4	HOWELL	26,400	329	12.5
CALLAWAY	27,700	212	7.7	IRON	9,900	106	10.7
CAMDEN	15,700	195	12.4	JACKSON	647,700	7,790	12.0
CAPE GIRARDEAU	51,400	605	11.8	JASPER	82,400	1,032	12.5
CARROLL	12,100	141	11.7	JEFFERSON	115,300	939	8.1
CARTER	4,200	49	11.7	JOHNSON	35,200	339	9.6
CASS	45,900	592	12.9	KNOX	5,900	51	8.6
CEDAR	10,300	71	6.9	LACLEDE	20,600	252	12.2
CHARITON	10,600	90	8.5	LAFAYETTE	28,400	264	9.3
CHRISTIAN	18,200	203	11.2	LAWRENCE	27,400	308	11.2
CLARK	8,200	205	25.0	LEWIS	10,500	114	10.9
CLAY	131,400	1,064	8.1	LINCOLN	19,500	188	9.6
CLINTON	14,000	72	5.1	LINN	15,600	140	9.0
COLE	48,500	663	13.7	LIVINGSTON	16,500	216	13.1
COOPER	14,700	125	8.5	MC DONALD	14,200	165	11.6
CRAWFORD	16,100	168	10.4	MACON	15,300	176	11.5
DADE	7,000	57	8.1	MADISON	9,100	137	15.1
DALLAS	10,800	105	9.7	MARIES	7,100	73	10.3
DAVISS	8,200	73	8.9	MARION	28,000	436	15.6
DE KALB	7,800	57	7.3	MERCER	4,700	177	37.7
DENT	12,900	148	11.5	MILLER	17,300	161	9.3

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

TABLE 22 (CONT)


## REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1973

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
MISSISSIPPI	16,800	259	15.4	ST. CHARLES	103,600	1,223	11.8
MONITEAU	11,100	127	11.4	ST. CLAIR	8,500	68	8.0
MONROE	9,700	70	7.2	ST. FRANCOIS	39,500	511	12.9
MONTGOMERY	10,800	108	10.0	STE. GENEVIEVE	13,700	108	7.9
MORGAN	11,400	132	11.6	ST. LOUIS CITY	568,100	6,516	11.5
NEW MADRID	24,600	215	8.7	ST. LOUIS COUNTY	951,300	8,522	9.0
NEWTON	35,300	400	11.3	SALINE	24,100	257	10.7
NODAWAY	24,500	246	10.0	SCHUYLER	4,800	139	29.0
OREGON	9,500	92	9.7	SCOTLAND	5,400	153	28.3
OSAGE	11,200	74	6.6	SCOTT	34,700	380	11.0
OZARK	7,000	66	9.4	SHANNON	7,500	78	10.4
PEMISCOT	27,100	319	11.8	SHELBY	7,800	73	9.4
PERRY	14,700	236	16.1	STODDARD	26,800	356	13.3
PETTIS	36,400	433	11.9	STONE	11,800	88	7.5
PHELPS	31,400	364	11.6	SULLIVAN	7,700	64	8.3
PIKE	17,200	204	11.9	TANEY	16,900	224	13.3
PLATTE	34,800	285	8.2	TEXAS	20,200	266	13.2
POLK	16,800	159	9.5	VERNON	19,000	224	11.8
PULASKI	38,500	494	12.8	WARREN	11,600	103	8.9
PUTNAM	6,100	152	24.9	WASHINGTON	16,400	193	11.8
RALLS	7,700	124	16.1	WAYNE	9,700	122	12.6
RANDOLPH	22,700	226	10.0	WEBSTER	17,600	187	10.6
RAY	19,400	211	10.9	WORTH	3,200	47	14.7
REYNOLDS	6,200	59	9.5	WRIGHT	15,400	162	10.5
RIPLEY	12,200	75	6.1				

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

# DIVORCES

GRAPH F.  
DIVORCE RATES 1949-1973  
(per 1,000 population)



## DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1962	11,882	2.7
1950	12,177	3.1	1963	12,652	2.9
1951	12,131	3.0	1964	12,785	2.9
1952	12,943	3.3	1965	13,261	3.0
1953	12,342	3.1	1966	13,758	3.0
1954	11,705	2.9	1967	14,520	3.2
1955	11,351	2.7	1968	16,473	3.6
1956	10,993	2.6	1969	17,578	3.8
1957	10,861	2.6	1970	17,852	3.8
1958	10,747	2.6	1971	19,643	4.2
1959	11,695	2.7	1972	20,699	4.4
1960	11,320	2.6	1973	21,777	4.6
1961	11,574	2.7			

**SOURCE:** Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates, Series P-25, No.'s 139, 304, 460, 488. Provisional estimate for July 1, 1973—see page iv.

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.  
HUSBAND BY WIFE, MISSOURI 1973

HUSBAND	TOTAL	WIFE						
		DIVORCES						NOT STATED
		NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	
TOTAL	21,670	15,105	4,673	1,325	316	97	48	106
NONE	15,013	13,157	1,529	253	36	7	6	25
ONE	4,566	1,564	2,220	582	117	42	13	26
TWO	1,421	294	642	348	86	23	17	6
THREE	372	49	167	83	50	12	9	2
FOUR	121	10	59	26	18	5	3	
FIVE OR MORE	63	8	28	19	6	2		
NOT STATED	114	23	28	14	3	1		45
ANNULMENTS								
TOTAL	107	44	39	16	3	1		4
NONE	37	30	5	1				1
ONE	40	10	18	11				1
TWO	19	2	12	2	2	1		
THREE	3		1	1	1			
FOUR	1	1						
FIVE OR MORE	3		2	1				
NOT STATED	4	1	1					2

TABLE 24

## REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1973

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DIVORCES	ANNULMENTS
TOTAL	21,777	21,670	107
UNDER 1 YEAR	723	681	42
1 YEAR	2,309	2,267	42
2 YEARS	2,273	2,262	11
3 YEARS	2,273	2,271	2
4 YEARS	1,948	1,947	1
5 YEARS	1,661	1,659	2
6 YEARS	1,212	1,210	2
7 YEARS	996	996	
8 YEARS	875	875	
9 YEARS	735	734	1
10 YEARS	680	680	
11 YEARS	592	592	
12 YEARS	489	489	
13 YEARS	464	464	
14 YEARS	432	432	
15 YEARS	359	359	
16 YEARS	331	331	
17 YEARS	330	330	
18 YEARS	313	313	
19 YEARS	284	283	1
20-24 YEARS	1,131	1,131	
25-29 YEARS	764	763	1
30-34 YEARS	341	341	
35-39 YEARS	138	136	2
40 YEARS AND OVER	92	92	
NOT STATED	32	32	

TABLE 25

## REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1973

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	21,777	21,670	107
NO CHILDREN	9,651	9,546	105
ONE CHILD	5,578	5,577	1
TWO CHILDREN	3,773	3,773	
THREE CHILDREN	1,673	1,673	
FOUR CHILDREN	692	692	
FIVE CHILDREN	242	242	
SIX CHILDREN	84	83	1
SEVEN CHILDREN	42	42	
EIGHT CHILDREN	16	16	
NINE OR MORE CHILDREN	10	10	
NOT STATED	16	16	

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY TO WHOM DECREE GRANTED  
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES					ANNULMENTS				
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT.		TOTAL	HUSBAND	WIFE	SEPARATE MAINT.	
					NOT STATED					NOT STATED
TOTAL	21,670	4,670	16,937		63	107	32	73		2
HUSBAND	5,509	4,499	993		17	31	30	1		
WIFE	16,115	164	15,905		46	74	2	71		1
OTHER										
NOT STATED	46	7	39			2		1		1

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY DISPOSITION OF CHILDREN  
DISPOSITION OF CHILDREN

COMPLAINANT	TOT.	DIVORCES							ANNULMENTS						
		HUS- BAND	WIFE	GUARD- IAN	CUST. JNT	NOT OTHER	STAT	NO CHILD	HUS- BAND	WIFE	GUARD- IAN	CUST. JNT	NOT OTHER	STAT	NO CHILD
TOTAL	21,670	776	10,829		281	44	184	9,556	107	1					100
HUSBAND	5,509	554	1,775		98	19	102	2,961	31						31
WIFE	16,115	221	9,035		183	24	79	6,573	74	1					73
OTHER															
NOT STATED	46	1	19			1	3	22	2						2

TABLE 28

## REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1973

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	21,777	21,670	107
NO ALIMONY OR SUPPORT	10,212	10,110	102
ALIMONY TO WIFE	1,262	1,260	2
ALIMONY TO HUSBAND			
PROPERTY SETTLEMENT	31	30	1
SUPPORT TO CHILDREN	5,048	5,048	
ALIMONY AND CHILD SUPPORT	5,100	5,100	
ALIMONY OR SUPPORT TO OTHERS			
NOT STATED	124	122	2

TABLE 29

## REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	21,777	21,670	107
ADULTERY	86	86	
CRUELTY	164	164	
DESERTION	718	718	
DRUNKENNESS	53	53	
NON-SUPPORT	68	68	
BIGAMY	2	2	
CONVICTION OF CRIME	20	20	
GENERAL INDIGNITIES	20,455	20,455	
INSANITY			
ANNULMENTS	107		107
SOCIAL DISEASE			
NOT STATED	104	104	

TABLE 30

## REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND BY WIFE, MISSOURI 1973

HUSBAND	DIVORCES	TOTAL	WHITE	WIFE	
				NONWHITE	NOT STATED
TOTAL		21,670	18,825	2,361	484
WHITE		18,821	18,715	48	58
NONWHITE		2,361	46	2,300	15
NOT STATED		488	64	13	411
ANNULMENTS					
TOTAL		107	88	16	3
WHITE		89	86	1	2
NONWHITE		16	2	14	
NOT STATED		2		1	1

TABLE 31

## REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1973

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	21,777	21,670	107
HUSBAND	938	936	2
WIFE	590	589	1
NO CONTEST	19,635	19,536	99
NOT STATED	614	609	5



TABLE 32 REPORTED DIVORCES AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES, MISSOURI 1973

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS	
		NUMBER	RATE			NUMBER	RATE
STATE TOTAL	4,757,000	21,777	4.6				
ADAIR	24,000	107	4.5	DE KALB	7,800	13	1.7
ANDREW	13,100	34	2.6	DENT	12,900	57	4.4
ATCHISON	9,700	33	3.4	DOUGLAS	10,800	7	0.7
AUDRAIN	25,500	88	3.5	DUNKLIN	35,100	211	6.0
BARRY	21,500	104	4.8	FRANKLIN	61,100	227	3.7
BARTON	11,100	41	3.7	GASCONADE	12,900	27	2.1
BATES	16,300	75	4.6	GENTRY	8,300	13	1.6
BENTON	11,500	41	3.6	GREENE	165,000	1,168	7.1
BOLLINGER	9,600	35	3.7	GRUNDY	11,200	62	5.5
BOONE	83,700	399	4.8	HARRISON	10,000	28	2.8
BUCHANAN	87,000	553	6.4	HENRY	19,700	98	5.0
BUTLER	36,700	245	6.7	HICKORY	5,400	13	2.4
CALDWELL	9,100	27	3.0	HOLT	7,100	15	2.1
CALLAWAY	27,700	101	3.7	HOWARD	10,900	26	2.4
CAMDEN	15,700	64	4.1	HOWELL	26,400	56	2.1
CAPE GIRARDEAU	51,400	207	4.0	IRON	9,900	28	2.8
CARROLL	12,100	42	3.5	JACKSON	647,700	4,170	6.4
CARTER	4,200	11	2.6	JASPER	82,400	591	7.2
CASS	45,900	198	4.3	JEFFERSON	115,300	183	1.5
CEDAR	10,300	32	3.1	JOHNSON	35,200	125	3.6
CHARITON	10,600	28	2.6	KNOX	5,900	12	2.0
CHRISTIAN	18,200	91	5.0	LACLEDE	20,600	107	5.2
CLARK	8,200	35	4.3	LAFAYETTE	28,400	125	4.4
CLAY	131,400	652	5.0	LAWRENCE	27,400	105	3.8
CLINTON	14,000	34	2.4	LEWIS	10,500	35	3.3
COLE	48,500	182	3.8	LINCOLN	19,500	60	3.1
COOPER	14,700	35	2.4	LINN	15,600	62	4.0
CRAWFORD	16,100	68	4.2	LIVINGSTON	16,500	80	4.9
DADE	7,000	14	2.0	MC DONALD	14,200	79	5.6
DALLAS	10,800	48	4.4	MACON	15,300	51	3.3
DAVISS	8,200	34	4.2	MADISON	9,100	51	5.6

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

TABLE 32 (CONT) REPORTED DIVORCES AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES, MISSOURI 1973

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS	
		NUMBER	RATE			NUMBER	RATE
MARIES	7,100	20	2.8	REYNOLDS	6,200	1	0.2
MARION	28,000	84	3.0	RIPLEY	12,200	28	2.3
MERCER	4,700	20	4.3	ST. CHARLES	103,600	497	4.8
MILLER	17,300	38	2.2	ST. CLAIR	8,500	47	5.5
MISSISSIPPI	16,800	65	3.9	ST. FRANCOIS	39,500	219	5.5
MONITEAU	11,100	25	2.3	STE. GENEVIEVE	13,700	11	0.8
MONROE	9,700	21	2.2	ST. LOUIS CITY	568,100	2,145	3.8
MONTGOMERY	10,800	41	3.8	ST. LOUIS COUNTY	951,300	4,227	4.4
MORGAN	11,400	50	4.4	SALINE	24,100	112	4.7
NEW MADRID	24,600	125	5.1	SCHUYLER	4,800	16	3.3
NEWTON	35,300	179	5.1	SCOTLAND	5,400	17	3.2
NODAWAY	24,500	62	2.5	SCOTT	34,700	176	5.1
OREGON	9,500	2	0.2	SHANNON	7,500	22	2.9
OSAGE	11,200	15	1.3	SHELBY	7,800	18	2.3
OZARK	7,000	11	1.6	STODDARD	26,800	135	5.0
PEMISCOT	27,100	171	6.3	STONE	11,800	55	4.7
PERRY	14,700	30	2.0	SULLIVAN	7,700	22	2.9
PETTIS	36,400	193	5.3	TANEY	16,900	81	4.8
PHELPS	31,400	141	4.5	TEXAS	20,200	72	3.6
PIKE	17,200	52	3.0	VERNON	19,000	102	5.4
PLATTE	34,800	193	5.6	WARREN	11,600	37	3.2
POLK	16,800	65	3.9	WASHINGTON	16,400	45	2.7
PULASKI	38,500	159	4.1	WAYNE	9,700	35	3.6
PUTNAM	6,100	23	3.8	WEBSTER	17,600	50	2.8
RALLS	7,700	13	1.7	WORTH	3,200	6	1.9
RANDOLPH	22,700	103	4.5	WRIGHT	15,400	71	4.6
RAY	19,400	86	4.4				

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.





DEPARTMENT OF SOCIAL SERVICES  
DIVISION OF HEALTH OF MISSOURI  
Broadway State Office Building  
P. O. Box 570  
Jefferson City, Missouri 65101